DIZOP MINOXIDIL TOPICAL GEL- minoxidil 5% gel Shenzhen Joyuflsh Technology Co.,Ltd.

Dizop Minoxidil Topical Gel

Dizop Minoxidil Topical Gel

Minoxidil 5%

Reactivates Hair Follicles To Stimulate RegrowthEasy-To-Use Minoxidil Gel

Minoxidil Topical Gel, 5% (For Men), is designed for men experiencing general hair thinning on the top of the scalp, as depicted.

Hair regrowth treatment for men.

Use to Regrow Hair on the Top of the Scalp (See Pictures on the Side of this Carton).

For external use only

Your degree of hair loss differs from that shown on the side of this carton because this product may not work for you.

Your hair loss is sudden, patchy, or a combination of both.

You are under 18 years of age. Please do not use it on babies or children.

Your scalp is red, inflamed, infected, irritated, or painful.

You use other medicines on the scalp.

Do not use more than directed.

Avoid contact with the eyes, ears, and mouth. In the event of accidental contact with the eyes, rinse the affected area with a generous amount of cool tap waterimmediately. It takes time to regrow hair. Results may occur after two months of once-daily useFor some individuals, it may take at least four months before results becomenoticeable. The efficacy of this product in promoting hair regrowth can differ from person to person, and it may not work for every man.

Stop use and ask a doctor if you experience chest pain, a rapid heartbeat,faintness, or dizziness, or if scalp irritation or redness occurs. These may be signs of a serious condition

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately at 1-800-222-1222

Apply 1 ml onto the scalp, where hair loss occurs, once daily and massaging gently for absorption.

Store between 41 and 86°F (5 and 30 °C). Avoid freezing and exposure to excessive heat above 95°F (35°C)

STEARIC ACID OLEIC ACID POLYSORBATE 80 SORBITAN MONOOLEATE CARBOMER HOMOPOLYMER GLYCERIN PURIFIED WATER

		JIZOP®		
<text><text><text><text><text><text><text><text><list-item><text><list-item><text><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><table-row><text></text></table-row></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></text></list-item></text></list-item></text></text></text></text></text></text></text></text>	<text><text><text><image/><image/><image/><image/><image/><image/><image/><image/><image/></text></text></text>	VERSIMA SUSCEPTION MINOXIDIA TOPICAL GEL SX for men BX for men	State State St	
Bits: Carlon transporter Thomas Your	supportgöliopida.com www.diopida.com MADE IN PRC	Europ-on-ver Menth Supply 338.1 ex/100 mi 5 338.1 of 000000 2 MED: 2026-1-22 EXP: 2026-1-22		

	OPICAL GEL				
ninoxidil 5% gel					
Product Information					
Product Type	HUMAN OTC DRUG	ltem Cod	e (Source)	NDC:	83766-101
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingred	ient Name		Basis of Streng	th	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)			MINOXIDIL		5 g in 100 mL
Inactive Ingredients					
mactive myredients	Ingredient Name				Strongth
CARBOMER HOMOPOLYMER, UI	•				Strength
POLYSORBATE 80 (UNII: 60ZP39					
STEARIC ACID (UNII: 4ELV7Z65AP	· · · · · · · · · · · · · · · · · · ·				
SORBITAN MONOOLEATE (UNII:					
GLYCERIN (UNII: PDC6A3C00X)					
OLEIC ACID (UNII: 2UMI9U37CP)					
WATER (UNII: 059QF0K00R)					

Packaging							
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:83766-101- 02	1 in 1 CARTON	10/26/2023				
1		100 mL in 1 BOTTLE; Type 0: Not a Combination Product					
	01	Product					
	01	Product					
		nformation					
			Marketing Start Date	Marketing End Date			

Labeler - Shenzhen Joyuflsh Technology Co.,Ltd. (603012375)

Registrant - Shenzhen Joyuflsh Technology Co., Ltd. (603012375)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Joyuflsh Technology Co.,Ltd.		603012375	manufacture(83766-101)

Revised: 4/2024

Shenzhen Joyuflsh Technology Co.,Ltd.