

TYLENOL EXTRA STRENGTH- acetaminophen tablet, film coated
Johnson & Johnson Consumer Inc.

Tylenol[®] Extra Strength

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

| | |
|---------------------------------------|--|
| adults and children 12 years and over | <ul style="list-style-type: none">▪ take 2 caplets every 6 hours while symptoms last▪ do not take more than 6 caplets in 24 hours, unless directed by a doctor▪ do not use for more than 10 days unless directed by a doctor |
| children under 12 years | ask a doctor |

Other information

- store between 20-25°C (68-77°F)
- **do not use if carton is opened. Do not use if foil inner seal imprinted with "TYLENOL" is broken or missing**

Inactive ingredients

carnauba wax ¹, corn starch ¹, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, modified starch ¹, polyethylene glycol ¹, powdered cellulose,

pregelatinized starch, propylene glycol, shellac, sodium starch glycolate, titanium dioxide

1 contains one or more of these ingredients

Questions or comments?

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL

NDC 50580-937-07

TYLENOL[®]
FOR ADULTS

Acetaminophen
Pain Reliever
Fever Reducer

Extra Strength

Actual Size

100 Caplets
500 mg each



TYLENOL EXTRA STRENGTH

acetaminophen tablet, film coated

| Product Information | | | |
|---------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:50580-937 |

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 500 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| ALUMINUM OXIDE (UNII: LMI26O6933) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POWDERED CELLULOSE (UNII: SMD1X3XO9M) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SHELLAC (UNII: 46N107B71O) | |
| SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |

Product Characteristics

| | | | |
|----------|-------------------|--------------|-------------|
| Color | white (RED PRINT) | Score | no score |
| Shape | OVAL | Size | 19mm |
| Flavor | | Imprint Code | TYLENOL;500 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:50580-937-01 | 12 in 1 PACKAGE | 08/19/2019 | |
| 1 | | 10 in 1 VIAL; Type 0: Not a Combination Product | | |
| 2 | NDC:50580-937-02 | 12 in 1 PACKAGE | 09/16/2019 | |
| 2 | | 10 in 1 VIAL; Type 0: Not a Combination Product | | |
| 3 | NDC:50580-937-03 | 2 in 1 POUCH; Type 0: Not a Combination Product | 07/31/2020 | 10/31/2022 |
| 4 | NDC:50580-937-04 | 3 in 1 CARTON | 07/31/2020 | 11/08/2022 |
| 4 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |
| 5 | NDC:50580-937-05 | 50 in 1 CARTON | 07/31/2020 | 10/31/2022 |
| 5 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |

| | | | | |
|----|------------------|--|------------|------------|
| 6 | NDC:50580-937-20 | 50 in 1 CARTON | 07/31/2020 | 10/31/2022 |
| 6 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | |
| 7 | NDC:50580-937-06 | 1 in 1 CARTON | 08/31/2020 | |
| 7 | | 24 in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 8 | NDC:50580-937-10 | 1 in 1 CARTON | 08/31/2020 | |
| 8 | | 50 in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 9 | NDC:50580-937-07 | 1 in 1 CARTON | 08/31/2020 | |
| 9 | | 100 in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 10 | NDC:50580-937-15 | 1 in 1 CARTON | 08/31/2020 | |
| 10 | | 225 in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 11 | NDC:50580-937-19 | 325 in 1 BOTTLE; Type 0: Not a Combination Product | 08/31/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013 | 08/19/2019 | |

Labeler - Johnson & Johnson Consumer Inc. (878046358)

Revised: 4/2024

Johnson & Johnson Consumer Inc.