MOTION SICKNESS RELIEF- meclizine hcl tablet DOLGENCORP, LLC

Dollar General 44-403

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- take first dose 1/2 to 1 hour before starting activity
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, D&C yellow #10 aluminum lake, lactose monohydrate, magnesium stearate, pregelatinized starch

Questions or comments?

1-888-309-9030

Principal Display Panel

DG™ | health

Compare to the active ingredient of Dramamine[®] Less Drowsy*

Less Drowsy Formula

Motion Sickness

Relief

Meclizine HCl 25 mg / Antiemetic

- Up to 24 hours of protection
- Prevents nausea, dizziness & vomiting
- Ages 12 Years and Over

8 Tablets

Actual Tablet Size

25 mg each

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS

ANY SIGNS OF TAMPERING

DISTRIBUTED BY OLD EAST MAIN CO. 100 MISSION RIDGE GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed (888)-309-9030

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® Less Drowsy. 50844 ORG042340319 **DG** health



Compare to the active ingredient of Dramamine® Less Drowsy

Less Drowsy Formula Motion Sickness Relief

Less Drowsy Formula

Motion Sickness Relief

Meclizine HCl 25 mg/Antiemetic

DG[™] health

Compare to the active ingredient of Dramamine® Less Drowsy

Less Drowsy Formula

Motion Sickness Relief

Meclizine HCl 25 mg/Antiemetic

- Up to 24 hours of protection
- Prevents nausea, dizziness & vomiting
- Ages 12 Years and Over

25 mg.each



8 Tablets

Actual Tablet Size

Σ 6 L Σ 0 7 7 7 8 0 S I

Satisfaction Guaranteed! (888) 309-9030

∞00L

DISTRIBUTED BY
OLD EAST MAIN CO.
NOO MISSION RIDGE
GOODLETTSVILLE, TN 37072

*This product is not manufactured or distributed by Medfech Products Inc., owner of the registered trademark Dramamine® Less Drowsy. 50844 0RG042340319

Questions or comments? 1-888-309-9030

Inactive ingredients coloidal alicon diaxide, 0&C yellow #10 aluminum lake, lactose monohydrate, magnesium slearale, pregelatinized starch

■ see end flap for expiration date and lot number

- protect from heat and humidity
- store at 25° C (77° F); excursions permitted between
- OTHER INTOTTINATION

 TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS
 OPENED OR BUSTER IS TORN OR BROKEN

daily, or as directed by a doctor

before use.

If pregnant or breast-feeding, ask a health professional

vranirhaem

■ use caution when driving a motor vehicle or operating

- alcohol, sedatives, and tranquilizers may increase
 - svojq sjcopojc peverages
 drowsiness may occur

When using this product

Ask a doctor or pharmacist before use if you are taking sedatives or tranquif zers.


s presthing problem such as emphysema or chronic

Ask a doctor before use if you have difficulty in uninstion due to enlargement of the prostate

Warnings Do not use for children under 12 years of age unless directed by a doctor. TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

nish area date

n Sickness Relief



MOTION SICKNESS RELIEF

meclizine hcl tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55910-943

Route of Administration ORAL

Active Ingredient/Active Moiety

STARCH, CORN (UNII: O8232NY3SJ)

Ingredient Name

MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)

Basis of Strength

MECLIZINE HYDROCHLORIDE

MECLIZINE HYDROCHLORIDE

25 mg

Inactive Ingredients Ingredient Name SILICON DIOXIDE (UNII: ETJ7Z6XBU4) D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6) LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) MAGNESIUM STEARATE (UNII: 70097M6I30)

Product Characteristics				
Color	yellow	Score	no score	
Shape	ROUND	Size	9mm	
Flavor		Imprint Code	44;403	
Contains				

Packaging			
# Home Code	Package Pecceintian	Marketing Start	Marketing End

#	item code	гаскаде резсприон	Date	Date
1	NDC:55910-943- 19	1 in 1 CARTON	06/01/2019	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Marketing En Date Date			
OTC Monograph Drug	M009	06/01/2019			

Labeler - DOLGENCORP, LLC (068331990)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55910-943)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55910-943), pack(55910-943)

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		967626305	pack(55910-943)	

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55910-943)

Revised: 4/2024 DOLGENCORP, LLC