

**DOCUSATE SODIUM AND SENNOSIDES- docusate sodium and sennosides capsule, liquid filled
SOFTGEL HEALTHCARE PRIVATE LIMITED**

DOCUSATE SODIUM 50 MG & SENNOSIDE 8.6 MG CAPSULES (Red)

Active ingredient (in each softgel)

Docusate Sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally causes bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel movements that continues over a period of 2 weeks

Stop use and ask a doctor if you have

- rectal bleeding or fail to have a bowel movement after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

In case of accidental overdose, seek professional assistance or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor.

Age	Starting Dosage	Maximum Dosage
adults and children 12 years of age and older	2 softgels once a day	4 softgels twice a day
children 6 to 12 years of age	1 softgel once a day	2 softgels twice a day
children under 6 years of age	ask a doctor	ask a doctor

Other information

- each softgel contains:** Sodium 3 mg
- store at 25°C (77°F); excursions permitted between 15°- 30°C (59°- 86°F)

Inactive ingredients


Propylene glycol, Povidone, Colloidal Silicon Dioxide, Yellow wax, Polyethylene glycol 400, Gelatin, Glycerin, Sorbitol Sorbitan Solution, FD&C Red No.40, Titanium dioxide and Purified water.

NDC 35916-0449-2 Compare to Senokot-S® active ingredients!

Docusate Sodium 50 mg & Sennosides 8.6 mg Capsules

Softgels
Dual Action

- Gently relieves constipation
- Stool softener



500 SOFTGELS

Drug Facts

Active ingredient (in each softgel)
Docusate Sodium 50 mgStool softener
Sennosides 8.6 mgLaxative

Purpose
Stool softener

Uses
relieves occasional constipation (irregularity)
generally causes bowel movement in 6-12 hours

Warnings
Do not use
if you are now taking mineral oil, unless directed by a doctor
laxative products for longer than 1 week, unless directed by a doctor

Ask a doctor before use if you have
stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel movements that continues over a period of 2 weeks

Stop use and ask a doctor if you have
rectal bleeding or fail to have a bowel movement after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of accidental overdose, seek professional assistance or contact a Poison Control Center right away.

Directions
take preferably at bedtime or as directed by a doctor.


Age	Starting Dosage	Maximum Dosage
adults and children 12 years of age and older	2 softgels once a day	4 softgels twice a day
children 6 to 12 years of age	1 softgel once a day	2 softgels twice a day
children under 6 years of age	ask a doctor	ask a doctor

Other information
each softgel contains: Sodium 3 mg
store at 25°C (77°F); excursions permitted between 15°- 30°C (59°- 86°F)

Inactive ingredients
Propylene glycol, Povidone, Colloidal Silicon Dioxide, Yellow wax, Polyethylene glycol 400, Gelatin, Glycerin, Sorbitol Sorbitan Solution, FD&C Red No.40, Titanium dioxide and Purified water.

This product is not manufactured or distributed by Purdue Product L.P., owner of the registered trademark Senokot-S.

xxxxxxx
Manufactured by:
Softgel Healthcare Pvt. Ltd.,
Survey No. 2071,
Vandalur-Kelambakkam Road,
Pudupakkam Village,
Kannur District,
Tamilnadu - 603 103, India.
Mfg. Lic. No.: XXXXXXXXXX



Unvarnished Area
LH - 25x16 mm

DOCUSATE SODIUM AND SENNOSIDES

docusate sodium and sennosides capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:35916-0449
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0JJX) (SENNOSIDES - UNII:3FYP5M0JJX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE K30 (UNII: U725QWY32X)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SORBITOL (UNII: 506T60A25R)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GLYCERIN (UNII: PDC6A3C0OX)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
1,4-SORBITAN (UNII: AV0Y TZ4E6J)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	red ((Opaque))	Score	score with uneven pieces
Shape	OVAL	Size	5mm
Flavor		Imprint Code	903
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:35916-0449-2	500 in 1 BOTTLE; Type 0: Not a Combination Product	04/22/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/22/2024	

Labeler - SOFTGEL HEALTHCARE PRIVATE LIMITED (675584180)

Establishment

Name	Address	ID/FEI	Business Operations
SOFTGEL HEALTHCARE PRIVATE LIMITED		675584180	manufacture(35916-0449)

