

**MEIJER BERRY LIME ANTACID HBG CHEWS- calcium carbonate tablet,  
chewable  
Meijer**

-----  
**Calcium carbonate 750 mg  
Simethicone 80 mg**

**Active ingredients (in each chewable tablet)**

Calcium carbonate 750 mg

Simethicone 80 mg

**Purpose**

Antacid

Anti-gas

**Uses** Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach due to these symptoms
- Bloating, pressure or stuffed feeling commonly referred to as gas

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

Do not take more than maximum dosage in a 24-hour period, or use the maximum dosage for this product for more than 2 weeks, except under the advice and supervision of a physician.

**Ask a doctor or pharmacist before use if you are** now taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product** constipation may occur

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Directions**

Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

**Other information**

- **Each chewable tablet contains:** Calcium 300 mg
- Contains FD&C yellow No. 5 (tartrazine) as a color additive
- Contains soy
- Store between 20° to 25°C (68° to 77°F) in a dry place

**Inactive ingredients:** Beeswax, carmine, carnauba wax, corn syrup, dextrin, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, FD&C yellow #5 aluminum lake, FD&C yellow #6 aluminum lake, glycerin, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, natural and artificial flavors, phosphoric acid, propylene glycol, shellac, sodium benzoate, sorbitol, soy lecithin, soybean oil, sucrose, titanium dioxide, water.

**Questions? Call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST**

**Drug Facts (continued)**

**Other information** ■ Each chewable tablet contains: Calcium 300 mg  
 ■ Contains FD&C yellow No.5 (tartrazine) as a color additive  
 ■ Contains soy ■ Store between 20° to 25°C (68° to 77°F) in a dry place

**Inactive ingredients** Beeswax, carmine, carnauba wax, corn syrup, dextrin, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, FD&C yellow #5 aluminum lake, FD&C yellow #6 aluminum lake, glycerin, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, natural & artificial flavors, phosphoric acid, propylene glycol, shellac, sodium benzoate, sorbitol, soy lecithin, soybean oil, sucrose, titanium dioxide, water.

**Questions?** Call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

\*This product is not manufactured or distributed by GlaxoSmithKline Consumer Healthcare IP LLC, owner of the registered trademark TUMS®.

PID 4820144 PN-60002412



7 13733 97040 2

**NO INK OR VARNISH**




WWW.MEIJER.COM/SATISFACTION



**EXTRA STRENGTH**

## Heartburn & Gas Superchews®

Calcium Carbonate 750mg  
Simethicone 80 mg

RELIEVES: HEARTBURN, SOUR STOMACH, GAS, PRESSURE AND BLOATING

BERRY & LIME



**54 CHEWABLE TABLETS**

Chewy,  
Not Chalky®

NDC-00000-00000-0

COMPARE TO TUMS® CHEWY BITES WITH GAS RELIEF ACTIVE INGREDIENT\*

**Drug Facts**

**Active ingredients (in each chewable tablet)** Purpose  
 Calcium carbonate 750 mg.....Antacid  
 Simethicone 80 mg.....Anti-gas

**Uses** Relieves ■ Heartburn ■ Sour stomach ■ Acid indigestion  
 ■ Upset stomach due to these symptoms ■ Bloating, pressure or stuffed feeling commonly referred to as gas

**Warnings**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Do not take more than maximum dosage in a 24-hour period, or use the maximum dosage for this product for more than 2 weeks, except under the advice and supervision of a physician  
 Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.  
 When using this product constipation may occur  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children.

**Directions** Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

SuperChews® and Chewy Not Chalky® are registered trademarks of BestCo, LLC

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com

PAINTER EVIDENCE: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

## MEIJER BERRY LIME ANTACID HBG CHEWS

calcium carbonate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0093
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	green (Green and Pink)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	14mm
<b>Flavor</b>	BERRY (Berry and Lime)	<b>Imprint Code</b>	DR
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0093-1	54 in 1 BOTTLE; Type 0: Not a Combination Product	04/25/2024	



## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	04/25/2024	

**Labeler** - Meijer (006959555)

**Registrant** - Bestco (002149136)

## Establishment

Name	Address	ID/FEI	Business Operations
Bestco		002149136	manufacture(79481-0093)

