

STOMACH RELIEF REGULAR STRENGTH- bismuth subsalicylate liquid ATLANTIC BIOLOGICALS CORP.

Drug Facts

Active ingredient (in each 30 mL dose)

Bismuth subsalicylate 525 mg

Purpose

Upset stomach reliever/Antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - heartburn
 - indigestion
 - nausea
 - gas
 - fullness
 - belching

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use

if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are

taking any drug for

- diabetes
- gout
- arthritis
- anticoagulation (thinning the blood)

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- mL = milliliter
- shake well before using
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- adults and children 12 years and over
 - 30 mL (1 dose) every 1/2 or 60 mL (2 doses) every hour as needed for diarrhea/traveler's diarrhea
 - 30 mL (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
 - do not exceed 8 doses (240 mL) in 24 hours
 - use until diarrhea stops but not more than 2 days
- children under 12 years of age: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- **each 30 mL contains:** potassium 8 mg sodium 9 mg
- **each 30 mL contains:** salicylate 206 mg
- low sodium
- keep tightly closed
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

benzoic acid, D&C red #22, D&C red #28, flavor, glycerin, purified water, sucralose, xanthan gum

Questions or comments?

Call **1-800-645-2158**

Distributed by:

ATLANTIC BIOLOGICALS CORP.

20101 N.E 16th PLACE

MIAMI, FL 33179

Principal Display Panel

Compare to the active ingredient in Pepto-Bismol®*

Regular Strength

Stomach Relief

Bismuth Subsalicylate

Upset Stomach Reliever/Antidiarrheal

Relieves:

• Heartburn • Indigestion • Nausea

Alcohol Free • Sugar Free

17856-1286-02
BISMUTH SUBSALICYLATE
(STOMACH RELIEF)
ORAL SUSPENSION
525MG/30ML
DELIVERS 30ML



See package insert for indications and dosage schedule



Protect from freezing. Avoid excessive heat
(over 104° or 40°C) Alcohol & Sugar Free .
**KEEP ALL MEDICATIONS OUT OF THE
REACH OF CHILDREN**

17856-1286-02

Dosage: 525MG/30ML

BISMUTH SUBSALICYLATE
(STOMACH RELIEF)

Qty: 50 CUPS



GTIN: 00117856128625

S/N: 01182401

Exp: 04/01/21

Lot: 011824

OTC

Packaged by: Unit Dose Solutions
Morrisville, NC 27560

Distributed by: AtlanticBiologics Corp.
Miami FL 33179

Rev. 09/19

Call to Reorder: 800.509.7592

17856-1286-01
BISMUTH SUBSALICYLATE
(STOMACH RELIEF)
ORAL SUSPENSION
262MG/15ML
DELIVERS 15ML



See package insert for indications and dosage schedule

Protect from freezing. Avoid excessive heat (over 104° or 40°C) Alcohol & Sugar Free .
KEEP ALL MEDICATIONS OUT OF THE REACH OF CHILDREN



17856-1286-01 Dosage: 262MG/15ML

BISMUTH SUBSALICYLATE Qty: 50 CUPS
(STOMACH RELIEF)



GTIN: 00117856128618

S/N: 01182301

Exp: 04/01/21

Lot: 011823

OTC

Packaged by: Unit Dose Solutions
 Morrisville, NC 27560

Distributed by: AtlanticBiologicals Corp.
 Miami FL 33179

Rev. 09/19 **Call to Reorder: 800.509.7592**

STOMACH RELIEF REGULAR STRENGTH

bismuth subsalicylate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17856-1286(NDC:0536-1286)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE,	BISMUTH	525 mg

SALICYLIC ACID - UNII:O414PZ4LPZ) SUBSALICYLATE in 30 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
D&C RED NO. 22 (UNII: 1678RKX8RT)	
D&C RED NO. 28 (UNII: 7671P0Y5NH)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17856-1286-1	50 in 1 BOX, UNIT-DOSE	04/18/2024	
1	NDC:17856-1286-3	15 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
2	NDC:17856-1286-2	50 in 1 BOX, UNIT-DOSE	04/18/2024	
2	NDC:17856-1286-4	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M	03/29/2020	

Labeler - ATLANTIC BIOLOGICALS CORP. (047437707)

Registrant - ATLANTIC BIOLOGICALS CORP. (047437707)

Establishment

Name	Address	ID/FEI	Business Operations
UNIT DOSE SOLUTIONS		360804194	repack(17856-1286)

Revised: 4/2024

ATLANTIC BIOLOGICALS CORP.