

**CHILDRENS PAIN RELIEF- childrens pain relief liquid**  
**Allegiant Health**

-----  
**455 - Children Pain Relief Oral Suspension**

**Active ingredient(s)**

Acetaminophen 160 mg  
(in each 5 mL = 1 teaspoonful)

**Purpose**

Pain reliever/fever reducer

**Use(s)**

temporarily ■ reduces fever ■ relieves minor aches and pains due to: ■ the common cold ■ flu ■ headache ■ sore throat ■ toothache

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes: ■ more than 5 doses in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- If your child is allergic to acetaminophen or any other of the inactive ingredients in this product.

**Ask a doctor before use if**

your child has liver disease

**Ask a doctor or pharmacist before use if**

your child is taking the blood thinning drug warfarin.

## When using this product

do not exceed recommended dose (see overdose warning)

## Stop use and ask a doctor if

■ pain gets worse or lasts more than 5 days ■ fever gets worse or lasts more than 3 days ■ new symptoms ■ redness or swelling is present. These could be signs of a serious condition.

## Keep out of reach of children

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## Directions

■ this product does not contain directions or complete warnings for adult use. ■ shake well before using

■ mL = milliliter; tsp = teaspoonful ■ find the right dose on the chart below. If possible, use weight to dose, otherwise, use age.

■ if needed, repeat dose every 4 hours while symptoms last ■ do not give more than 5 times in 24 hours

■ do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (mL)*
under 24	under 2 years	ask a doctor
24-35	2-3 years	5 mL(1 tsp)
36-47	4-5 years	7.5 mL(1 1/2 tsp)
48-59	6-8 years	10 mL(2 tsp)
60-71	9-10 years	12.5 mL(2 1/2 tsp)
72-95	11 years	15 mL(3 tsp)

\*or as directed by a doctor

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

## Other information

■ each 5 mL (1 tsp) contains; sodium 3 mg ■ store between 20-25°C (68-77°F) ■ do not refrigerate ■ Keep carton for full directions for use.

**Inactive ingredients**

anhydrous citric acid, butylparaben, FD&C red #40, flavor, glycerin, high fructose corn syrup, microcrystalline cellulose and carboxymethylcellulose sodium, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

**Questions/Comments**

Call 1-888-952-0050 Monday through Friday 9AM - 5PM EST

**Principal Display Panel**

# Pain Relief

## CHILDRENS PAIN RELIEF

childrens pain relief liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69168-455
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
BUTYLPARABEN (UNII: 3QPI1U3FV8)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69168-455-53	1 in 1 CARTON	04/11/2024	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/11/2024	

**Labeler** - Allegiant Health (079501930)

Revised: 4/2024

Allegiant Health