# CARDUUS MARIANUS- milk thistle pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### Carduus marianus 6C

Carduus marianus 6C HPUS

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Relieves hemorrhoids \*

**Stop use and ask a doctor** if symptoms persist for more than 3 days or worsen.

If pregnant or breast-feeding, ask a health professional before use.

#### Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

lactose, sucrose

Do not use if pellet dispenser seal is broken.

Contains approx 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.


\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

**BoironUSA.com Info@boiron.com 1-800-BOIRON-1** (1-800-264-7661)

Distributed by Boiron, Inc.

Newtown Square, PA 19073



#### **Drug Facts**

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.





ONAL HOMEOPATHIC PRACT VIDENCE, NOT FDA EVALUAT



Lot: Exp:

3 06960 16908 6

Contains approx. 80 pellets. US Peel for Drugs Facts and instructions for use.

# **Drug Facts**

**Active ingredient**\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).


**Uses:** See symptoms on front panel.

**Warnings:** Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions:** ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information:** ■ Do not use if pellet dispenser seal is broken.

Drug Facts (continued)
Inactive ingredients: lactose, sucrose



#### **CARDUUS MARIANUS**

milk thistle pellet

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0220-1192

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name

Basis of Strength

MILK THISTLE (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)

MILK THISTLE

6 [hp C] in 6 [hp C]

# Inactive Ingredients Ingredient Name Strength LACTOSE, UNSPECIFIED FORM (UNII: |2B2A4N98G)

SUCROSE (UNII: C151H8M554)

Produ	c+ 4	Char	20+0	rictics
Produ	CTI	mar	асте	ristics

riodact characteristics			
Color	white	Score	
Shape	ROUND	Size	4mm

Flavor	Imprint Code	
Contains		

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:0220-1192- 41	6 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	03/03/1983	

Marketing Information			
pplication Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	03/03/1983		
2		Citation Date	

### **Labeler -** Boiron (282560473)

## Registrant - Boiron, Inc. (014892269)

Establishment				
Name	Address	ID/FEI	Business Operations	
Boiron		282560473	manufacture(0220-1192)	

Revised: 4/2024 Boiron