

**JACK BLACK INK BOOST TATTOO CARE- octinoxate, octisalate, zinc oxide lotion**

**Jack Black L.L.C**

-----

**Active Ingredient**

Octinoxate 7.5%

Octisalate 3.0%

Zinc Oxide 8%

**Purpose**

Sunscreen

**Uses**

Helps prevent sunburn.

**Warnings**

**For external use only.**

Do not use on damaged or broken skin

**Stop use and ask doctor** if rash occurs

**When using this product** keep out of eyes.

Rinse with water to remove.

**Directions**

- Apply liberally 15 minutes before sun exposure
- Reapply: After 80 minutes of swimming or sweating
- Immediately after towel drying
- At least every two hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use sunscreen with a broad-spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.


## Inactive Ingredients

Water (Aqua), Cyclopentasiloxane, Ethylhexyl Isononanoate, Butylene Glycol, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Calendula Officinalis (Calendula) Flower Extract\*, Peucedanum Ostruthium Leaf Extract\*, Buddleja Davidii Leaf Extract\*, Artemisia Ubelliformis Extract\*, Leontopodium Alpinum (Edelweiss) Extract\*, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Phenoxyethanol, Sodium Chloride, Triethoxycaprylylsilane, Dimethicone/PEG-10/15 Crosspolymer, Iodopropynyl Butylcarbamate, Ascorbyl Palmitate, Retinyl Palmitate

\*Certified Organic

## Questions?

1-877-766-3388



Jack Black

Sun Guard

Broad-Spectrum SPF 45 Sunscreen

## JACK BLACK INK BOOST TATTOO CARE

octinoxate, octisalate, zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66738-381
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	3 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	8 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0K00R)	
<b>ETHYLHEXYL ISONONANOATE</b> (UNII: I6KB4GE3K4)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)	
<b>LEONTOPODIUM NIVALE SUBSP. ALPINUM FLOWERING TOP</b> (UNII: QQC1AK06RK)	
<b>PEUCEDANUM OSTRUTHIUM LEAF</b> (UNII: 86P27YRR6Y)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD)	
<b>BUDDLEJA DAVIDII LEAF</b> (UNII: X380815D32)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ARTEMISIA UMBELLIFORMIS FLOWER</b> (UNII: 91OLL9AJ7D)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:66738-381-40	44 mL in 1 KIT; Type 1: Convenience Kit of Co-Package	09/08/2020	06/01/2024

