#### MA YING LONG MUSK HEMORRHOIDS- petrolatum, zinc oxide ointment Mayinglong Pharmaceutical Group Co., Ltd.

-----

Ma Ying Long Musk Hemorrhoids Ointment

## **Drug Facts**

#### Active ingredients

Petrolatum 77.99% Calamine 7.6%

#### Purpose

Protectant

Astringent

#### Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporaily relieves burning
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful
- aids in protecting irritated anorectal areas

## Warnings

#### For external and/or intrarectal use only

#### When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- do not use this product with an applicator if the introduction of the applicator into the rectum causes additional pain. Consult a doctor promptly.

## Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

## Do not taken during pregnacy. If breast-feeding,

ask a health professional before use.

# Directions

- adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of this product.
- apply to the affected area up to 2 times daily or after each bowel movement
- FOR INTRARECTAL USE: attach applicator to tube. Lubricant applicator well, then gently insert applicator into the rectum
- apply liberally to the affected area as often as necessary
- children under 12 years of age: consult a doctor

## Other information

- Keep container closed tightly.
- Store at room temperature 50°F 86°F (10°C-30°C)

# Inactive ingredients

amber, artificial bezoar, artificial musk, borax, borneol, dimethyl sulfoxide, lanolin, pearl

## **Questions or Comments?**

1-888-296-9067

# Package Labeling





**Package Labeling:** 

			应龙 LONG MU				NTMENT 股份有眼公司	
	Drug Facts (continued)     Other Information     Store at room temperature, 10 °C to 30°C (50°F to 86°F)     Store at room temperature (10°C to 30°C (50°F to 86°F)     Store at room temperature (10°C to 30°C (50°F to 86°F)     Temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 86°F)     Store at room temperature, 10°C to 30°C (50°F to 30°C (50°C (50°F to 30°C (50°F to 30°C (50°C		<b>藥品資料</b> (接上文) <b>其他資料</b> 圖儒存于室内,10℃ to 30℃ (50 ■保持容器紧闭 <b>非主要成份</b> 通時、人工牛與(牛腿粉、胆酸、 國時)、人工學商(麝香酮)、硼粉	猪去氧胆酸、牛	D b D T T	I黑盖子下的密封破损到 o not use if seal roken or missing istributed by / 批 rifecta Pharmaceut D1 NE Third Avenue	under cap is 。 发商: cals USA	h2401
	Dimethyl sulfoxide, Lanolin, Pearl Questions? +1-888-296-9067	, borar, borneoi,	時代(1-888-296-906 功題? +1-888-296-906		F	t. Lauderdale, FL 33 ww.mayinglong lade in China		
LOT: EXP:	Active Ingredients         Purpose           Petrolatum 77.99%         Protectant           Calamire 7.69%         Petrolatum 77.99%           IFor the temporary relief of local itching and discomfort associated with hemorrhoids.         IFormority forms a protective coating over 18 inflamed tissues to help prevent drying of tissues.           ITemporarily relief areas.         ITemporarily protects inflamed tissues.           ITemporarily protects infrance from sini initiations.         IFormorarily compare to the solutions.	2干燥。 【暂时保护受刺激的部位。 【暂时缓解烧灼感。 【暂时缓解皮肤刺激。 【提供保护涂层,暂时缓解	式一层保护涂层,以帮助防止组 有肛门不适。 工门表面,帮助减少排便疼痛。 夫。	only Do not us Iff allergic When usi Do not ex of daily use Do not us if the introd rectum cau doctor pror Stop use : BBleeding	IS anal and/or intrarectal or constant of the ingredients of this product and the recommended surfass directed by a do set the product with an applicator in sees additional pain. Cons nptly, and ask a doctor if occurs worsens or does not imm		过敏 否则不要超过建议的每日使用次 入直路导致感外疼痛,则不要将 起使用,及时就医。 <b>用及咨询医师</b>	
	professional before use. 女不要相 Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away		ug Facts (continued) ections ults: When practical, cleanse It ted areas with mild scap and with thoroughly. Gently dry by patt ing with tolket tissue or a soft of cation of the ointment, by to the affected area up to 2 or after each bowel movemen py liberally to the affected area.	arm water, ing or oth before times t.	<ul> <li>藥品資料(接上文)</li> <li>用法</li> <li>■成年人:如果可行,用肥料</li> <li>和温水清洗受影响部位,循脹</li> <li>沖洗。在涂抹软膏之前,用服</li> <li>紙或款布轻轻擦干。</li> <li>●每天涂抹患处之次或每次排</li> <li>便后。</li> <li>■大量涂抹在受影响的節位。</li> </ul>	USE: Attach applica tube. Lubricate appl well with ointment, ti gently insert applica into the rectum.	<ul> <li>(接上文)</li> <li>              ▲L             ■直添内使用:将             達入器连接到导管             注入器连接到导管             になわす、上。用软膏方分消             滑注入器,然后轻             tor                  「滑注入器,然后轻                  tor                  「投幣注入器插入直</li></ul>	

# MA YING LONG MUSK HEMORRHOIDS

petrolatum, zinc oxide ointment

Product Information				
Product Type	HUMAN OTC DRUG	Item Code	(Source)	NDC:68511-997
Route of Administration	TOPICAL			
Active Ingredient/Active	Moiety			
Ingred	ient Name		Basis of Streng	th Strength
PETROLATUM (UNII: 4T6H12BN9U	) (PETROLATUM - UNII:4T6H	12BN9U)	PETROLATUM	779.9 mg in 1
ZINC OXIDE (UNII: SOI2LOH54Z) (	ZINC CATION - UNII:13S1S8	SF37)	ZINC CATION	76 mg in 1 g
Inactive Ingredients				
	Ingredient Name			Strength
BOS TAURUS GALLSTONE (UNII:	4162LZ0N4O)			
<b>AMBER</b> (UNII: 70J9Z0J26P)				
6-TERT-BUTYL-3-METHYL-2,4-D	DINITROANISOLE (UNII: 55)	/150W8R6)		

LA	NOLIN (UNII: 7EV6	5EAW6H)			
PE	ARL (HYRIOPSIS	CUMINGII) (UNII: A75L5FZ40U)			
BC	DRNEOL (UNII: M89	9NIB437X)			
Pa	ackaging				
#	ltem Code	Package Description	I	Marketing Start Date	Marketing End Date
1	NDC:68511-997- 01	1 in 1 BOX	12/	/15/2003	
1		10 g in 1 TUBE; Type 0: Not a Combination Product			
2	NDC:68511-997- 02	1 in 1 BOX	06/	/22/2022	
2		10 g in 1 TUBE; Type 0: Not a Combination Product			
3	NDC:68511-997- 20	1 in 1 BOX	05/	/15/2024	
3		20 g in 1 TUBE; Type 0: Not a Combination Product			
R A					
V	<b>_</b>	nformation			
Marketing Category		Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug		M015		12/15/2003	

# Labeler - Mayinglong Pharmaceutical Group Co., Ltd. (526823828)

Revised: 4/2024

Mayinglong Pharmaceutical Group Co., Ltd.