

BIO CO-ENZYME PHASE- carduus marianus, ascorbicum acidum, cysteinum, natrum oxalaceticum, nicotinamidum, pulsatilla (pratensis), pyridoxinum hydrochloricum, riboflavinum, thiaminum hydrochloricum, alpha-ketoglutaricum acidum, alpha-lipoicum acidum, cerium oxalicum, citricum acidum, fumaricum acidum, magnesium oroticum dihydricum, malicum acidum, nadidum, natrum pyruvicum, pantothenic acid, succinicum acidum, adrenalinum, adenosinum triphosphoricum dinatrum, hepar sulphuris calcareum, sulphur, aconiticum acidum, cis-, liquid Deseret Biologicals, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

Aconiticum Acidum, Cis 16X, Adenosinum Triphosphoricum Dinatrum 10X, Adrenalinum 8X, 12X, 30X, 200X, 12C, 30C, 60C, 200C, Alpha-Ketoglutaricum Acidum 8X, Alpha-Lipoicum Acidum 8X, Ascorbicum Acidum 6X, Barium Oxalsuccinicum 34C, Carduus Marianus 4X, Cerium Oxalicum 8X, Citricum Acidum 8X, Cysteinum 6X, Fumaricum Acidum 8X, Hepar Sulphuris Calcareum 10X, Magnesium Oroticum Dihydricum 8X, Malicum Acidum 8X, Manganum Phosphoricum 16X, Nadidum 8X, Natrum Oxalaceticum 6X, Natrum Pyruvicum 8X, Nicotinamidum 6X, Pantothenic Acid 8X, Proteus (Morgani) 30C, Pulsatilla (Pratensis) 6X, Pyridoxinum Hydrochloricum 6X, Riboflavinum 6X, Succinicum Acidum 8X, Sulphur 10X, Thiaminum Hydrochloricum 6X.

PURPOSE:

Aconiticum Acidum, Cis - Fatigue, Adenosinum Triphosphoricum Dinatrum - Weakness, Adrenalinum - Exhaustion, Alpha-Ketoglutaricum Acidum - Weakness, Alpha-Lipoicum Acidum - Fatigue, Ascorbicum Acidum - Exhaustion, Barium Oxalsuccinicum - Fatigue, Carduus Marianus - Exhaustion, Cerium Oxalicum - Fatigue, Citricum Acidum - Weakness, Cysteinum - Exhaustion, Fumaricum Acidum - Fatigue, Hepar Sulphuris Calcareum - Fatigue, Magnesium Oroticum Dihydricum - Weakness, Malicum Acidum - Exhaustion, Manganum Phosphoricum - Weakness, Nadidum - Exhaustion, Natrum Oxalaceticum - Fatigue, Natrum Pyruvicum - Exhaustion, Nicotinamidum - Fatigue, Pantothenic Acid - Fatigue, Proteus (Morgani) - Weakness, Pulsatilla (Pratensis) - Exhaustion, Pyridoxinum Hydrochloricum - Weakness, Riboflavinum - Fatigue, Succinicum Acidum - Weakness, Sulphur - Weakness, Thiaminum Hydrochloricum - Fatigue

USES:

- For the temporary relief of symptoms including:
- exhaustion • fatigue • weakness

These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

WARNINGS:

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, contact a physician or Poison Control Center right away.

Tamper Evident: Sealed for your protection. Do not use if seal is broken or missing.

KEEP OUT OF REACH OF CHILDREN:

In case of overdose, contact a physician or Poison Control Center right away.

DIRECTIONS:

1-10 drops under the tongue, 2 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

INACTIVE INGREDIENTS:

Demineralized water, 25% ethanol

QUESTIONS:

Dist. By: Deseret Biologicals, Inc.

469 W. Parkland Drive

Sandy, UT 84070

www.desbio.com

800-827-8204

PACKAGE LABEL DISPLAY:

DesBio

Bio Co-Enzyme Phase

Homeopathic

NDC 43742-2054-1

1 FL OZ (30 ml)



Deadener, No text

Drug Facts (continued)

Uses

- For the temporary relief of symptoms including:
 - exhaustion • fatigue • weakness

Warnings

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, contact a physician or Poison Control Center right away.

Directions

1-10 drops under the tongue, 2 times a day or as directed by a health professional. Consult a physician for use in children under 12 years of age.

Other information

These statements are based upon homeopathic principles. They have not been reviewed by the Food and Drug Administration.

Inactive Ingredients

DeminerIALIZED water, 25% ethanol

Questions or Comments?

800-827-8204

Drug Facts (continued)

Active Ingredients Purpose

- Alpha-lipoic acidum 8X.....Fatigue
- Ascorbic acidum 6X.....Exhaustion
- Barium oxalsuccinicum 34C.....Fatigue
- Carduus marianus 4X.....Exhaustion
- Cerium oxalicum 8X.....Fatigue
- Citricum acidum 8X.....Weakness
- Cysteinum 6X.....Exhaustion
- Fumaricum acidum 8X.....Fatigue
- Hepar sulphuris calcareum 10X.....Fatigue
- Magnesium oroticum dihydricum 8X.....Weakness
- Malicum acidum 8X.....Exhaustion
- Manganum phosphoricum 16X.....Weakness
- Nadium 8X.....Exhaustion
- Natrum oxalacetatum 6X.....Fatigue
- Natrum pyruvicum 8X.....Exhaustion
- Nicotinamidum 6X.....Fatigue
- Pantothenic acid 8X.....Fatigue
- Proteus (morgani) 30C.....Weakness
- Pulsatilla (pratensis) 6X.....Exhaustion
- Pyridoxinum hydrochloricum 6X.....Weakness
- Riboflavinum 6X.....Fatigue
- Succinicum acidum 8X.....Weakness
- Sulphur 10X.....Weakness
- Thiaminum hydrochloricum 6X.....Fatigue

Continued on next side

Deadener, No text

BIO CO-ENZYME PHASE

Phase

Homeopathic

NDC 43742-2054-1

1 FL OZ (30 ml)

**INACTIVE INGREDIENTS:
DEMINERALIZED WATER,
25% ETHANOL**




Drug Facts

Tamper Evident
your protection
if seal is broken

Active Ingredients

- Aconiticum acidum, cis- 16X.....
- Adenosinum triphosphoricum 10X.....
- Adrenalinum 8X 12X 30X 200X 60C 200C.....
- Alpha-ketoglutaricum acidum.....

Continued on next side

Dist. By: Deseret Biologicals, Inc
469 W. Parkland Drive
Sandy, UT 84070 www.desbio.
800-827-8204

PEEL HERE

carduus marianus, ascorbicum acidum, cysteinum, natrum oxalaceticum, nicotinamidum, pulsatilla (pratensis), pyridoxinum hydrochloricum, riboflavinum, thiaminum hydrochloricum, alpha-ketoglutaricum acidum, alpha-lipoicum acidum, cerium oxalicum, citricum acidum, fumaricum acidum, magnesium oroticum dihydricum, malicum acidum, nadidum, natrum pyruvicum, pantothenic acid, succinicum acidum, adrenalinum, adenosinum triphosphoricum dinatrum, hepar sulphuris calcareum, sulphur, aconiticum acidum, cis-, liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43742-2054
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MILK THISTLE (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)	MILK THISTLE	4 [hp_X] in 1 mL
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	6 [hp_X] in 1 mL
CYSTEINE (UNII: K848JZ4886) (CYSTEINE - UNII:K848JZ4886)	CYSTEINE	6 [hp_X] in 1 mL
SODIUM DIETHYL OXALACETATE (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)	SODIUM DIETHYL OXALACETATE	6 [hp_X] in 1 mL
NIACINAMIDE (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4)	NIACINAMIDE	6 [hp_X] in 1 mL
PULSATILLA PRATENSIS WHOLE (UNII: 8E272251DI) (PULSATILLA PRATENSIS WHOLE - UNII:8E272251DI)	PULSATILLA PRATENSIS WHOLE	6 [hp_X] in 1 mL
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	6 [hp_X] in 1 mL
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	6 [hp_X] in 1 mL
THIAMINE HYDROCHLORIDE (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	6 [hp_X] in 1 mL
OXOGLURIC ACID (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	OXOGLURIC ACID	8 [hp_X] in 1 mL
ALPHA LIPOIC ACID (UNII: 73Y7P0K73Y) (.ALPHA.-LIPOIC ACID - UNII:73Y7P0K73Y)	ALPHA LIPOIC ACID	8 [hp_X] in 1 mL
CEROUS OXALATE NONAHYDRATE (UNII: 0UV74P3R0J) (CEROUS CATION - UNII:72Q4U60JWM)	CEROUS OXALATE NONAHYDRATE	8 [hp_X] in 1 mL
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	8 [hp_X] in 1 mL
FUMARIC ACID (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)	FUMARIC ACID	8 [hp_X] in 1 mL
MAGNESIUM OROTATE DIHYDRATE (UNII: VQ922CRY87) (OROTIC ACID - UNII:61H4T033E5)	MAGNESIUM OROTATE DIHYDRATE	8 [hp_X] in 1 mL
MALIC ACID (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)	MALIC ACID	8 [hp_X] in 1 mL
NADIDE (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)	NADIDE	8 [hp_X] in 1 mL
SODIUM PYRUVATE (UNII: POD38AIF08) (PYRUVIC ACID - UNII:8558G7RUTR)	SODIUM PYRUVATE	8 [hp_X] in 1 mL
PANTOTHENIC ACID (UNII: 19F5HK2737) (PANTOTHENIC ACID - UNII:19F5HK2737)	PANTOTHENIC ACID	8 [hp_X] in 1 mL
SUCCINIC ACID (UNII: AB6MNQ6J6L) (SUCCINIC ACID - UNII:AB6MNQ6J6L)	SUCCINIC ACID	8 [hp_X] in 1 mL

EPINEPHRINE (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)	EPINEPHRINE	8 [hp_X] in 1 mL
ADENOSINE TRIPHOSPHATE DISODIUM (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	10 [hp_X] in 1 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	10 [hp_X] in 1 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	10 [hp_X] in 1 mL
ACONITIC ACID (UNII: 93371T1BXP) (ACONITIC ACID - UNII:93371T1BXP)	ACONITIC ACID	16 [hp_X] in 1 mL
MANGANESE PHOSPHATE, DIBASIC (UNII: VZ3U1H7Q5B) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANESE PHOSPHATE, DIBASIC	16 [hp_X] in 1 mL
PROTEUS MORGANII (UNII: 56X6LID5ZY) (PROTEUS MORGANII - UNII:56X6LID5ZY)	PROTEUS MORGANII	30 [hp_C] in 1 mL
BARIUM OXALOSUCCINATE (UNII: L7A49804ZQ) (BARIUM CATION - UNII:V645272HLN)	BARIUM OXALOSUCCINATE	34 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43742-2054-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	05/05/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/05/2022	

Labeler - Deseret Biologicals, Inc. (940741853)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(43742-2054) , api manufacture(43742-2054) , label(43742-2054) , pack(43742-2054)