QCH STOMACH RELIEF 535 - bismuth subsalicylate liquid Chain Drug Marketing Association Inc.

QCH Stomach Relief Liquid 535

ACTIVE INGREDIENT(in each 30 mL)

Bismuth subsalicylate 525 mg

PURPOSE

Upset stomach reliever and anti-diarrheal

USE(S)

relieves:

- diarrhea
- heartburn
- indigestion
- nausea
- upset stomach associated with these symptoms

WARNINGS

Reye's Syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's Syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

DO NOT USE IF YOU HAVE

- an ulcer
- bloody or black stool
- a bleeding problem

ASK A DOCTOR BEFORE USE IF YOU HAVE

- fever
- mucus in the stool

ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE

taking any drug for

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

WHEN USING THIS PRODUCT

a temporary, but harmless darkening of the stool and/or tongue may occur

STOP USE AND ASK DOCTOR IF

- symptoms get worse
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

IF PREGNANT OR BREAST-FEEDING,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center immediately.

DIRECTIONS

- shake well before use
- for accurate dosing, use dose cup
- adults and children 12 years and over: 1 dose (2 TBSP or 30 mL) every 1/2 to 1 hour as needed
- do not exceed 8 doses (16 TBSP or 240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of fluids to help prevent dehydration caused by diarrhea

OTHER INFORMATION

- each 30 mL or 2 TBSP contains:
- potassium 25 mg
- salicylate 260 mg
- sodium 8 mg
- protect from freezing.

avoid excessive heat (over 104°F or 40°C).

INACTIVE INGREDIENTS

benzoic acid, D&C red # 22, D&C red # 28, flavor, hydroxyethyl cellulose, potassium hydroxide, purified water, saccharin sodium, salicylic acid, simethicone, xanthan gum.

PRINCIPAL DISPLAY PANEL

NDC 83324-022-08

QUALITY CHOICE

*Compare to the active ingredient in Pepto-Bismol®

Regular Strength Stomach Relief Upset stomach reliever/Anti-diarrheal

Bismuth Subsalicylate 525 mg per 30 mL

Relieves:

- Diarrhea
- Heartburn
- Indigestion
- Nausea & Upset stomach

Cherry Flavor

8 FL OZ (236 mL)



QCH STOMACH RELIEF 535

bismuth subsalicylate liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83324-022

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII: 0414PZ4LPZ) BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (SALICYLIC ACID - UNII: 0414PZ4LPZ) BISMUTH SUBSALICYLATE in 30 mL

Inactive Ingredients				
Ingredient Name	Strength			
BENZOIC ACID (UNII: 85KN0B0MIM)				
D&C RED NO. 22 (UNII: 1678RKX8RT)				
D&C RED NO. 28 (UNII: 767IP0Y5NH)				
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)				
WATER (UNII: 059QF0KO0R)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
SALICYLIC ACID (UNII: O414PZ4LPZ)				
HYDROXYETHYL CELLULOSE (1500 MPA.S AT 1%) (UNII: L605B5892V)				
DIMETHICONE (UNII: 92RU3N3Y1O)				
XANTHAN GUM (UNII: TTV12P4NEE)				

Product Characteristics				
Color	PINK	Score		
Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				

Packaging # Item Code Package Description Marketing Start Date Marketing End Date 1 NDC:83324-022- 08 236 mL in 1 BOTTLE; Type 0: Not a Combination Product 04/19/2024

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH DRUG	part335	04/19/2024		

Labeler - Chain Drug Marketing Association Inc. (011920774)

Revised: 4/2024

Chain Drug Marketing Association Inc.