LIDOZEN- lidocaine, menthol patch Village Pharma, LLC

Lidozen Patch

DRUG FACTS:

ACTIVE INGREDIENTS:

Lidocaine 4.00%

Menthol 1.00%

Topical Anesthetic

External Analgesic

USES:

For temporary relief of pain

WARNINGS:

- For external use only.
- Avoid contact with eyes.
- If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a physician.

Do not use

• in large quantities, particularly over raw surfaces or blistered areas.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

• If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS (Adults and Children Over 12 Years):

Clean and dry affected area.

Remove patch from backing and apply to affected area.

Use only one patch at a time, and maximum of four patches / day.

Leave patch on affected area for up to 8 hours

Do not use patches for longer than five consecutive days,

Children under 12 should consult physician prior to use.

INACTIVE INGREDIENTS:

Water, Glycerol, Sodium Polyacrylate, Propylene Glycol, Polysorbate 80, Tartaric Acid, Dihydroxyaluminium Aminoacetate, Methylparaben

Store below 25 degrees Celsius, Avoid directe sunlight.

Package Labeling:

LidozenPatch

DRUG FACTS:

ACTIVE INGREDIENTS:

Lidocaine 4.00% Topical Anesthetic Menthol 1.00% External Analgesic

USES: For temporary relief of pain

WARNINGS:

For external use only.

- Avoid contact with eyes.
- If condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days, discontinue use of this product and consult a physician.
- Do not use in large quantities, particularly over raw surfaces or blistered areas.
- If pregnant or breast-feeding, ask a health professional before use.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS (Adults and Children Over 12 Years):

Clean and dry affected area.

Remove patch from backing and apply to affected area.

Use only one patch at a time, and maximum of four patches / day.

Leave patch on affected area for up to 8-hours.

Do not use patches for longer than five consecutive days.

Children under 12 should consult physician prior to use.

INACTIVE INGREDIENTS:

Water, Glycerol, Sodium Polyacrylate, Propylene Glycol, Polysorbate 80, Tartaric Acid, Dihydroxyaluminium Aminoacetate, Methylparaben

Store below 25 degrees Celsius, Avoid direct sunlight,

LidozenPatch

(Lidocaine 4% / Menthol 1%)



NDC 71574-900-05
Patch Size 12.5 x 8.5cm
Qty 5 Patches
TOPICAL ANALGESIC PATCH

LidozenPatch®



Made in China, Patent Pending

Manufactured For: Village Pharma, LLC Agoura Hi∎s, CA 91301 For Questions or Comments please email: info®vi∎agepharma.com

LIDOZEN

lidocaine, menthol patch

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:71574-900

Route of Administration TOPICAL

Active Ingredient/Active Moiety

ı	iligredient Name	basis of strength	Strength
I	LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g
I	MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 mg in 1 g

Inactive Ingredients

Ingredient Name

WATER (UNII: 059QF0KO0R)

GLYCERIN (UNII: PDC6A3C0OX)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

POLYSORBATE 80 (UNII: 6OZP39ZG8H)

TARTARIC ACID (UNII: W4888I119H)

DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)

METHYI	PARABEN	(UNIII)	A218C7H19T)

ı	Packaging					
7	tem Code	Package Description	Marketing Start Date	Marketing End Date		
:	NDC:71574- 900-05	5 in 1 POUCH	09/25/2019			
:	L	1 g in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)				

Marketing In	larketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M017	09/16/2019			

Labeler - Village Pharma, LLC (080749749)

Revised: 11/2023 Village Pharma, LLC