

ANTICAVITY RINSE- sodium fluoride mouthwash
Meijer, Inc.

Meijer 004.002/004AE
Anticavity Fluoride Rinse, Bubble Gum

Tamper Evident Statement

SEALED WITH PRINTED NECKBAND FOR YOUR PROTECTION

Active ingredient

Sodium fluoride 0.05% (0.02% w/v fluoride ion)

Purpose

Anticavity

Use

aids in the prevention of dental cavities

Warnings

for this product

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, seek professional assistance or contact a Poison Control Center immediately.

Directions

Adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

Children under 6 years of age: consult a dentist or doctor

Other information

- store at room temperature

Inactive ingredients

benzyl alcohol, calcium disodium EDTA, cetylpyridinium chloride, disodium EDTA, disodium phosphate, flavor, poloxamer 407, polysorbate 80, propylene glycol, red 33, sodium benzoate, sodium phosphate, sodium saccharin, sorbitol, water

Questions?

1-888-593-0593

Disclaimer

*This product is not manufactured or distributed by Chattem, Inc., distributor of Act
® Bubblegum Blowout ® Anticavity Kids Fluoride Rinse.

Adverse reactions

Distributed By

Meijer Distribution, Inc.

Grand Rapids, MI 49544

www.meijer.com

Our Quality Guarantee

www.meijer.com/satisfaction

Discard Seal, Empty & Replace Cap

PLASTIC BOTTLE

how2recycle.info

Principal Panel Display

NDC 41250-004-44

meijer ®

Kids

Anticavity

Fluoride Rinse

Compare to ACT ® ACTIVE INGREDIENT*

ALCOHOL FREE

BUBBLEGUM FLAVOR

Helps prevent cavities

Helps strengthen teeth

Sugar free

ADA Accepted

American Dental Association

Helps prevent cavities

IMPORTANT: Read directions for proper use.

18 FL OZ (1.12 PT) 532 mL

NDC 41250-004-44



KIDS Anticavity Fluoride Rinse

COMPARE TO ACT® ACTIVE INGREDIENT*

ALCOHOL FREE

BUBBLEGUM FLAVOR

Helps prevent cavities
Helps strengthen teeth
Sugar free



L0010725FF

IMPORTANT:
Read directions
for proper use.

18 FL OZ (1.12 PT) 532 mL

SEALED WITH PRINTED NECKBAND FOR YOUR PROTECTION

Drug Facts

Active ingredient	Purpose
Sodium fluoride 0.05% (0.02% w/v fluoride ion)	Anticavity

Use aids in the prevention of dental cavities

Warning
Keep out of reach of children. If more than used for rinsing is accidentally swallowed, seek professional assistance or contact a Poison Control Center immediately.

Directions
Adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- vigorously swish 10 mL of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

 Children under 6 years of age: consult a dentist or doctor

Other information ■ store at room temperature

Inactive ingredients benzyl alcohol, calcium disodium EDTA, cetylpyridinium chloride, disodium EDTA, disodium phosphate, flavor, polyxamer 407, polysorbate 80, propylene glycol, red 33, sodium benzoate, sodium phosphate, sodium saccharin, sorbitol, water

Questions? 1-888-593-0593

*This product is not manufactured or distributed by Chatter, Inc., distributor of Act® Bubblegum Blowout® Anticavity Kids Fluoride Rinse.



OUR QUALITY GUARANTEE

The Meijer Family

DISTRIBUTED BY
MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com



www.meijer.com/satisfaction

FD 465988
L0010725BF



7 08820 49435 0

Discard Seal, Insert & Recycle Cap



PLASTIC BOTTLE

ANTICAVITY RINSE

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-004
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
EDETATE CALCIUM DISODIUM (UNII: 25IH6R4SGF)	
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
MEPREDNISONE DISODIUM PHOSPHATE (UNII: W80C977F6O)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM PHOSPHATE (UNII: SE337SVY37)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-004-44	532 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/27/2002	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	06/27/2002	

Labeler - Meijer, Inc. (006959555)**Registrant** - Nice-Pak Products, LLC (119091520)**Establishment**

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(41250-004)