

PYRAMAX- pyrantel pamoate suspension (5% pyrantel base) suspension Vetr, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

PyraMax Pyrantel Pamoate Suspension (50 mg/mL pyrantel base)

- Keep this medication in a secure location out of reach of dogs, cats, and other animals to prevent accidental ingestion or overdose
- Keep this and all medications out of reach of children.
- In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.
- If your pet is pregnant or has liver disease, do not take this product unless directed by a veterinarian.

- Shake well before use.
- For the removal of large roundworms (*Toxocara canis* and *Toxascaris leonina*) and hookworms (*Ancylostoma caninum* and *Uncinaria stenocephala*) in dogs and puppies. The presence of these parasites should be confirmed by laboratory fecal exam. Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. Oral dosage is a single dose of 5 milligrams of pyrantel base per pound, or 11 milligrams per kilogram, of body weight not to exceed 1 gram.
- Take only according to directions and do not exceed the recommended dosage unless directed by a veterinarian. Medication should only be taken one time as a single dose, do not repeat treatment unless directed by a veterinarian. When one pet in a household has worms, the entire household should be treated unless otherwise advised. See WARNINGS. If any worms other than roundworms or hookworms are present before or after treatment, consult a veterinarian. If any symptoms or worms are still present after treatment, consult a veterinarian.
- Pyramax suspension may also be used to prevent reinfestation of *T. canis* in puppies and adult dogs and in lactating bitches after whelping.

Each mL of Pyrantel Pamoate Oral Suspension contains the equivalent of 50 mg of Pyrantel Base (as Pyrantel Pamoate).

Each mL of Pyrantel Pamoate Oral Suspension contains the equivalent of 50 mg of Pyrantel Base (as Pyrantel Pamoate).

Citric acid, potassium sorbate, purified water, glycerin, sodium benzoate, sucralose, natural flavor

For the treatment of pinworms

STORE AT ROOM TEMPERATURE

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL BEFORE USE

Active Ingredients

- ▲ High Potency Anthelmintic Agent
- ▲ 5% pyrantel base (144 mg/mL Pyrantel Pamoate)

Indications & Usage

- ▲ Intended as a single treatment for the removal of large roundworms (*Toxocara canis* and *Toxascaris leonina*) and hookworms (*Ancylostoma caninum* and *Uncinaria stenocephala*) in dogs and puppies. The presence of these parasites should be confirmed by laboratory fecal exam. Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.
- ▲ May also be used to prevent reinfestation of *T.canis* in puppies and adult dogs and in lactating bitches after whelping.

Vetr

PyraMax[®]

Pyrantel Pamoate Suspension
(Pyrantel base: 50 mg/mL)

500 mL

- ▲ **Shake well before use.** Take according to directions and do not exceed the recommended dosage unless directed by a veterinarian.
- ▲ **FOR ANIMAL USE ONLY.** Keep out of reach of children.
- ▲ Each 5mL (1 teaspoonful) of Pyrantel Pamoate Suspension contains the equivalent of 250mg of pyrantel base.
- ▲ Oral dosage is a single dose of 5mg pyrantel base per pound of body weight, not to exceed 1 gram (4 teaspoonful).
- ▲ Do not repeat treatment unless directed by a veterinarian.



MANUFACTURED BY VETR
NDC 86213-781-01



Grants Pass
OR 97526
(352) 299-0750
vetr.com
vetr_official
vetr_official

STORE AT ROOM TEMPERATURE

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL BEFORE USE

Active Ingredients

- ▲ High Potency Anthelmintic Agent
- ▲ 5% pyrantel base (144 mg/mL Pyrantel Pamoate)

Indications & Usage

- ▲ Intended as a single treatment for the removal of large roundworms (*Toxocara canis* and *Toxascaris leonina*) and hookworms (*Ancylostoma caninum* and *Uncinaria stenocephala*) in dogs and puppies. The presence of these parasites should be confirmed by laboratory fecal exam. Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.
- ▲ May also be used to prevent reinfestation of *T.canis* in puppies and adult dogs and in lactating bitches after whelping.

Vetr

PyraMax[®]

Pyrantel Pamoate Suspension
(Pyrantel base: 50 mg/mL)

240 mL

- ▲ **Shake well before use.** Take according to directions and do not exceed the recommended dosage unless directed by a veterinarian.
- ▲ **FOR ANIMAL USE ONLY.** Keep out of reach of children.
- ▲ Each 5mL (1 teaspoonful) of Pyrantel Pamoate Suspension contains the equivalent of 250mg of pyrantel base.
- ▲ Oral dosage is a single dose of 5mg pyrantel base per pound of body weight, not to exceed 1 gram (4 teaspoonful).
- ▲ Do not repeat treatment unless directed by a veterinarian.



MANUFACTURED BY VETR
NDC 86213-781-01



Grants Pass
OR 97526
(352) 299-0750
vetr.com
vetr_official
vetr_official

STORE AT ROOM TEMPERATURE

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL BEFORE USE

Active Ingredients

- ▲ **High Potency Anthelmintic Agent**
- ▲ **5% pyrantel base (144 mg/mL Pyrantel Pamoate)**

Indications & Usage

- ▲ Intended as a single treatment for the removal of large roundworms (*Toxocara canis* and *Toxascaris leonina*) and hookworms (*Ancylostoma caninum* and *Uncinaria stenocephala*) in dogs and puppies. The presence of these parasites should be confirmed by laboratory fecal exam. Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.
- ▲ May also be used to prevent reinfestation of *T. canis* in puppies and adult dogs and in lactating bitches after whelping.

Vetr

PyraMax[®]

Pyrantel Pamoate Suspension
(Pyrantel base: 50 mg/mL)

500 mL

- ▲ **Shake well before use.** Take according to directions and do not exceed the recommended dosage unless directed by a veterinarian.
- ▲ **FOR ANIMAL USE ONLY.** Keep out of reach of children.
- ▲ Each 5mL (1 teaspoonful) of Pyrantel Pamoate Suspension contains the equivalent of 250mg of pyrantel base.
- ▲ Oral dosage is a single dose of 5mg pyrantel base per pound of body weight, not to exceed 1 gram (4 teaspoonful).
- ▲ Do not repeat treatment unless directed by a veterinarian.



MANUFACTURED BY VETR
NDC 86213-781-01



Grants Pass
OR 97526
(352) 299-0750
vetr.com
vetr_official
vetr_official

STORE AT ROOM TEMPERATURE

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL BEFORE USE

Active Ingredients

- ▲ **High Potency Anthelmintic Agent**
- ▲ **5% pyrantel base (144 mg/mL Pyrantel Pamoate)**

Indications & Usage

- ▲ Intended as a single treatment for the removal of large roundworms (*Toxocara canis* and *Toxascaris leonina*) and hookworms (*Ancylostoma caninum* and *Uncinaria stenocephala*) in dogs and puppies. The presence of these parasites should be confirmed by laboratory fecal exam. Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.
- ▲ May also be used to prevent reinfestation of *T. canis* in puppies and adult dogs and in lactating bitches after whelping.

Vetr

PyraMax[®]

Pyrantel Pamoate Suspension
(Pyrantel base: 50 mg/mL)

960 mL

- ▲ **Shake well before use.** Take according to directions and do not exceed the recommended dosage unless directed by a veterinarian.
- ▲ **FOR ANIMAL USE ONLY.** Keep out of reach of children.
- ▲ Each 5mL (1 teaspoonful) of Pyrantel Pamoate Suspension contains the equivalent of 250mg of pyrantel base.
- ▲ Oral dosage is a single dose of 5mg pyrantel base per pound of body weight, not to exceed 1 gram (4 teaspoonful).
- ▲ Do not repeat treatment unless directed by a veterinarian.



MANUFACTURED BY VETR
NDC 86213-781-01



Grants Pass
OR 97526
(352) 299-0750
vetr.com
vetr_official
vetr_official

STORE AT ROOM TEMPERATURE

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL BEFORE USE

Active Ingredients

- ▲ High Potency Anthelmintic Agent
- ▲ 5% pyrantel base (144 mg/mL Pyrantel Pamoate)

Indications & Usage

- ▲ Intended as a single treatment for the removal of large roundworms (*Toxocara canis* and *Toxascaris leonina*) and hookworms (*Ancylostoma caninum* and *Uncinaria stenocephala*) in dogs and puppies. The presence of these parasites should be confirmed by laboratory fecal exam. Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.
- ▲ May also be used to prevent reinestation of *T. canis* in puppies and adult dogs and in lactating bitches after whelping.

Vetr

PyraMax[®]

Pyrantel Pamoate Suspension
(Pyrantel base: 50 mg/mL)

960 mL

- ▲ **Shake well before use.** Take according to directions and do not exceed the recommended dosage unless directed by a veterinarian.
- ▲ **FOR ANIMAL USE ONLY.** Keep out of reach of children.
- ▲ Each 5mL (1 teaspoonful) of Pyrantel Pamoate Suspension contains the equivalent of 250mg of pyrantel base.
- ▲ Oral dosage is a single dose of 5mg pyrantel base per pound of body weight, not to exceed 1 gram (4 teaspoonful).
- ▲ Do not repeat treatment unless directed by a veterinarian.



MANUFACTURED BY VETR
NDC 86213-781-01



Grants Pass
OR 97526
(352) 299-0750
vetr.com
vetr_official
vetr_official

PYRAMAX

pyrantel pamoate suspension (5% pyrantel base) suspension

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86213-781
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PYRANTEL PAMOATE (UNII: 81BK194Z5M) (PYRANTEL - UNII:4QIH0N49E7)	PYRANTEL	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID (UNII: 2968PHW8QP)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	white	Score	
--------------	-------	--------------	--

Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86213-781-01	240 mL in 1 BOTTLE, PLASTIC		
2	NDC:86213-781-02	500 mL in 1 BOTTLE, PLASTIC		
3	NDC:86213-781-03	960 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/10/2025	

Labeler - Vetr, LLC (132219984)

Establishment

Name	Address	ID/FEI	Business Operations
Vetr, LLC		132219984	manufacture, label

Establishment

Name	Address	ID/FEI	Business Operations
Alivira Animal Health		650916617	api manufacture

Revised: 2/2026

Vetr, LLC