

**LEADER EARWAX REMOVAL DROPS EARWAX REMOVAL AID- carbamide peroxide solution/ drops**  
**Cardinal Health, Inc.**

-----  
**Leader Earwax Removal Drops Earwax Removal Aid**

***Drug Facts***

***Active ingredient***

Carbamide peroxide 6.5%

***Purpose***

Earwax removal aid

***Uses***

for occasional use as an aid to soften, loosen, and remove excessive earwax

***Warnings***

**For use in the ear only**

**Ask a doctor before use if you have**

- ear drainage or discharge
- ear pain
- irritation, or rash in the ear
- dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

**When using this product**

- avoid contact with the eyes

**Stop use and ask a doctor if**

- you need to use for more than 4 days
- excessive earwax remains after use of this product

**Keep out of reach of children.**

If swallowed get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Directions***

## **FOR USE IN THE EAR ONLY**

### **Adults and children over 12 years of age:**

- Tilt head sideways and place 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe
- **Children under 12 years:** consult a doctor

### ***Other information***

- Avoid exposing bottle to excessive heat and direct sunlight
- Store bottle in the outer carton
- Store at 15-30°C (59-86°F)
- Keep cap on bottle when not in use
- Product foams on contact with earwax due to release of oxygen. There may be an associated crackling sound.
- Do not use if tamper-evident safety seal is broken or missing

### ***Inactive ingredients***

anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

### ***Questions?***

**1-800-328-5890**

Weekdays 8:30-5:00 CST

### **Package Labeling:**

**Drug Facts**  
(continued)

- Keep cap on bottle when not in use
- Product foams on contact with earwax due to release of oxygen. There may be an associated crackling sound.
- Do not use if tamper-evident safety seal is broken or missing

**Inactive ingredients**

anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

**Questions?**

**1-800-328-5890**  
Weekdays 8:30-5:00 CST

\*This product is not manufactured or distributed by MedTech Products Inc. a Prestige Brands Company owner of the registered trademark Debrox®.



Return to place of purchase.

**LEADER**™

NDC 70000-0688-1

# Earwax Removal Drops

Carbamide Peroxide, 6.5%  
Earwax Removal Aid

**COMPARE TO DEBROX®**  
active ingredient\*

100% Money Back Guarantee

Safe & Gentle  
Foaming  
Cleansing  
Action

0.5 FL OZ (15 mL)

DISTRIBUTED BY CARDINAL HEALTH  
DUBLIN, OHIO 43017  
www.myleader.com  
1-800-200-6313

©2024 CARDINAL HEALTH, LEADER, and LOGOs are trademarks of Cardinal Health. All other marks are the property of their respective owners.

CIN 5911441 REV. 04/24



LOT & EXP AREA.  
NO INK IN THIS AREA

Carbamide Peroxide, 6.5% | Earwax Removal Aid  
**Earwax Removal Drops**

**LEADER**™

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

**Drug Facts**

Active ingredient	Purpose
Carbamide peroxide 6.5% .....	Earwax removal aid

**Uses** for occasional use as an aid to soften, loosen, and remove excessive earwax

**Warnings**

**For use in the ear only**

**Ask a doctor before use if you have**

- ear drainage or discharge
- ear pain
- irritation, or rash in the ear
- dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

■ **When using this product** avoid contact with the eyes

**Stop use and ask a doctor if**

- you need to use for more than 4 days
- excessive earwax remains after use of this product

**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

**FOR USE IN THE EAR ONLY**

**Adults and children over 12 years of age:**

- Tilt head sideways and place 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe

**Children under 12 years:** consult a doctor

**Other information**

- Avoid exposing bottle to excessive heat and direct sunlight
- Store bottle in the outer carton
- Store at 15-30°C (59-86°F)

**LEADER** 

NDC 70000-0688-1

# Earwax Removal Drops

Carbamide Peroxide, 6.5%  
Earwax Removal Aid

Safe & Gentle  
Foaming Cleansing  
Action

0.5 FL OZ (15 mL)

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION.

**Drug Facts**

**Active ingredient Purpose**  
Carbamide peroxide 6.5%..... Earwax removal aid

**Directions FOR USE IN THE EAR ONLY**  
**Adults and children over 12 years of age:**  

- Tilt head sideways and place 5 to 10 drops into ear
- Tip of applicator should not enter ear canal
- Keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- Use twice daily for up to 4 days if needed, or as directed by a doctor
- Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe

**Children under 12 years:** consult a doctor

**Inactive ingredients** anhydrous citric acid, glycerin, propylene glycol, sodium citrate, sodium lauryl sulfate, water

**Questions? 1-800-328-5890**

DIST. BY CAH DUBLIN, OH 43017    ©2024 Cardinal Health.    REV 04/24  
 www.myleader.com    1-800-200-6313    **CIN 5911441**  
 LOT:    EXP:

LEADER EARWAX REMOVAL DROPS EARWAX REMOVAL AID				
carbamide peroxide solution/ drops				
Product Information				
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0688	
<b>Route of Administration</b>	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
<b>CARBAMIDE PEROXIDE</b> (UNII: 31PZ2VAU81) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	CARBAMIDE PEROXIDE	65 mg in 1 mL		
Inactive Ingredients				
Ingredient Name	Strength			
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)				
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)				
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)				
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)				
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)				
<b>WATER</b> (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0688-1	1 in 1 BOX	07/09/2024	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination		

Product			
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M014	07/09/2024	

**Labeler** - Cardinal Health, Inc. (063997360)

Revised: 8/2024

Cardinal Health, Inc.