

**VITAMIN C ESTER PHOTO-BRIGHTROAD SPECTRUM SPF 30 15ML- titanium dioxide cream**  
**N.V Perricone LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredient** Titanium Dioxide (4.20%) **Purpose** Sunscreen

**Uses** • Helps prevent sunburn. • If used as directed with other sun protection measures (see **Directions**), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

**Warnings** • For external use only. • Do not use on damaged or broken skin. • Stop use and ask a doctor if rash occurs. • When using this product keep out of eyes. Rinse with water to remove. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions** • Apply to face & neck prior to sun exposure. For best results, apply after your favorite Perricone MD serum, serum concentrate or facial cream. ▶

**Drug Facts (Continued)**

**For Sunscreen Use:**

- Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Not for use on children.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive Ingredients** Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Pentylene Glycol, Ethylhexyl Methacrylate, Polyester-8, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Aluminum Hydroxide, Stearic Acid, Diethylhexyl Syntetglydimethylselenate. ▼

**VITAMIN C ESTER**  
**Photo-Brightening Moisturizer**  
 Broad Spectrum SPF 30


Instant hydration & protection against environmental aggressors

**Drug Facts (Continued)**

**Other Information** • Protect the product in this container from excessive heat and direct sun.

**Questions?** 1-888-823-7537

**Expiration & Lot Code area**



**Perricone MD**

**VITAMIN C ESTER**  
**Photo-Brightening Moisturizer**  
 Broad Spectrum SPF 30

Vitamin C Ester, Alpha Lipoic Acid, Mineral-Based Sunscreen

€ 15 mL / 0.5 fl oz

**KEY INGREDIENTS**

**Vitamin C Ester: Supercharged Brightening & Smoothing** A more potent, highly stable & less abrasive form of antioxidant-rich vitamin C, Vitamin C Ester gives the appearance of collagen-rich skin by visibly smoothing, brightening & minimizing discoloration over time. Unlike traditional vitamin C, Vitamin C Ester is fat-soluble & easily absorbable for maximum antioxidant benefits.

**Alpha Lipoic Acid (ALA): Nature's Most Powerful Antioxidant** A fatty acid found in every cell in the human body, ALA reduces the appearance of lines, wrinkles & enlarged pores over time. Fat- & water-soluble, ALA is highly absorbable & works alongside the body's own antioxidant system.

**Mineral-Based Sunscreen: Advanced SPF Protection** Minerals found deep within the earth are ground into ultra-fine powders that act like a mirror to deflect aging UVA & burning UVB rays & can be less irritating than traditional chemical sunscreens.





VITAMIN C ESTER

Photo-Brightening Moisturizer

Broad Spectrum SPF 30

Instant hydration & protection against environmental aggressors

Perricone MD

VITAMIN C ESTER

Photo-Brightening Moisturizer

Broad Spectrum SPF 30

Vitamin C Ester, Alpha Lipoic Acid, Mineral-Based Sunscreen

15 mL / 0.5 fl oz

KEY INGREDIENTS

Vitamin C Ester: Supercharged Brightening & Smoothing A more potent, highly stable & less abrasive form of antioxidant-rich vitamin C, Vitamin C Ester gives the appearance of collagen-rich skin by visibly smoothing, brightening & minimizing discoloration over time. Unlike traditional vitamin C, Vitamin C Ester is fat-soluble & easily absorbable for maximum antioxidant benefits.

Alpha Lipoic Acid (ALA): Nature's Most Powerful Antioxidant A fatty acid found in every cell in the human body, ALA reduces the appearance of lines, wrinkles & enlarged pores over time. Fat- & water-soluble, ALA is highly absorbable & works alongside the body's own antioxidant system.

Mineral-Based Sunscreen: Advanced SPF Protection Minerals found deep within the earth are ground into ultra-fine powders that act like a mirror to deflect aging UVA & burning UVB rays & can be less irritating than traditional chemical sunscreens.

Drug Facts

Active Ingredient Purpose Titanium Dioxide (4.20%) Sunscreen

Uses • Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings • For external use only. • Do not use on damaged or broken skin. • Stop use and ask a doctor if rash occurs. • When using this product keep out of eyes. Rinse with water to remove. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions • Apply to face & neck prior to sun exposure. For best results, apply after your favorite Perricone MD serum, serum concentrate or facial cream.

Drug Facts (Continued)

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Not for use on children. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Pentylene Glycol, Ethylhexyl Methoxycrylate, Polyester-8, Polyglyceryl-4 Polydimethylsilyloxy Dimethicone, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Aluminum Hydroxide, Stearic Acid, Diethylhexyl Syringylidenemalonate, ▼

Expiration & Lot Code area



Questions? 1-888-823-7537

Other Information • Please check the product in this container from excessive heat and direct sun.

Drug Facts (Continued) Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Pentylene Glycol, Polyester-8, Ethylhexyl Methoxycrylate, Cyclopentasiloxane, Dimethicone, Glycerin, Diethylhexyl Syringylidenemalonate, Aluminum Hydroxide, Stearic Acid, Water/Aqua/Eau.



VITAMIN C ESTER

Photo-Brightening Moisturizer

Broad Spectrum SPF 30

Instant hydration & protection against environmental aggressors

Perricone MD

VITAMIN C ESTER

Photo-Brightening Moisturizer

Broad Spectrum SPF 30

Vitamin C Ester, Alpha Lipoic Acid, Mineral-Based Sunscreen

15 mL / 0.5 fl oz

KEY INGREDIENTS

Vitamin C Ester: Supercharged Brightening & Smoothing A more potent, highly stable & less abrasive form of antioxidant-rich vitamin C, Vitamin C Ester gives the appearance of collagen-rich skin by visibly smoothing, brightening & minimizing discoloration over time. Unlike traditional vitamin C, Vitamin C Ester is fat-soluble & easily absorbable for maximum antioxidant benefits.

Alpha Lipoic Acid (ALA): Nature's Most Powerful Antioxidant A fatty acid found in every cell in the human body, ALA reduces the appearance of lines, wrinkles & enlarged pores over time. Fat- & water-soluble, ALA is highly absorbable & works alongside the body's own antioxidant system.

Mineral-Based Sunscreen: Advanced SPF Protection Minerals found deep within the earth are ground into ultra-fine powders that act like a mirror to deflect aging UVA & burning UVB rays & can be less irritating than traditional chemical sunscreens.

Drug Facts

Active Ingredient Purpose Titanium Dioxide (4.20%) Sunscreen

Uses • Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings • For external use only. • Do not use on damaged or broken skin. • Stop use and ask a doctor if rash occurs. • When using this product keep out of eyes. Rinse with water to remove. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions • Apply to face & neck prior to sun exposure. For best results, apply after your favorite Perricone MD serum, serum concentrate or facial cream.

Drug Facts (Continued)

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Not for use on children. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Pentylene Glycol, Ethylhexyl Methoxycrylate, Polyester-8, Polyglyceryl-4 Polydimethylsilyloxy Dimethicone, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Aluminum Hydroxide, Stearic Acid, Diethylhexyl Syringylidenemalonate, ▼

Expiration & Lot Code area



Questions? 1-888-823-7537

Other Information • Please check the product in this container from excessive heat and direct sun.

Drug Facts (Continued) Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Pentylene Glycol, Polyester-8, Ethylhexyl Methoxycrylate, Cyclopentasiloxane, Dimethicone, Glycerin, Diethylhexyl Syringylidenemalonate, Aluminum Hydroxide, Stearic Acid, Water/Aqua/Eau.



VITAMIN C ESTER

Photo-Brightening Moisturizer

Broad Spectrum SPF 30

Instant hydration & protection against environmental aggressors

Perricone MD

VITAMIN C ESTER

Photo-Brightening Moisturizer

Broad Spectrum SPF 30

Vitamin C Ester, Alpha Lipoic Acid, Mineral-Based Sunscreen

€ 15 mL / 0.5 fl oz

KEY INGREDIENTS

Vitamin C Ester: Supercharged Brightening & Smoothing A more potent, highly stable & less abrasive form of antioxidant-rich vitamin C, Vitamin C Ester gives the appearance of collagen-rich skin by visibly smoothing, brightening & minimizing discoloration over time. Unlike traditional vitamin C, Vitamin C Ester is fat-soluble & easily absorbable for maximum antioxidant benefits.

Alpha Lipoic Acid (ALA): Nature's Most Powerful Antioxidant A fatty acid found in every cell in the human body, ALA reduces the appearance of lines, wrinkles & enlarged pores over time. Fat- & water-soluble, ALA is highly absorbable & works alongside the body's own antioxidant system.

Mineral-Based Sunscreen: Advanced SPF Protection Minerals found deep within the earth are ground into ultra-fine powders that act like a mirror to deflect aging UVA & burning UVB rays & can be less irritating than traditional chemical sunscreens.

Drug Facts

Active Ingredient Purpose Titanium Dioxide (4.20%) Sunscreen

Uses • Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings • For external use only. • Do not use on damaged or broken skin. • Stop use and ask a doctor if rash occurs. • When using this product keep out of eyes. Rinse with water to remove. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions • Apply to face & neck prior to sun exposure. For best results, apply after your favorite Perricone MD serum, serum concentrate or facial cream.

Drug Facts (Continued)

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Not for use on children. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Pentylene Glycol, Ethylhexyl Methoxycrylate, Polyester-8, Polyglyceryl-4 Polydimethylsilyloxy Dimethicone, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Aluminum Hydroxide, Stearic Acid, Diethylhexyl Syringylidenemalonate, ▼

Expiration & Lot Code area



Questions? 1-888-823-7537

Other Information • Please do not use the product in this container from excessive heat and direct sun.

Drug Facts (Continued) Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Pentylene Glycol, Polyester-8, Ethylhexyl Methoxycrylate, Cyclopentasiloxane, Dimethicone, Glycerin, Diethylhexyl Syringylidenemalonate, ▼



VITAMIN C ESTER

Photo-Brightening Moisturizer

Broad Spectrum SPF 30

Instant hydration & protection against environmental aggressors

Perricone MD

VITAMIN C ESTER

Photo-Brightening Moisturizer

Broad Spectrum SPF 30

Vitamin C Ester, Alpha Lipoic Acid, Mineral-Based Sunscreen

€ 15 mL / 0.5 fl oz

KEY INGREDIENTS

Vitamin C Ester: Supercharged Brightening & Smoothing A more potent, highly stable & less abrasive form of antioxidant-rich vitamin C, Vitamin C Ester gives the appearance of collagen-rich skin by visibly smoothing, brightening & minimizing discoloration over time. Unlike traditional vitamin C, Vitamin C Ester is fat-soluble & easily absorbable for maximum antioxidant benefits.

Alpha Lipoic Acid (ALA): Nature's Most Powerful Antioxidant A fatty acid found in every cell in the human body, ALA reduces the appearance of lines, wrinkles & enlarged pores over time. Fat- & water-soluble, ALA is highly absorbable & works alongside the body's own antioxidant system.

Mineral-Based Sunscreen: Advanced SPF Protection Minerals found deep within the earth are ground into ultra-fine powders that act like a mirror to deflect aging UVA & burning UVB rays & can be less irritating than traditional chemical sunscreens.

Drug Facts

Active Ingredient Purpose Titanium Dioxide (4.20%) Sunscreen

Uses • Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

Warnings • For external use only. • Do not use on damaged or broken skin. • Stop use and ask a doctor if rash occurs. • When using this product keep out of eyes. Rinse with water to remove. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions • Apply to face & neck prior to sun exposure. For best results, apply after your favorite Perricone MD serum, serum concentrate or facial cream.

Drug Facts (Continued)

For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Not for use on children. • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. - 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive Ingredients Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Pentylene Glycol, Ethylhexyl Methoxycrylate, Polyester-8, Polyglyceryl-4 Polydimethylsilyloxy Dimethicone, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Aluminum Hydroxide, Stearic Acid, Diethylhexyl Syringylidenemalonate, ▼

Expiration & Lot Code area



Questions? 1-888-823-7537

Other Information • Please do not use the product in this container from excessive heat and direct sun.

Drug Facts (Continued) Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Pentylene Glycol, Polyester-8, Ethylhexyl Methoxycrylate, Cyclopentasiloxane, Dimethicone, Glycerin, Diethylhexyl Syringylidenemalonate, ▼





### VITAMIN C ESTER Photo-Brightening Moisturizer

Broad Spectrum SPF 30  
Instant hydration & protection against environmental aggressors

## Perricone MD

### VITAMIN C ESTER Photo-Brightening Moisturizer

Broad Spectrum SPF 30

Vitamin C Ester, Alpha Lipoic Acid, Mineral-Based Sunscreen

15 mL / 0.5 fl oz

#### KEY INGREDIENTS

**Vitamin C Ester: Supercharged Brightening & Smoothing** A more potent, highly stable & less abrasive form of antioxidant-rich vitamin C, Vitamin C Ester gives the appearance of collagen-rich skin by visibly smoothing, brightening & minimizing discoloration over time. Unlike traditional vitamin C, Vitamin C Ester is fat-soluble & easily absorbable for maximum antioxidant benefits.

**Alpha Lipoic Acid (ALA): Nature's Most Powerful Antioxidant** A fatty acid found in every cell in the human body, ALA reduces the appearance of lines, wrinkles & enlarged pores over time. Fat- & water-soluble, ALA is highly absorbable & works alongside the body's own antioxidant system.

**Mineral-Based Sunscreen: Advanced SPF Protection** Minerals found deep within the earth are ground into ultra-fine powders that act like a mirror to deflect aging UVA & burning UVB rays & can be less irritating than traditional chemical sunscreens.

#### Drug Facts

**Active Ingredient**  
Titanium Dioxide (4.20%)  
**Purpose**  
Sunscreen

**Uses** • Helps prevent sunburn. • If used as directed with other sun protection measures (see Directions), decreases the chance of skin cancer and early skin aging caused by exposure to the sun.

**Warnings** • For external use only. • Do not use on damaged or broken skin. • Stop use and ask a doctor if rash occurs. • When using this product keep out of eyes. Rinse with water to remove. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions** • Apply to face & neck prior to sun exposure. For best results, apply after your favorite Perricone MD serum, serum concentrate or facial cream.

#### Drug Facts (Continued)

##### For Sunscreen Use:

- Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Not for use on children.
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.–2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive Ingredients** Water/Aqua/Eau, Glycerin, Cyclopentasiloxane, Dimethicone, Pentylene Glycol, Ethylhexyl Methoxycrylate, Polyester-8, Polyglyceryl-4 Polydimethylsilyloxyethyl Dimethicone, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Benzyl Alcohol, Aluminum Hydroxide, Stearic Acid, Diethylhexyl Syntegridimemalonate, ▼

Expiration & Lot Code area



Questions? 1-888-823-7537

Other Information • Protect the product to the container from excessive heat and direct sun.

Drug Facts (Continued)



# VITAMIN C ESTER PHOTO-BRIGHTROAD SPECTRUM SPF 30 15ML

titanium dioxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:45634-253
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.48 g in 59 g

## Inactive Ingredients

Ingredient Name	Strength
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>PHENOXYETHANOL</b> (UNII: HIE492Z Z3T)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	

<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)
<b>THIOCTIC ACID</b> (UNII: 73Y7P0K73Y)
<b>PHOSPHOLIPASE D1</b> (UNII: RO5LD48GLV)
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)
<b>HAEMATOCOCCUS PLUVIALIS</b> (UNII: 31T0FF0472)
<b>TOCOPHEROL</b> (UNII: ROZB2556P8)
<b>POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED)</b> (UNII: T9296U138P)
<b>TETRAHEXYLDECYL ASCORBATE</b> (UNII: 9LBV3F07AZ)
<b>SORBITAN ISOSTEARATE</b> (UNII: 01S2G2C1E4)
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%)</b> (UNII: 86FQE96TZ4)
<b>POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S)</b> (UNII: RLA2U05Z4Q)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45634-253-15	82 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/28/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	07/28/2022	

**Labeler** - N.V Perricone LLC (054414243)



## Establishment

Name	Address	ID/FEI	Business Operations
Dimensional Merchandising Inc (DMI)		076693183	manufacture(45634-253)

Revised: 7/2023

N.V Perricone LLC