

**LOPERAMIDE HCL- loperamide hydrochloride capsule, liquid filled  
McKesson (Health Mart)**

-----

**Loperamide HCl Capsules**

***Active ingredient(in each capsule)***

Loperamide HCl 2 mg

***Purpose***

Anti-diarrheal

***Use***

controls symptoms of diarrhea, including Travelers' Diarrhea.

***Warnings***

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

**Heart alert:** Taking more than directed can cause serious heart problems or death.

**Do not use**

- if you have bloody or black stool
- in children under 12 years of age

**Ask a doctor before use if you have**

- fever
- mucus in the stool
- a history of liver disease

**Ask a doctor or pharmacist before use if you are**

taking antibiotics.

**When using this product**

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

**Stop use and ask a doctor if**

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging.

These may be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- **not for use in children under 12 years of age**
- adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

### ***Other information***

- store at 20°-25°C (68-77°F). Protect from light.
- avoid excessive heat above 40°C (104°F).
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

### ***Inactive ingredients***

butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water

### **Questions or comments?**

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

compare to the Imodium® A-D active ingredient\*

#### **loperamide HCl**

#### **soft gelatin capsules 2 mg**

suitable for adults and children 12 years and over

anti - diarrheal

softgels\*\*

\*\*Each Liquid-Filled Capsule Contains 2 mg Loperamide HCl

\*This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, distributor of Imodium® A-D.

**THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Another Quality Product Distributed by McKesson

One Post Street, San Francisco, CA 94104

**[www.healthmart.com/healthbrand](http://www.healthmart.com/healthbrand)**

### **Product Label**



**Health Mart**<sup>®</sup>  
PHARMACY

compare to the Imodium<sup>®</sup> A-D  
active ingredient\*

# loperamide HCl soft gelatin capsules 2 mg

NDC 62011-0158-1

CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.  
CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

<p><b>Drug Facts (continued)</b></p> <p>■ you get abdominal swelling or bulging. These may be signs of a serious condition.</p> <p><b>If pregnant or breast-feeding</b>, ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p>	<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each capsule)</b> Loperamide HCl 2 mg.....Anti-diarrheal</p> <p><b>Use</b> Controls symptoms of diarrhea, including Travelers' Diarrhea.</p>
<p><b>Directions</b></p> <p>■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea</p> <p>■ not for use in children under 12 years of age</p> <p>■ adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours</p>	<p><b>Warnings</b></p> <p><b>Allergy alert:</b> Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.</p> <p><b>Heart alert:</b> Taking more than directed can cause serious heart problems or death.</p>
<p><b>Other information</b></p> <p>■ store at 20°-25°C (68°-77°F). Protect from light.</p> <p>■ avoid excessive heat above 40°C (104°F)</p> <p>■ do not use if carton or blister unit is open or torn</p> <p>■ see side panel for lot number and expiration date</p>	<p><b>Do not use</b></p> <p>■ if you have bloody or black stool</p> <p>■ in children under 12 years of age</p>
<p><b>Inactive ingredients</b> butylated hydroxyanisole, edible ink, FD&amp;C blue #1, gelatin, glycerin, glyceryl caprylate, polyoxy 40 hydrogenated castor oil, purified water</p>	<p><b>Ask a doctor before use if you have</b></p> <p>■ fever</p> <p>■ mucus in the stool</p> <p>■ a history of liver disease</p>
<p><b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>	<p><b>Ask a doctor or pharmacist before use if you are</b> taking antibiotics.</p> <p><b>When using this product</b> tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.</p>
<p><b>Stop use and ask a doctor if</b></p> <p>■ symptoms get worse</p> <p>■ diarrhea lasts for more than 2 days</p>	

\*This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, distributor of Imodium<sup>®</sup> A-D.



actual size

suitable for adults and children 12 years and over

anti-diarrheal

24 softgels\*\* \*\*Each Liquid-Filled Capsule Contains 2 mg Loperamide HCl

THIS PRODUCT IS PACKAGED IN A KEEP OUTER

Lot No.: Exp. Date:

MCKESSON

Another Quality Product Distributed by McKesson One Post Street, San Francisco, CA 94104 Money Back Guarantee www.healthmart.com/healthmartbrand

REV # 9/16 PLD-D45J FC004416



HEALTH MART Anti-Diarrheal Capsules

LOPERAMIDE HCL

loperamide hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0158
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOCAPRYLATE (UNII: TM2TZD4G4A)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	BLUE	Score	no score
Shape	CAPSULE	Size	19mm
Flavor		Imprint Code	p13
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:620 11-0 158-1	2 in 1 BOX	06/25/2012	12/31/2020
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021855	06/25/2012	12/31/2020

**Labeler** - McKesson (Health Mart) (177667227)

Revised: 12/2018

McKesson (Health Mart)