## REGENCY PRE-MILKING TEAT DIP- phenol teat dip solution ABS Corporation

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### **Regency Pre-Milking Teat Dip**

#### **ACTIVE INGREDIENTS:**

Active Ingredients	Purpose
PHENOL (0.78% w/v)	Disinfectant
PHENOLATE SODIUM (0.03% w/v)	Disinfectant

#### **PURPOSE:**

Active Ingredients	Purpose
PHENOL (0.78% w/v)	Disinfectant
PHENOLATE SODIUM (0.03% w/v)	Disinfectant

#### Keep Out of Reach of Children.

If swallowed, get medical help or contact Poison Control Center right away.

**USES:** 

#### FOR ANIMAL USE ONLY

Aids in controlling mastitis organisms with a softening effect on teats

#### **Directions for Use:**

Wash udder and teats with damp cloth to remove foreign debris.

Apply 0.5X Pre-Milking Teat Dip.

Allow product to disinfect teats during the time it takes to prep or milk preceeding cows.

Wash teats by hand with clean damp cloth to remove product prior to milking.

#### **CAUTION:**

Avoid eye contact. For external use only.

#### FIRST AID:

For Ingestion - Immediately give castor oil or vegetable oil (15-30cc). Get medical attention immediately.

Be ready to induce vomiting at the advice of a physician or poison control center.

For Eyes - Immediately fush eyes with water for at least 15 minutes. Wash affected skin with water.

#### When using this product:

Do Not Store in Direct Sunlight.

Avoid Excessive Heat.

**User Safety Warnings** 

**Do Not Allow Product To Freeze.** If frozen, allow the product to completely thaw in a warm room.

Shake and thoroughly mix product before using.

Rinse teat dip cup with water after each milking and invert to dry.

Never pour used teat dip into original container.

Keep cap on container when not in use.

**INACTIVE INGREDIENTS:** 

Water, Glycerin, Linear Alkylbenzene Sulfonate, Sodium Borate, Fragrance, FD&C Blue #1



FIRST AID: For Ingestion - Immediately give castor oil or vegetable oil (15 - 30cc). Get medical attention immediately. Be ready to induce vomiting at the advice of a physician or poison control center. For Eyes - Immediately flush eyes with water for at least 15 minutes.

Wash affected skin with water.

CAUTION: Avoid eye contact. For external use only.

DIRECTIONS: Wash udder and teats with damp cloth to remove foriegn debris. Apply Regency® Masticide® 0.5x Pre-Milking Teat Dip. Let the product disinfect teats during the time it takes to prep or milk preceding cows. Wash teats by hand with clean damp cloth to remove product prior to milking.

If the solution in the dip cup becomes contaminated, discard and use fresh solution. Rinse teat dip cup with water after each milking and invert to dry. Never pour used teat dip into the original container. Keep cap on container when not in use.

Do not allow product to freeze. If frozen, allow the product to completely thaw in a warm room. Shake and thoroughly mix product before using.

INGREDIENTS: Water, Phenol, Glycerin, LAS (Linear Alkylbenzene Sulfonate), Sodium Borate, Fragrance, FD&C Blue #1.

Distributed Exclusively By:
CLSolutions, LLC
PO BOX 837
Fulton, TX 78358
(361) 729-3993
www.CoastalLivestock.com
Sponicidin' is a registered trademark of Contec, Inc.
United Setse Patent # U56,586,477 B1
CLS-0.5X-1GAL

 $\boldsymbol{REGENCY}$  Pre-Milking Phenol Teat Dip - Fresh Scent Fragrance

Ready to Use "Udder Wash" Masticide with Sporicidin Technology

 $0.78\,\%$  (w/v) Phenol with  $0.03\,\%$  (w/v) Sodium Phenate and  $0.5\,\%$  (w/v) Glycerin

Aids in controlling mastitis organisms with a sofening effect on teats.

NET CONTENTS: 1 U.S. Gallon (3.785 L)



Aids in controlling mastitis organisms with a softening effect on teats.

0.78% (w/v) Phenol with 0.03% (w/v) Sodium Phenate and 0.5% (w/v) Glycerin

Teat Dip Will Not Burn, Dry, Irritate Or Chap Teats. Contains a special blend of emollients and phenol.

NOTE: Store at room temperature away from direct sunlight.

NET CONTENTS: 5 U.S. Gallons (18.927 L)

FOR ANIMAL USE ONLY KEEP OUT OF REACH OF CHILDREN DO NOT STORE IN DIRECT SUNLIGHT AVOID EXCESSIVE HEAT



FIRST AID: For Ingestion - Immediately give castor oil or vegetable oil (15 - 30cc). Get medical attention immediately. Be ready to induce vomiting at the advice of a physician or poison control center. For Eyes - Immediately flush eyes with water for at least 15 minutes

Wash affected skin with water.

CAUTION: Avoid eye contact. For external use only

DIRECTIONS: Wash udder and teats with damp cloth to remove foriegn debris. Apply Regency® Masticide® 0.5x Pre-Milking Teat Dip. Let the product disinfect teats during the time it takes to prep or milk preceding cows. Wash teats by hand with clean damp cloth to remove product prior to milking.

If the solution in the dip cup becomes contaminated, discard and use fresh solution. Rinse teat dip cup with water after each milking and invert to dry. Never pour used teat dip into the original container. Keep cap on container when not in use.

Do not allow product to freeze. If frozen, allow the product to completely thaw in a warm room. Shake and thoroughly mix product before using.

INGREDIENTS: Water, Phenol, Glycerin, LAS (Linear Alkylbenzene Sulfonate), Sodium Borate, Fragrance, FD&C Blue #1.

Distributed Exclusively By: CLS olutions, LLC PO BOX 837 Fulton, TX 78358 (361) 729-3993 www.CoastalLivestock.com

Sporicidin\* is a registered trademark of Con United Sates Patent # US6,586,477 B1 CLS-0.5X-5GAL



**REGENCY** Pre-Milking Phenol Teat Dip - Fresh Scent Fragrance

Ready to Use "Udder Wash" Masticide with Sporicidin Technology

0.78% (w/v) Phenol with 0.03% (w/v) Sodium Phenate and 0.5% (w/v) Glycerin

Aids in controlling mastitis organisms with a sofening effect on teats.

NET CONTENTS: 5 U.S. Gallons (18.927 L)



FIRST AID: For Ingestion - Immediately give castor oil or vegetable oil (15 - 30cc). Get medical attention immediately. Be ready to induce vomiting at the advice of a physician or poison control center. For Eyes - Immediately flush eyes with water for at least 15 minutes.

Wash affected skin with water

CAUTION: Avoid eye contact. For external use only

DIRECTIONS: Wash udder and teats with damp cloth to remove foriegn debris. Apply Regency® Masticide® 0.5x Pre-Milking Teat Dip. Let the product disinfect teats during the time it takes to prep or milk preceding cows. Wash teats by hand with clean damp cloth to remove product prior to milking.

If the solution in the dip cup becomes contaminated, discard and use fresh solution. Rinse teat dip cup with water after each milking and invert to dry. Never pour used teat dip into the original container. Keep cap on container when not in use

Do not allow product to freeze. If frozen, allow the product to completely thaw in a warm room. Shake and thoroughly mix product before using.

INGREDIENTS: Water, Phenol, Glycerin, LAS (Linear Alkylbenzene Sulfonate), Sodium Borate, Fragrance, FD&C Blue #1.

Distributed Exclusively By: CLSolutions, LLC PO BOX 837 Fulton, TX 78358 (361) 729-3993 www.CoastalLivestock.com

Sporicidin\* is a registered trademark of Contec, Inc. United Sates Patent # US6,586,477 B1

**REGENCY** Pre-Milking Phenol Teat Dip - Fresh Scent Fragrance

Ready to Use "Udder Wash" Masticide with Sporicidin Technology

0.78% (w/v) Phenol with 0.03% (w/v) Sodium Phenate and 0.5% (w/v) Glycerin

OTC

Aids in controlling mastitis organisms with a sofening effect on teats.

NET CONTENTS: 55 U.S. Gallons (202.2 L)

special blend of emollients and phenol.

NOTE: Store at room temperature away from direct sunlight.

NET CONTENTS: 55 U.S. Gallons (208.2 L)



0.5X Pre-Milking Teat Dip



Aids in controlling mastitis organisms with a softening effect on teats.

0.78% (w/v) Phenol with 0.03% (w/v) Sodium Phenate and 0.5% (w/v) Glycerin

Teat Dip Will Not Burn, Dry, Irritate Or Chap Teats. Contains a special blend of emollients and phenol.

NOTE: Store at room temperature away from direct sunlight.

NET CONTENTS: 270 U.S. Gallons

FOR ANIMAL USE ONLY
KEEP OUT OF REACH OF CHILDREN
DO NOT STORE IN DIRECT SUNLIGHT
AVOID EXCESSIVE HEAT



FIRST AID: For Ingestion - Immediately give castor oil or vegetable oil (15 - 30cc). Get medical attention immediately. Be ready to induce vomiting at the advice of a physician or poison control center. For Eyes - Immediately flush eyes with water for at least 15 minutes. Wash affected skin with water.

CAUTION: Avoid eye contact. For external use only.

DIRECTIONS: Wash udder and teats with damp cloth to remove foriegn debris. Apply Regency® Masticide® 0.5x Pre-Milking Teat Dip. Let the product disinfect teats during the time it takes to prep or milk preceding cows. Wash teats by hand with clean damp cloth to remove product prior to milking.

If the solution in the dip cup becomes contaminated, discard and use fresh solution. Rinse teat dip cup with water after each milking and invert to dry. Never pour used teat dip into the original container. Keep cap on container when not in use.

Do not allow product to freeze. If frozen, allow the product to completely thaw in a warm room. Shake and thoroughly mix product before using.

INGREDIENTS: Water, Phenol, Glycerin, LAS (Linear Alkylbenzene Sulfonate), Sodium Borate, Fragrance, FD&C Blue #1.

Distributed Exclusively By: CLSolutions, LLC™ 7031 North 16th St. Omaha, NE 68112 (402) 502-3928 www.clsag.com CLS-0.5X-8

Sporicidin<sup>®</sup> is a registered trademark of Contec, Inc. United Sates Patent # US6,586,477 B1

LOT NO. \_\_\_\_\_

**REGENCY** Pre-Milking Phenol Teat Dip - Fresh Scent Fragrance Ready to Use "Udder Wash" Masticide with Sporicidin Technology

0.78% (w/v) Phenol with 0.03% (w/v) Sodium Phenate and 0.5% (w/v) Glycerin

Aids in controlling mastitis organisms with a sofening effect on teats.

**NET CONTENTS: 270 U.S. Gallons** 

#### REGENCY PRE-MILKING TEAT DIP

phenol teat dip solution

## Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:18472-005

Route of Administration TOPICAL

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength PHENOL (UNII: 339 NCG44TV) (PHENOL - UNII:339 NCG44TV) PHENOLATE SODIUM (UNII: 4NC0T56V35) (PHENOL - UNII:339 NCG44TV) PHENOL 0.03 g in 1 L

Inactive Ingredients	
Ingredient Name	Strength
SODIUM BORATE (UNII: 91MBZ8H3QO)	
GLYCERIN (UNII: PDC6A3C0OX)	
P-DO DECYLBENZENESULFO NIC ACID (UNII: OC21S23N1O)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1 1	NDC:18472-005-01	1021.95 L in 1 CONTAINER		
2 N	NDC:18472-005-02	18.925 L in 1 PAIL		
3 1	NDC:18472-005-03	208.175 L in 1 DRUM		
4	NDC:18472-005-04	3.785 L in 1 JUG		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/13/2011	

## Labeler - ABS Corporation (048022727)

### **Registrant -** ABS Corporation (048022727)

Establishment			
Name	Address	ID/FEI	Business Operations
ABS Corporation		048022727	api manufacture, pack, label

Revised: 4/2014 ABS Corporation