

FIRST AID BURN CREAM- first aid burn cream cream
ProStat First Aid LLC

PS-2309 First Aid Burn Cream

Active Ingredient

Lidocaine HCl 0.5%

Purpose

Topical Analgesic

Active Ingredient

Benzalkonium Chloride 0.13%

Purpose

Topical Antiseptic

Use(s)

For the temporary relief of pain and itching associated with:

- Sunburn • Minor burns • Insect bites • Cuts • Scrapes

Warnings

For External Use Only.

Do not use

- In the eyes • Over large areas of the body or on deep puncture wounds, animal bites, or serious burns • In large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if

- The condition gets worse • Condition clears up and recurs within a few days • Condition persists for more than 7 days

If pregnant or breast feeding

Ask a health care professional before use.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222)

right away.

Directions

Adults and children 2 years and over:

- Clean the affected area
- Apply a small amount of this product on the area 3 to 4 times daily
- May be covered with a sterile bandage

Children under 2 years:

- Consult a doctor

Other Information

- Store in a cool, dry area 15°-25°C (59°-77°F)
- Tamper evident sealed packets
- Do not use any opened or torn packets

Inactive Ingredients

Butylated Hydroxytoluene, Cetomacrogol 1000, Cetostearyl Alcohol, Dimethicone, Glycerine, Glyceryl Monostearate, Isopropyl Myristate, Methylcellulose, Purified Water, Sodium EDTA, Sodium Methylparaben, Sodium Propylparaben

Questions?

1-888-900-2920 Monday - Friday 8AM - 4PM PST.

Label

PROSTAT

CODE: 2309

ITEM: PROSTAT FIRST AID BURN CREAM
0.9GM

QTY: 2,000 SACHETS/CASE

LOT #:

EXP. DATE:

NET WT:

GROSS WT:

MADE IN INDIA

Drug Facts

Active Ingredients (in each gram)	Purpose
Lidocaine Hydrochloride 0.5%	Topical Analgesic
Benzalkonium Chloride 0.13%	Topical Antiseptic

Use(s)

For the temporary relief of pain and itching associated with:
■ Sunburn ■ Minor burns ■ Insect bites ■ Cuts ■ Scrapes

Warnings For External Use Only.

Do not use ■ In the eyes ■ Over large areas of the body or on deep puncture wounds, animal bites, or serious burns ■ In large quantities, particularly over raw surfaces or blistered areas

Stop use and ask a doctor if ■ The condition gets worse
■ Condition clears up and recurs within a few days
■ Condition persists for more than 7 days

If pregnant or breast feeding, ask a health care professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions Adults and children 2 years and over:

■ Clean the affected area ■ Apply a small amount of this product on the area 3 to 4 times daily ■ May be covered with a sterile bandage

Children under 2 years: ■ Consult a doctor

Other Information

■ Store in a cool, dry area 15°-25° C (59°-77° F)
■ Tamper evident sealed packets
■ Do not use any opened or torn packets

Inactive Ingredients Butylated Hydroxytoluene, Cetomacrogol 1000, Cetostearyl Alcohol, Dimethicone, Glycerine, Glyceryl Monostearate, Isopropyl Myristate, Methylcellulose, Purified Water, Sodium EDTA, Sodium Methylparaben, Sodium Propylparaben

Questions?

1-888-900-2920 Monday – Friday 8AM – 4PM PST.

Keep box for complete **Drug Facts**.

PS-2309 First Aid Burn Cream

FIRST AID BURN CREAM

first aid burn cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58228-2309
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	50 mg in 10000 mg
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	13 mg in 10000 mg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
EDETATE SODIUM (UNII: MP1J8420LU)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
METHYLCELLULOSE (4000 MPA.S) (UNII: MRJ667KA5E)	
PROPYLPARABEN SODIUM (UNII: 625NNB0G9N)	
ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS)	
METHYLPARABEN SODIUM (UNII: CR6K9C2NHK)	
CETETH-20 (UNII: I835H2IHHX)	
DIMETHICONE 350 (UNII: 2Y53S6ATLU)	

GLYCERIN (UNII: PDC6A3C0OX)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	

Product Characteristics

Color		Score	
Shape	FREEFORM	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58228-2309-1	2000 in 1 CARTON	07/31/2023	
1		900 mg in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	07/31/2023	

Labeler - ProStat First Aid LLC (061263699)

Registrant - Dynarex Corporation (008124539)