

DOVE- teens strawberry sparkle 48h antiperspirant aerosol, spray
Conopco, Inc. d/b/a Unilever

Dove Teens Strawberry Sparkle 48h Antiperspirant

DOVE TEENS STRAWBERRY SPARKLE 48H ANTIPERSPIRANT - aluminum chlorohydrate aerosol, spray

Drug Facts

Active ingredient

Aluminum Sesquichlorohydrate (15.2)

Purpose

antiperspirant

Uses

- reduces underarm wetness

Warnings

- **FLAMMABLE. DO NOT USE NEAR HEAT, FLAME, OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH**
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- **USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.** Help stop inhalation abuse. For information visit www.inhalant.org
- **KEEP OUT OF REACH OF CHILDREN**

Directions

apply to underarms only

Inactive ingredients

Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether,

Glycine, Helianthus Annuus (Sunflower) Seed Oil, C12-15 Alkyl Benzoate, Distearidimonium Hectorite, Fragrance (Parfum), Calcium Chloride, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol, Benzyl Alcohol, Benzyl Salicylate, Citronellol, Coumarin, Geraniol, Hexyl Cinnamal, Limonene, Linalool.

Questions?

Call toll-free 1-800-761-3683

NEW

48h protection and all the care of Dove

• Shake well before each use
• Hold can 6 inches from the underarm

• Spray on underarm for 48h protection and soft, smooth skin

Drug Facts

Active Ingredient
Aluminum Sesquichlorohydrate (15.2%)

Purpose
Antiperspirant

Uses
• reduces underarm wetness

Warnings
• FLAMMABLE; DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
• Keep away from face and mouth to avoid breathing in.
• Avoid spraying in eyes, contacts, under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
• Do not use on broken skin. Stop use if rash or irritation occurs.
• Ask a doctor before using if you have kidney disease.
• KEEP OUT OF REACH OF CHILDREN.
• USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse. For information visit www.consumermed.org.

Directions apply to underarms only

Inactive Ingredients
Butane, Hydrofluorcarbon 132a, Cyclopentasiloxane, Isobutane, PPG-14, Sorbitol, Chloro, Helianthus Annuus (Sunflower) Seed Oil, C12-15 Alkyl Benzoate, Distearidimonium Hectorite, Fragrance (Parfum), Calcium Chloride, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol, Benzyl Alcohol, Benzyl Salicylate, Citronellol, Coumarin, Geraniol, Hexyl Cinnamal, Limonene, Linalool

Questions?
Call toll-free 1-800-761-3683

MADE IN MEXICO

Recycled content

PCTA
Approved
By
The American Public Health Association

Made by Unilever
Trumbull, CT 06611
Made in Mexico
69/92/61

UNILEVER

DOVE

teens strawberry sparkle 48h antiperspirant aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64942-2133
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLOROHYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLOROHYDRATE	15.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CALCIUM CHLORIDE (UNII: M4I0D6VV5M)	

PPG-14 BUTYL ETHER (UNII: R199TJT95T)
BUTANE (UNII: 6LV4FOR43R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0)
ISOBUTANE (UNII: BXR49TP611)
SUNFLOWER OIL (UNII: 3W1JG795YI)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
PROPANE (UNII: T75W9911L6)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
OCTYLDODECANOL (UNII: 461N1O614Y)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
DIMETHICONOL (40 CST) (UNII: 343C7U75XW)
BENZYL ALCOHOL (UNII: LKG8494WBH)
BENZYL SALICYLATE (UNII: WAO5MKN9TU)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
GERANIOL (UNII: L837108USY)
COUMARIN (UNII: A4VZ22K1WT)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
GLYCINE (UNII: TE7660XO1C)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64942-2133-1	107 g in 1 CAN; Type 0: Not a Combination Product	09/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M019	09/01/2023	

Labeler - Conopco, Inc. d/b/a Unilever (001375088)

Revised: 11/2024

Conopco, Inc. d/b/a Unilever