

BURN EASE, 3.5G- burn ease, 3.5g gel
ProStat First Aid LLC

PS-3883 Burn Ease 3.5g

Active Ingredient

Lidocaine Hydrochloride 2%

Purpose

Analgesic

Use(s)

For the temporary relief of pain associated with • Minor burns • Sunburn

Warnings

For External Use Only.

Do not use

- On wounds or damaged skin
- In large quantities, particularly over raw surfaces or blistered areas

When using this product

- Avoid contact with the eyes • Do not bandage tightly

Stop use and ask a doctor if

- Condition worsens
- Symptoms persist for more than 7 days
- Symptoms clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.
- Children under 2 years of age: Consult a doctor

Other Information

- Store at room temperature

Inactive Ingredients

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Carbomer, Glycerin, Imidazolidinyl Urea, Methylparaben, Propylene Glycol, Propylparaben, Purified Water, Tea Tree Leaf Oil, Triethanolamine

Questions?

1-888-900-2920 8AM - 4PM PST

Label

Drug Facts	PROSTAT
Active Ingredient Lidocaine Hydrochloride 2%	CODE: 3883
Purpose Analgesic	ITEM: BURN EASE, 3.5GM
Use(s) ■ For the temporary relief of pain associated with ■ Minor burns ■ Sunburn	QTY: 2,000/CASE
Warnings For External Use Only.	LOT #:
Do not use ■ On wounds or damaged skin ■ In large quantities, particularly over raw surfaces or blistered areas	EXP. DATE:
When using this product ■ Avoid contact with the eyes ■ Do not bandage tightly	NET WT:
Stop use and ask a doctor if ■ Condition worsens ■ Symptoms persist for more than 7 days ■ Symptoms clear up and occur again within a few days	GROSS WT:
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	MADE IN INDIA
Directions ■ Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily ■ Children under 2 years of age: Consult a doctor	
Other information ■ Store at room temperature	
Inactive Ingredients Acrylates/C10-30 alkyl acrylate crosspolymer, Carbomer, Glycerin, Imidazolidinyl urea, Methylparaben, Propylene glycol, Propylparaben, Purified water, Tea tree leaf oil, Triethanolamine	
Questions? 1-888-900-2920 8AM-4PM PST	

Keep box for complete **Drug Facts**.

PS-3883 Burn Ease 3.5g

BURN EASE, 3.5G			
burn ease, 3.5g gel			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58228-3883
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			

Ingredient Name		Basis of Strength	Strength	
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g	
Inactive Ingredients				
Ingredient Name			Strength	
METHYLPARABEN (UNII: A2I8C7HI9T)				
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				
TROLAMINE (UNII: 9O3K93S3TK)				
GLYCERIN (UNII: PDC6A3C0OX)				
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)				
IMIDUREA (UNII: M629807ATL)				
MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF OIL (UNII: VIF565UC2G)				
Product Characteristics				
Color		Score		
Shape	FREEFORM	Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58228-3883-1	2000 in 1 CARTON	07/31/2023	
1		3.5 g in 1 PACKET; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	07/31/2023		

Labeler - ProStat First Aid LLC (061263699)

Registrant - Dynarex Corporation (008124539)