

**ACETAMINOPHEN- acetaminophen tablet**  
**NuCare Pharmaceuticals, Inc.**

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Acetaminophen 325mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children.

Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if the user has**

liver disease

**Ask a doctor or pharmacist before use if the user is**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of the reach of children.**

**Overdose warning:**

In the case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 2 tablets, every 4 to 6 hours while symptoms last</li><li>• do not take more than 10 tablets in 24 hours, unless directed by a doctor</li><li>• do not use for more than 10 days unless directed by a doctor</li></ul>
children 6 to under 12 years	<ul style="list-style-type: none"><li>• take 1 tablet every 4 to 6 hours while symptoms last</li><li>• do not take more than 5 tablets in 24 hours</li><li>• do not use for more than 5 days unless directed by a doctor</li></ul>
children under 6 years	ask a doctor

**Other information**

- store between 20-25°C (68-77°F)

### Inactive ingredients

povidone, pregelatinized corn starch, sodium starch glycolate, stearic acid

### Questions or comments?

1-800-645-2158

**NuCare Pharmaceuticals, Inc.**

**NDC: 68071-3454-3**

**Acetaminophen 325mg #30 Tablets**

Each tablet contains: Acetaminophen 325mg.....Pain Reliever/Fever Reducer Warnings:  
 Liver Warning: This product contains Acetaminophen. The maximum daily dose of this product is 10 tablets (3,250mg) in 24 hours for adults or 5 tablets (1,625mg) in 24 hours for children. Severe liver damage may occur if, adult takes more than 4,000mg of Acetaminophen in 24 hours, child takes more than 5 doses in 24 hours, which is the maximum daily amount, taken with other drugs containing Acetaminophen, adult has 3 or more alcoholic drinks every day while using this product. Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use, with any other drug containing Acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains Acetaminophen, ask a doctor or pharmacist. If you are allergic to Acetaminophen or any of the inactive ingredients in this product. Ask a doctor before use if the user has liver disease. Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin. Stop use and ask a doctor if, pain gets worse or lasts more than 10 days in adults, pain gets worse or lasts more than 5 days in children under 12 years, fever gets worse or lasts more than 3 days, new symptoms occur, redness or swelling is present. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (800-222-1222). Round white tablet imprint PH020 on one side.

**Acetaminophen 325mg**  
 Lot: 00000    NDC: 68071-3454-03  
 MFR NDC: 0536-1327-10    Exp.: 00-00  
 Serial# 0000000002

**Acetaminophen 325mg**  
 Lot: 00000    NDC: 68071-3454-03  
 MFR NDC: 0536-1327-10    Exp.: 00-00  
 Serial# 0000000002

GTIN 00368071345438  
 Serial# 0000000002  
 Exp. Date 00-00  
 LOT#: 00000

**Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.**

**Product #: P0003030**

**WARNING: KEEP OUT OF REACH OF CHILDREN**      **STORE AT CONTROLLED TEMPERATURE 68-77°F.**

Distributed by: **Rugby Laboratories Indianapolis, IN**  
 46268  
 Packaged By: **NuCare Pharmaceuticals, Inc.**  
 Orange, CA 92867

Patient Instructions: **Take \_\_\_\_\_ every \_\_\_\_\_ hours \_\_\_\_\_ times a day.**

Rev. 01/01/19

## ACETAMINOPHEN

acetaminophen tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68071-3454(NDC:0536-1327)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>STARCH, CORN</b> (UNII: O8232NY35J)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	PH020
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071-3454-5	50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/12/2023	
2	NDC:68071-3454-4	40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/12/2023	
3	NDC:68071-3454-3	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/12/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/11/2021	

**Labeler** - NuCare Pharmaceuticals,Inc. (010632300)

## Establishment

Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals,Inc.		010632300	repack(68071-3454)

Revised: 10/2025

NuCare Pharmaceuticals,Inc.