

**ROMPE PECHITO DM FOR KIDS- dextromethorphan hbr, guaifenesin liquid**  
**Efficient Laboratories Inc**

-----  
**Rompe Pechito**

**Active Ingredients:**(in each teaspoonful 2.5 ml.) **Purpose**

Dextromethorphan Hydrobromide 5 mg ..... Cough Suppressant  
Guaifenesin 50 mg ..... Expectorant

**Purpose**

Cough Suppressant  
Expectorant

**Uses**

**Uses:**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.

**Warnings**

**Do not use in child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional condition, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.**

**Do not use**

Do not use in child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional condition, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

**Do not give more than 6 doses in any 24 hours period** □ **shake well before use** □ **measure only with dosing cup provided** □ **keep dosing cup with product**  
□ mL = milliliter

## **Age Dose**

Children 6 to under 12 years of age 5 mL every 4 hours

Children 4 to under 6 years of age 2.5 mL every 4 hours

Children under 4 years of age Do not use

## **Inactive Ingredients:**

**Inactive Ingredients:** citric acid, elderberry fruit extract, glycerin, honey, maltodextrin, methylparaben, flavor, potassium sorbate as a preservative, propylparaben, propylene glycol, purified water, sodium chloride, sucralose and zinc sulfate.

## **Questions or Comments?**

**305-805-3456 Monday - Friday 9AM to 5PM EST**

**[www.efficientlabs.com](http://www.efficientlabs.com)**

## **Stop use and ask a doctor if**

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough, such as occurs with asthma or chronic bronchitis.

These could be signs of a serious condition.

## **Ask a doctor before use if the child has**

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough, such as occurs with asthma or chronic bronchitis

## **Other Information**

- store this product between 15 to 30 °C (59 to 86 °F )
- do not refrigerate
- product color & flavor may vary due to natural honey

Tamper-Evident Feature: do not use this product if printed security seal is torn, broken or missing.

## **Rompe Pechito**



**ROMPE PECHITO DM FOR KIDS**  
 dextromethorphan hbr, guaifenesin liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58593-276
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 2.5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	50 mg in 2.5 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>AMERICAN ELDERBERRY</b> (UNII: 7610Y219OC)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>ZINC SULFATE</b> (UNII: 89DS0H96TB)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:58593-276-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2023	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	08/01/2023	

**Labeler** - Efficient Laboratories Inc (969044932)**Registrant** - Efficient Laboratories Inc (969044932)

