

**MEDLINE- white petrolatum, zinc oxide paste**  
**Medline Industries, LP**

-----  
**153 Remedy Specialized Zinc Oxide Paste**

***Active ingredients***

White petrolatum 49% w/w

Zinc oxide 15% w/w

***Purpose***

Skin protectant

***Uses***

- temporarily protects minor cuts, scrapes, and burns
- temporarily protects and helps relieve chapped or cracked skin

***Warnings***

**For external use only**

**Do not use on**

- deep or puncture wounds
- animal bites
- serious burns

**When using this product**

- do not get into eyes

**Stop use and ask a doctor if**

- condition worsens
- symptoms last for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- **for skin protection:** apply as needed
- **for diaper rash:** change wet and soiled diapers promptly, cleanse the diaper area, and allow to dry
- apply liberally, as often as necessary, with each diaper change, especially at bedtime or any time when exposure to wet diapers may be prolonged

**Other information**

- store at 15°C-30°C (59°F-86°F)

**Inactive ingredients**

carboxymethylcellulose sodium, cetyl dimethicone copolyol, glycerin, hexyl laurate, phenoxyethanol, polyglyceryl-4 isostearate, stearic acid, water

**Manufacturing Information**

Manufactured for:

Medline Industries, LP

Three Lakes Drive, Northfield, IL 60093 USA

Made in the USA of domestic and imported materials

[www.medline.com](http://www.medline.com)

1-800-MEDLINE (633-5463)

REF: 325614

V2 RJ22AXQ

**Package Label**

NDC 53329-153-44



SPECIALIZED

PROTECT

Zinc Oxide Paste  
Skin Protectant

Extra thick

For skin exposed to  
prolonged moisture



CHG Compatible

Paraben Free

Hypoallergenic

Unscented

4 OZ (113 g)



**Drug Facts**

**Active Ingredients**

White petrolatum 49% w/w ..... Skin Protectant  
Zinc oxide 15% w/w ..... Skin Protectant

**Purpose**

**Uses**

temporarily protects minor cuts scrapes burns  
temporarily protects and helps relieve chapped or cracked skin

**Warnings**

For external use only

Do not use on deep or puncture wounds animal bites  
serious burns

When using this product do not get into eyes

Stop use and ask a doctor if condition worsens symptoms last for more than 7 days or clear up and occur again within a few days

Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

for skin protection apply as needed  
for diaper rash change wet and soiled diapers promptly, cleanse the diaper area, and allow to dry apply liberally, as often as necessary, with each diaper change, especially at bedtime or any time when exposure to wet diapers may be prolonged

**Other Information**

store at 15°C - 30°C

**Inactive Ingredients**

carboxymethylcellulose sodium, cetyl dimethicone copolyol, glycerin, hexyl laurate, phenoxyethanol, polyglyceryl-4 isostearate, stearic acid, water



REF 325614

www.medline.com ©2022 Medline and Medline Remedy are registered trademarks of Medline Industries, LP. Made in the USA of domestic and imported materials. Manufactured for Medline Industries, LP, Three Lakes Drive, Northfield, IL 60093 USA. 1-800-MEDLINE V2 RJ22AXQ

**MEDLINE**

white petrolatum, zinc oxide paste

**Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:53329-153

Route of Administration TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

| Ingredient Name   | Strength         | Strength         |
|---|------------------|------------------|
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)             | ZINC OXIDE       | 150 mg<br>in 1 g |
| <b>WHITE PETROLATUM</b> (UNII: B6E5W8RQJ4) (WHITE PETROLATUM - UNII:B6E5W8RQJ4) | WHITE PETROLATUM | 490 mg<br>in 1 g |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)                          |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT) |          |
| <b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)             |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                               |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                           |          |
| <b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)          |          |
| <b>WATER</b> (UNII: 059QF0KOOR)                                  |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                         |          |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:53329-153-44 | 113 g in 1 TUBE; Type 0: Not a Combination Product | 05/01/2023           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M016                                     | 05/01/2023           |                    |

**Labeler** - Medline Industries, LP (025460908)

**Registrant** - Medline Industries, LP (025460908)