

PS-2896 HYDROCORTISONE CREAM 1%, 0.9G- ps-2896 hydrocortisone cream 1%, 0.9g cream
ProStat First Aid LLC

PS-2896 Hydrocortisone Cream 1%, 0.9g

Active Ingredient

Hydrocortisone USP 1%

Purpose

Antipruritic (Anti-Itch)

Use(s)

For the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis, and external genital, feminine, and anal itching

Warnings

For External Use Only

If pregnant or breast-feeding

Ask a health professional before use

Do not use

• In the eyes • For diaper rash • For external genital or feminine itching if you have a vaginal discharge • More than the recommended daily dosage unless directed by a doctor • In the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

• Condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days (do not continue to use this or any other hydrocortisone product for longer than 7 days) • Bleeding occurs due to anal itching

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.
- Children under 2 years of age: Consult a doctor.
- When used for anal itching, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry, patting or blotting with bathroom tissue or soft cloth before applying. Children under 12: Consult a doctor before using for anal itching.

Other Information

- Store at room temperature between 15°-30°C (59°-86°F) • Avoid excessive heat • Tamper evident. Do not use if packet is torn, cut, or opened

Inactive Ingredient

Cetostearyl Alcohol, Glyceryl Monostearate SE, Methylchloroisthiazolinone, Propylene Glycol, Purified Water, Stearic Acid, Triethanolamine, White Petrolatum

Questions?

1-888-900-2920 Monday - Friday 8AM - 4PM PST.

Label

<table border="1"> <tr> <td colspan="2">Drug Facts</td> </tr> <tr> <td>Active Ingredients</td> <td>Purpose</td> </tr> <tr> <td>Hydrocortisone USP 1%</td> <td>Antipruritic (Anti-Itch)</td> </tr> <tr> <td colspan="2">Use(s)</td> </tr> <tr> <td colspan="2">For the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis and for external genital, feminine, and anal itching</td> </tr> <tr> <td colspan="2">Warnings</td> </tr> <tr> <td colspan="2">For external use only</td> </tr> <tr> <td colspan="2">If pregnant or breast-feeding, ask a health professional before use</td> </tr> <tr> <td colspan="2">Do not use ■ In the eyes ■ For diaper rash ■ For external genital or feminine itching if you have a vaginal discharge ■ More than the recommended daily dosage unless directed by a doctor ■ In the rectum by using fingers or any mechanical device or applicator</td> </tr> <tr> <td colspan="2">Stop use and ask a doctor if ■ Condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days (do not continue to use this or any other hydrocortisone product for longer than 7 days) ■ Bleeding occurs due to anal itching</td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</td> </tr> <tr> <td colspan="2">Directions</td> </tr> <tr> <td colspan="2">■ Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. ■ Children under 2 years of age: consult a doctor. ■ When used for anal itching, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry, patting or blotting with bathroom tissue or soft cloth before applying. Children under 12: consult a doctor before using for anal itching.</td> </tr> <tr> <td colspan="2">Other Information</td> </tr> <tr> <td colspan="2">■ Store at room temperature between 15°-30°C (59°-86°F) ■ Avoid excessive heat ■ Tamper evident. Do not use if packet is torn, cut, or opened</td> </tr> <tr> <td colspan="2">Inactive Ingredient</td> </tr> <tr> <td colspan="2">Cetostearyl Alcohol, Glyceryl Monostearate SE, Methylchloroisthiazolinone, Propylene Glycol, Purified Water, Stearic Acid, Triethanolamine, White Petrolatum</td> </tr> <tr> <td colspan="2">Questions? 1-888-900-2920 Monday – Friday 8AM – 4PM PST.</td> </tr> </table>	Drug Facts		Active Ingredients	Purpose	Hydrocortisone USP 1%	Antipruritic (Anti-Itch)	Use(s)		For the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis and for external genital, feminine, and anal itching		Warnings		For external use only		If pregnant or breast-feeding, ask a health professional before use		Do not use ■ In the eyes ■ For diaper rash ■ For external genital or feminine itching if you have a vaginal discharge ■ More than the recommended daily dosage unless directed by a doctor ■ In the rectum by using fingers or any mechanical device or applicator		Stop use and ask a doctor if ■ Condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days (do not continue to use this or any other hydrocortisone product for longer than 7 days) ■ Bleeding occurs due to anal itching		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.		Directions		■ Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. ■ Children under 2 years of age: consult a doctor. ■ When used for anal itching, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry, patting or blotting with bathroom tissue or soft cloth before applying. Children under 12: consult a doctor before using for anal itching.		Other Information		■ Store at room temperature between 15°-30°C (59°-86°F) ■ Avoid excessive heat ■ Tamper evident. Do not use if packet is torn, cut, or opened		Inactive Ingredient		Cetostearyl Alcohol, Glyceryl Monostearate SE, Methylchloroisthiazolinone, Propylene Glycol, Purified Water, Stearic Acid, Triethanolamine, White Petrolatum		Questions? 1-888-900-2920 Monday – Friday 8AM – 4PM PST.		<p>PROSTAT</p> <p>CODE: 2896</p> <p>ITEM: PROSTAT HYDROCORTISONE CREAM 0.9GM</p> <p>QTY: 2,000 SACHETS/CASE</p> <p>LOT #:</p> <p>EXP. DATE:</p> <p>NET WT:</p> <p>GROSS WT:</p> <p>MADE IN INDIA</p> <p>Keep box for complete Drug Facts.</p>
Drug Facts																																					
Active Ingredients	Purpose																																				
Hydrocortisone USP 1%	Antipruritic (Anti-Itch)																																				
Use(s)																																					
For the temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis and for external genital, feminine, and anal itching																																					
Warnings																																					
For external use only																																					
If pregnant or breast-feeding, ask a health professional before use																																					
Do not use ■ In the eyes ■ For diaper rash ■ For external genital or feminine itching if you have a vaginal discharge ■ More than the recommended daily dosage unless directed by a doctor ■ In the rectum by using fingers or any mechanical device or applicator																																					
Stop use and ask a doctor if ■ Condition worsens or if symptoms persist for more than 7 days or clear up and occur again within a few days (do not continue to use this or any other hydrocortisone product for longer than 7 days) ■ Bleeding occurs due to anal itching																																					
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.																																					
Directions																																					
■ Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily. ■ Children under 2 years of age: consult a doctor. ■ When used for anal itching, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry, patting or blotting with bathroom tissue or soft cloth before applying. Children under 12: consult a doctor before using for anal itching.																																					
Other Information																																					
■ Store at room temperature between 15°-30°C (59°-86°F) ■ Avoid excessive heat ■ Tamper evident. Do not use if packet is torn, cut, or opened																																					
Inactive Ingredient																																					
Cetostearyl Alcohol, Glyceryl Monostearate SE, Methylchloroisthiazolinone, Propylene Glycol, Purified Water, Stearic Acid, Triethanolamine, White Petrolatum																																					
Questions? 1-888-900-2920 Monday – Friday 8AM – 4PM PST.																																					

PS-2896 Hydrocortisone Cream 1%, 0.9g

<p>PS-2896 HYDROCORTISONE CREAM 1%, 0.9G</p> <p>ps-2896 hydrocortisone cream 1%, 0.9g cream</p>

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58228-2896
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
METHYLCHLOROISOTHIAZOLINONE (UNII: DEL7T5QRPN)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape	FREEFORM	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58228-2896-1	2000 in 1 CARTON	07/31/2023	
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M032	07/31/2023	

Labeler - ProStat First Aid LLC (061263699)**Registrant** - Dynarex Corporation (008124539)

