

ASPERCREME WITH LIDOCAINE DRY- lidocaine spray
Chattem, Inc.

Aspercreme with Lidocaine Dry Spray

ASPERCREME with LIDOCAINE SPRAY

Drug Facts

Active ingredient

Lidocaine 4%

Purpose

Topical anesthetic

Use

temporarily relieves minor pain

Warnings

For external use only

Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes and mucous membranes
- avoid spraying on face
- avoid inhalation of spray
- do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use
- do not use at the same time as other topical analgesics

Stop use and ask a doctor if

- condition worsens

- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

Extremely Flammable

- do not use near heat or flame or while smoking
- avoid long term storage above 104°F (40°C)
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F (49°C)

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years:

- spray affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- product will dry quickly on its own, and does not need to be rubbed in

children 12 years or younger: ask a doctor

Inactive ingredients:

alcohol denat. (30%), caprylic/capric triglyceride, isobutane, propylene glycol

PRINCIPAL DISPLAY PANEL

MAX STRENGTH
Aspercreme
LIDOCAINE
PAIN RELIEF SPRAY
NET WT 4 OZ (113 g)

MAX STRENGTH

Aspercreme[®]

WITH 4% LIDOCAINE
PAIN RELIEF SPRAY

NUMBS AWAY PAIN

- FAST ACTING
- SPRAYS AT ANY ANGLE
- QUICK-DRY FORMULA

FRAGRANCE-FREE
*Among OTC topical analgesics.

NET WT 4 OZ (113 g)

#1 LIDOCAINE BRAND*

DRY SPRAY

Child-resistant packaging. Replace cap after each use.

Drug Facts	
Active ingredient Lidocaine 4%	Purpose Topical anesthetic
Use temporarily relieves minor pain	
Warnings For external use only	
Do not use <ul style="list-style-type: none"> ■ on large areas of the body or on cut, irritated or swollen skin ■ on puncture wounds ■ for more than one week without consulting a doctor 	
When using this product <ul style="list-style-type: none"> ■ use only as directed. Read and follow all directions and warnings on this label. ■ do not allow contact with the eyes and mucous membranes ■ avoid spraying on face ■ avoid inhalation of spray ■ do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use ■ do not use at the same time as other topical analgesics 	
Stop use and ask a doctor if <ul style="list-style-type: none"> ■ condition worsens ■ redness is present ■ irritation develops ■ symptoms persist for more than 7 days or clear up and occur again within a few days 	
Extremely Flammable <ul style="list-style-type: none"> ■ do not use near heat or flame or while smoking ■ avoid long term storage above 104°F (40°C) ■ do not puncture or incinerate. Contents under pressure. ■ do not store at temperatures above 120°F (48°C) 	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions adults and children over 12 years: <ul style="list-style-type: none"> ■ spray affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period ■ product will dry quickly on its own, and does not need to be rubbed in ■ children 12 years or younger: ask a doctor 	
Inactive ingredients alcohol denat. (30%), caprylic/capric triglyceride, isobutane, propylene glycol	



0 41167 05835 0

Dist. by Chatham, Inc., a Sanofi Company 357-040
P.O. Box 2219, Chattanooga, TN 37409-0219
U.S.A. ©2020
DOT 2Q M5706 www.aspercreme.com 0030398-01

ASPERCREME WITH LIDOCAINE DRY

lidocaine spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-0583
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ISOBUTANE (UNII: BXR49TP611)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0583-5	113 mL in 1 CAN; Type 0: Not a Combination Product	01/02/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	01/02/2019		

Labeler - Chattem, Inc. (003336013)

Revised: 10/2023

Chattem, Inc.