GENERAL OB LUBRICANT- general ob lubricant liquid VEDCO

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

VEDCO GENERAL OB LUBRICANT

NDC 50989-308-29 GENERAL OB LUBRICANT Non-Irritating, Concentrated For Veterinary Use Only NET CONTENTS: 1 GALLON 3.875L

VEDCO

INDICATION:

For lubricantion of the arm or glove for rectal and obstetrical procedures in a large or small animals; for lubrication of devices such as stomach tubes, enema nozzles, catheters and obstetrical instruments before insertion into body cavities; as an aid in delivery at dry birth.

FOR ANIMAL USE ONLY.

NOT FOR HUMAN USE.

KEEP OUT OF REACH OF CHILDREN.

SOLD TO VETERINARIANS ONLY.

Distributed By

VEDCO, INC.

St. Joseph, MO 64507

Lot No. Exp. Date

DIRECTIONS:

Distribute evenly a small amount of GENERAL OB LUBRICANT to wet or dry glove, arm or instruments. To prepare a bulk lubricant to aid in dry birth, add GENERAL OB LUBRICANT to two quarts of water until the desired viscosity is reached.

DESCRIPTION:


GENERAL OB LUBRICANT is a non-medicated aqueous base lubricant containing methyl and propyl parabens as preseratives. Formulated for use either diluted or as concentrate.

TAKE TIME OBSERVE LABEL DIRECTIONS

Iss. 11-00

Printed in the U.S.A.

Label



| Product Information OTC ANIMAL DRUG Item Code (Soure) NDC:5098-308 Route of Administration VAGINAL, RECTAL Item Code (Soure) NDC:5098-308 Active Ingredient/Active Moiety For propriation (UNII: 6DC90167V3) (PROPYLENE GLYCOL + UNIE6DC90167V3) PROPYLENE GLYCOL (UNII: 6DC90167V3) (PROPYLENE GLYCOL + UNIE6DC90167V3) PROPYLENE GLYCOL (UNII: 6DC90167V3) (PROPYLENE GLYCOL + UNIE6DC90167V3) PROPYLENE GLYCOL (UNII: 6DC90167V3) Strength Inactive Ingredients Strength (UNII: 2YD53NBL45) GLYCERIN (UNII: PC66A3C00X) METHYLPARABEN (UNII: 2812SC10H) WATER (UNII: 0590F0K00R) Packaging # Item Code Package Description Marketing Start Date Marketing End Date | GENERAL OB LUE | BRICANT | | | | |
|--|--|---------------------------------|-------------------------|----------------------------|-----------------|--|
| Product Type OTC ANIMAL DRUG Rem Code (Source) NDC:>>308 Route of Administration VAGINAL, RECTAL VAGINAL, RECTAL VAGINAL, RECTAL Active Ingredient/Active Voiteve Voitev | general ob lubricant liquid | | | | | |
| Product Type OTC ANIMAL DRUG Rem Code (Source) NDC:>>308 Route of Administration VAGINAL, RECTAL VAGINAL, RECTAL VAGINAL, RECTAL Active Ingredient/Active Voiteve Voitev | | | | | | |
| Route of Administration VAGINAL, RECTAL Active Ingredient/Active Moiety Basis of Strength Strength Ingredient Name Basis of Strength Strength PROPYLENE GLYCOL (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNIE6DC9Q167V3) PROPYLENE GLYCOL 25.9 mg in 1 mL Ingredient Name Basis of Strength Strength Ingredient Name Strength PICABCAICOX Ingredient Name Ingredient Name Ingredient Name Ingredient Name Ingredient Name | Product Information | | | | | |
| Ingredient/Active Moiety Basis of Strength Strength PROPYLENE GLYCOL (UNIE: 6DC9Q167V3) (PROPYLENE GLYCOL - UNIE6DC9Q167V3) PROPYLENE GLYCOL 25.9 mg in 1 mL Ingredients Ingredient Name Strength HydroXyerHyL CelLULOSE (4000 CPS AT 1%) (UNIE: ZVD53NBL45) Strength GLYCERIN (UNIE: PDC6A3C0 CPIS AT 1%) (UNIE: ZVD53NBL45) Strength METHYLPARABEN (UNIE: A28C7H19T) Strength METHYLPARABEN (UNIE: 281X2SC10H) Strength Water (UNIE: 059QF0K00R) Strength Strength Strength Strength Strength Strength Strength Strength Strength Strength Strength < | Product Type | OTC ANIMAL DRUG | Item Code (Sourc | Item Code (Source) NDC:509 | | |
| Ingredient Name Basis of Strength Strength PROPYLENE GLYCOL (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3) PROPYLENE GLYCOL (25.9 mg in 1 mL Imarctive Ingredients Strength Strength Imarctive Ingredients Ingredient Name Strength Imarctive Ingredients Strength Strength Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients </td <td>Route of Administration</td> <td>VAGINAL, RECTAL</td> <td></td> <td></td> <td></td> | Route of Administration | VAGINAL, RECTAL | | | | |
| Ingredient Name Basis of Strength Strength PROPYLENE GLYCOL (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3) PROPYLENE GLYCOL (25.9 mg in 1 mL Imarctive Ingredients Strength Strength Imarctive Ingredients Ingredient Name Strength Imarctive Ingredients Strength Strength Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients </td <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | |
| Ingredient Name Basis of Strength Strength PROPYLENE GLYCOL (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3) PROPYLENE GLYCOL (25.9 mg in 1 mL Imarctive Ingredients Strength Strength Imarctive Ingredients Ingredient Name Strength Imarctive Ingredients Strength Strength Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients Imarctive Ingredients </td <td>Active Ingredient/Activ</td> <td>· Moiotu</td> <td></td> <td></td> <td></td> | Active Ingredient/Activ | · Moiotu | | | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3) PROPYLENE GLYCOL 25.9 mg in 1 mL Inactive Ingredients Ingredient Name Strength HYDROXYETHYL CELLULOSE (4000 CPS AT 1%) (UNII: ZYD53NBL45) GLYCERIN (UNII: PDC6A3C00X) METHYLPARABEN (UNII: A2BC7H19T) PROPYLPARABEN (UNII: 28C27H19T) FROPYLPARABEN (UNII: 28C27H19T) VATER (UNII: 059QF0K00R) Indefinition of the second | Acuve ingredient/Acuv | • | | | | |
| Ingredients Ingredient Name Strength HYDROXYETHYL CELLULOSE (4000 CPS AT 1%) (UNII: ZYD53NBL45) Strength GLYCERIN (UNII: PDC6A3C0 OX) Strength METHYLPARABEN (UNII: ABC7H19T) Strength PYLPARABEN (UNII: 23ZSC10H) Strength VATER (UNII: 059QF0K00R) Strength Package Description Marketing Start Date Marketing End Date | PROPRIENE OF MOOT (IN) | 0 | | | - | |
| Ingredient NameStrengthHyproxyethyl Cellulose (4000 CPs At 1%) (UNII: ZYD53NBL45)StrengthGLYCERIN (UNII: PDC6A3C0OX)StrengthMETHYLPARABEN (UNII: A2I8C7HI9T)StrengthPROPYLPARABEN (UNII: A2I8C7HI9T)StrengthWATER (UNII: 059QF0K00R)StrengthPropylparaben (UNII: 28X2SC10H)StrengthStrengthPropylparaben (UNII: 059QF0K00R)StrengthTerkagingMarketing Start DateMarketing Start Date | PROPYLENE GLYCOL (UNII | : 6 DC9 Q167 V3) (PROPYLENE GLY | COL - UNII:6 DC9Q167V3) | PROPYLENE GLYCOL | 25.9 mg in 1 mL | |
| Ingredient NameStrengthHyproxyethyl Cellulose (4000 CPs At 1%) (UNII: ZYD53NBL45)StrengthGLYCERIN (UNII: PDC6A3C0OX)StrengthMETHYLPARABEN (UNII: A2I8C7HI9T)StrengthPROPYLPARABEN (UNII: A2I8C7HI9T)StrengthWATER (UNII: 059QF0K00R)StrengthPropylparaben (UNII: 28X2SC10H)StrengthStrengthPropylparaben (UNII: 059QF0K00R)StrengthTerkagingMarketing Start DateMarketing Start Date | | | | | | |
| HYDRO XYETHYL CELLULOSE (4000 CPS AT 1%) (UNII: ZYD53NBL45) Image: Constant 1% GLYCERIN (UNII: PDC6A3C00X) Image: Constant 1% METHYLPARABEN (UNII: A2I8C7H19T) Image: Constant 1% PROPYLPARABEN (UNII: A2I8C7H19T) Image: Constant 1% WATER (UNII: 059QF0K00R) Image: Constant 1% Packaging Image: Constant 1% # Item Code Package Description Marketing Start Date | Inactive Ingredients | | | | | |
| GLYCERIN (UNII: PDC6A3C0) METHYLPARABEN (UNII: A2BC7H19T) PROPYLPARABEN (UNII: ZBC7H19T) WATER (UNII: 059QF0K00R) Verter (UNII: 059QF0K00R) Varee (UNII: 059QF0K00R) Packaging # Item Code Package Description Marketing Start Date | | Ingredient Nan | ne | | Strength | |
| METHYLPARABEN (UNII: A2I8C7H19T) Image: Comparison of the comparison of th | HYDROXYETHYL CELLULOSE (4000 CPS AT 1%) (UNII: ZYD53NBL45) | | | | | |
| PRO PYLPARABEN (UNII: 28 IX2SC10H) Image: Constraint of the second s | GLYCERIN (UNII: PDC6A3C0OX) | | | | | |
| WATER (UNII: 059QF0K00R) Packaging # Item Code Package Description Marketing Start Date Marketing End Date | METHYLPARABEN (UNII: A2) | 8C7HI9T) | | | | |
| Packaging # Item Code Package Description Marketing Start Date Marketing End Date | PROPYLPARABEN (UNII: Z81 | X2SC1OH) | | | | |
| # Item Code Package Description Marketing Start Date Marketing End Date | WATER (UNII: 059QF0KO0R) | | | | | |
| # Item Code Package Description Marketing Start Date Marketing End Date | | | | | | |
| # Item Code Package Description Marketing Start Date Marketing End Date | | | | | | |
| | Packaging | | | | | |
| 1 NDC:50989-308-29 3785 mL in 1 BOTTLE | # Item Code | Package Description | Marketing Start Da | te Marketin | ig End Date | |
| | 1 NDC:50989-308-29 | 3785 mL in 1 BOTTLE | | | | |
| | | | | | | |
| | | | | | | |
| Marketing Information | Marketing Informa | ition | | | | |

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 11/21/2000 | |

Labeler - VEDCO (021634266)

Revised: 9/2013

VEDCO