

TINACTIN- tolnaftate aerosol, powder
Bayer HealthCare LLC.

Tinactin ®

Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor.

When using this product

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)

- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails
- in case of clogging, clean nozzle with pin

Other information

store between 20° to 25°C (68° to 77°F)

Inactive ingredients

alcohol denat. (11% v/v), butylated hydroxytoluene, isobutane, PPG-12-buteth-16, talc

Questions?

1-866-360-3266

PRINCIPAL DISPLAY PANEL - 133g Can Label

TOUGH ACTIN' ®

Tinactin®

tolnaftate **ANTIFUNGAL**

Cures and prevents

most athlete's foot

Relieves itching

& burning

POWDER SPRAY

goes on dry

NET WT 133g (4.6 oz)

TOUGH ACTIN'
Tinactin
tolnaftate ANTIFUNGAL

**CURES AND PREVENTS
MOST ATHLETE'S FOOT**

*Relieves itching
& burning*

POWDER SPRAY
goes on dry

NET WT 133g (4.6 oz)

LOT CODE AREA
NO PRINT IN THIS AREA
BACK PANEL ONLY

Drug Facts	
Active Ingredient (To Deliver) Tolnaftate 1%	Purpose Antifungal
Uses	
<ul style="list-style-type: none"> ■ proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis) ■ helps prevent most athlete's foot with daily use ■ for effective relief of itching, burning and cracking 	
Warnings	
For external use only	
Flammable: Do not use near heat, flame, or while smoking	
Do not use on children under 2 years of age unless directed by a doctor.	
When using this product	
<ul style="list-style-type: none"> ■ avoid contact with the eyes ■ use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F. 	
Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 4 weeks	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> ■ wash the affected area and dry thoroughly ■ shake can well and spray a thin layer over affected area twice daily (morning and night) ■ supervise children in the use of this product ■ for athlete's foot; pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily ■ use daily for 4 weeks; if condition persists longer, ask a doctor ■ to prevent athlete's foot, apply once or twice daily (morning and/or night) ■ this product is not effective on the scalp or nails 	
Other information store between 20° to 25°C (68° to 77°F)	
Inactive ingredients butylated hydroxytoluene, isobutane, PPG-12-buteth-10, SD alcohol 40-B (11% v/v), talc	
Questions? 1-866-360-3266	

Visit us at www.tinactin.com

Bayer, the Bayer Cross, Tinactin, Tough Actin' and the Tinactin flame are registered trademarks of Bayer.
© 2015 Bayer. 20006106

Dist by: Bayer HealthCare LLC
Whippany, NJ 07981
Product of Finland.

Bayer

2D Code
Quiet Zone
7 mm

2D Code
Quiet Zone
8 mm to 9 mm

TINACTIN

tolnaftate aerosol, powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-0777
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	white (White to off-white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0777-2	133 g in 1 CAN; Type 0: Not a Combination Product	09/23/1993	

Tinactin
tolnaftate ANTIFUNGAL

**CURES AND PREVENTS
MOST ATHLETE'S FOOT**

Relieves itching
& burning

POWDER SPRAY
goes on dry

NET WT 133g (4.6 oz)

LOT CODE AREA
NO PRINT IN THIS AREA
BACK PANEL ONLY

Drug Facts	
Active Ingredient (To Deliver) Tolnaftate 1%	Purpose Antifungal
Uses	
<ul style="list-style-type: none"> ■ proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis) ■ helps prevent most athlete's foot with daily use ■ for effective relief of itching, burning and cracking 	
Warnings	
For external use only	
Flammable: Do not use near heat, flame, or while smoking	
Do not use on children under 2 years of age unless directed by a doctor.	
When using this product	
<ul style="list-style-type: none"> ■ avoid contact with the eyes ■ use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal. ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F. 	
Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 4 weeks	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> ■ wash the affected area and dry thoroughly ■ shake can well and spray a thin layer over affected area twice daily (morning and night) ■ supervise children in the use of this product ■ for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily ■ use daily for 4 weeks; if condition persists longer, ask a doctor ■ to prevent athlete's foot, apply once or twice daily (morning and/or night) ■ this product is not effective on the scalp or nails 	
Other Information store between 20° to 25°C (68° to 77°F)	
Inactive Ingredients butylated hydroxytoluene, isobutane, PPG-12-buteth-16, SD alcohol 40-B (11% v/v), talc	
Questions? 1-866-360-3266	

Visit us at www.bayer.com

Bayer, the Bayer Cross, Tinactin, Tough Actin' and the Tinactin flame are registered trademarks of Bayer.
© 2015 Bayer. 20006106

Dist by: Bayer HealthCare LLC
Whippany, NJ 07981
Product of Finland.

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	09/23/1993	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 12/2024

Bayer HealthCare LLC.