

EXTRA STRENGTH PAIN RELIEF- acetaminophen tablet, film coated

Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite Aid 44-531

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - the common cold
 - toothache
 - backache
 - muscular aches
 - minor pain of arthritis
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 tablets every 6 hours while symptoms last
 - do not take more than 6 tablets in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C red #27 aluminum lake, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, polyethylene glycol, polyvinyl alcohol, povidone, sodium starch glycolate*, stearic acid, sucralose, talc, titanium dioxide

*may contain this ingredient

Questions or comments?

1-800-426-9391

Principal display panel

RITE

AID®

PHARMACY

****Compare to the active ingredient of Extra Strength Tylenol®**

EXTRA STRENGTH

pain relief

acetaminophen

acetaminophen 500 mg
pain reliever • fever reducer

100 TABLETS

actual size


**This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol®.

50844 REV1018A53112

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING**

**DISTRIBUTED BY: RITE AID
30 HUNTER LANE
CAMP HILL, PA 17011**

**SATISFACTION RITE AID® GUARANTEE
IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.**



DISTRIBUTED BY: RITE AID
30 HUNTER LANE
CAMP HILL, PA 17011



IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING



B-1702-531C-12-R
REV1018A53112

Drug Facts (continued)
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ **do not take more than directed**
 ■ adults and children 12 years and over
 ■ take 2 tablets every 6 hours while symptoms last
 ■ do not take more than 6 tablets in 24 hours, unless directed by a doctor
 ■ do not take for more than 10 days unless directed by a doctor
 ■ children under 12 years: ask a doctor

Other information
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ see end flap for expiration date and lot number

Inactive ingredients
 corn starch, D&C red #27 aluminum lake, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, polyethylene glycol, polyvinyl alcohol, povidone, sodium starch glycolate, stearic acid, sucralose, tbc, titanium dioxide
 *may contain this ingredient

Questions or comments? -800-426-9391

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol®. 50844 REV1018A53112

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts
Active ingredient (in each tablet) Purpose
 Acetaminophen 500 mg, Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to:
 ■ headache ■ toothache ■ the common cold
 ■ muscular aches ■ backache
 ■ minor pain of arthritis
 ■ menstrual and menstrual cramps
 ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
 ■ more than 4,000 mg of acetaminophen in 24 hours
 ■ 3 or more alcoholic drinks every day while using this product
 ■ with other drugs containing acetaminophen
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ blisters ■ rash ■ skin reddening
 If a skin reaction occurs, stop use and seek medical help right away.

Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if
 ■ pain gets worse or lasts more than 10 days
 ■ fever gets worse or lasts more than 3 days
 ■ new symptoms occur
 ■ restlessness or swelling is present
 These could be signs of a serious condition. ⬆

44-531C

EXTRA STRENGTH PAIN RELIEF			
acetaminophen tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-5311
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
TALC (UNII: 7SEV7J4R1U)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	

Product Characteristics

Color	RED	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	44;531
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-5311-5	1 in 1 CARTON	12/11/2005	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:11822-5311-2	1 in 1 CARTON	12/11/2005	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	12/11/2005	

Labeler - Rite Aid Corporation (014578892)**Establishment**

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

LNK International, Inc.		038154464	PACK(11822-5311)
-------------------------	--	-----------	------------------

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(11822-5311)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(11822-5311)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	MANUFACTURE(11822-5311)

Revised: 1/2020

Rite Aid Corporation