

COVER ALL ULTRA PART A- lactic acid solution
ProActive Solutions USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Cover All Ultra Part A

Cover All Ultra Part A

MIXING INSTRUCTIONS:

Cover All Ultra™ is a two part concentrate that must be mixed prior to use. The mix ratio is

56:1:1. Mix enough Cover All Ultra™ to last for 24 hours. In a clean container add 56 parts

water, 1 part Cover All Ultra Part A™, and 1 part Cover All Ultra Part B™. Mix gently until uniform and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed

800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in

a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Ultra™ Exp. chlorine dioxide. Leave on

teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover All Ultra™ Exp. chlorine dioxide teat dip. Allow to air dry. Always use this mixture full strength. If product in dip cup

becomes dirty, discard contents and fill with a fresh solution.

If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if

irritation persists.

Ingredients:

Lactic Acid: 24.5%

Hazard statement(s):

Harmful if inhaled

Causes skin irritation

Causes serious eye irritation

Precautionary statement(s):

Avoid breathing dust, fume, gas, mist, vapors, or spray. Use only outdoors or in a well ventilated area. Wear protective gloves and wash hands, face, thoroughly after handling. Take off contaminated clothing and wash before reuse. Call a poison center or doctor if you

feel unwell. Specific treatment (see supplemental first aid instructions)

Hazards not otherwise classified: No additional information available.

Storage and Disposal: Keep in a cool, well-ventilated place away from heat. Protect from sunlight.

Store always product in container of same material as original container. Dispose of contents and

container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

First Aid:

General: Call a poison center/doctor/physician if you feel unwell.

Skin Contact: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Call a poison center/doctor/physician if you feel unwell

Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.

Most important symptoms/effects, acute and delayed:

Potential adverse human health effects and symptoms: Moderate irritant for eyes

Symptoms/effects after inhalation: Harmful if inhaled

Symptoms/effects after skin contact: Irritation

Symptoms/effects after eye contact: Eye irritation

Symptoms/effects after ingestion: May be harmful if swallowed

Other medical advice or treatment: Treat symptomatically

Cover All Ultra Part A



WARNING



Hazard statement(s):

Harmful if inhaled

Causes skin irritation

Causes serious eye irritation

Precautionary statement(s):

Avoid breathing dust, fume, gas, mist, vapors, or spray. Use only outdoors or in a well ventilated area. Wear protective gloves and wash hands, face, thoroughly after handling. Take off contaminated clothing and wash before reuse. Call a poison center or doctor if you feel unwell. Specific treatment (see supplemental first aid instructions)

Hazards not otherwise classified: No additional information available.

Storage and Disposal: Keep in a cool, well-ventilated place away from heat. Protect from sunlight. Store always product in container of same material as original container. Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

First Aid:

General: Call a poison center/doctor/physician if you feel unwell.

Skin Contact: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Call a poison center/doctor/physician if you feel unwell

Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.

Most important symptoms/effects, acute and delayed:

Potential adverse human health effects and symptoms: Moderate irritant for eyes

Symptoms/effects after inhalation: Harmful if inhaled

Symptoms/effects after skin contact: Irritation

Symptoms/effects after eye contact: Eye irritation

Symptoms/effects after ingestion: May be harmful if swallowed

Other medical advice or treatment: Treat symptomatically

FOR CHEMICAL EMERGENCIES:

CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
800.279.7761 www.proactivesolutionsusa.com




DO NOT
FREEZE

Cover All Ultra Part A™

Activator

For Use Only With Cover All Ultra Part B™
Sodium Chlorite

FOR FARM OR INDUSTRIAL USE ONLY -
KEEP OUT OF REACH OF CHILDREN



Net Contents: 5 gal. 15 gal. 55 gal. 275 gal. 310 gal. 330 gal.
Case Contents: 4x1 gal (total: 4 gal.)

Cover All Ultra™ is a concentrated two part chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Cover All Ultra™ contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:

Cover All Ultra™ is a two part concentrate that must be mixed prior to use. The mix ratio is 56:1:1. Mix enough Cover All Ultra™ to last for 24 hours. In a clean container add 56 parts water, 1 part Cover All Ultra Part A™ and 1 part Cover All Ultra Part B™. Mix gently until uniform and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray, or foam each teat with Cover All Ultra™ Exp. chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover All Ultra™ Exp. chlorine dioxide teat dip. Allow to air dry. Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution. If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients:
Lactic Acid: 24.5%



REV Date: 2/9/2026

Cover All Ultra Part A™

Activator

FOR FARM OR INDUSTRIAL USE ONLY -
KEEP OUT OF REACH OF CHILDREN

For Use Only With Cover All Ultra Part B™
Sodium Chlorite

WARNING



Hazard statement(s):
Harmful if inhaled
Causes skin irritation
Causes serious eye irritation
Precautionary statement(s):
Avoid breathing dust, fume, gas, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. Wear protective gloves and wash hands, face, thoroughly after handling. Take off contaminated clothing and wash before reuse. Call a poison center or doctor if you feel unwell. Specific treatment (see supplemental first aid instructions)
Hazards not otherwise classified: No additional information available.
Storage and Disposal: Keep in a cool, well-ventilated place away from heat. Protect from sunlight. Store always product in container of same material as original container. Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

First Aid:
General: Call a poison center/doctor/physician if you feel unwell.
Skin Contact: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention
Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion: Call a poison center/doctor/physician if you feel unwell
Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed:
Potential adverse human health effects and symptoms: Moderate irritant for eyes
Symptoms/effects after inhalation: Harmful if inhaled
Symptoms/effects after skin contact: Irritation
Symptoms/effects after eye contact: Eye irritation
Symptoms/effects after ingestion: May be harmful if swallowed
Other medical advice or treatment: Treat symptomatically



Net Contents: □ 5 gal. □ 15 gal. □ 55 gal. □ 275 gal. □ 310 gal. □ 330 gal.
Case Contents: □ 4x1 gal (total: 4 gal.)



DO NOT FREEZE



REV Date: 2/9/2026

FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
800.279.7761 www.proactivesolutionsusa.com

Cover All Ultra Part A™

Activator

FOR FARM OR INDUSTRIAL USE ONLY -
KEEP OUT OF REACH OF CHILDREN

For Use Only With Cover All Ultra Part B™
Sodium Chlorite

WARNING



Hazard statement(s):
Harmful if inhaled
Causes skin irritation
Causes serious eye irritation
Precautionary statement(s):
Avoid breathing dust, fume, gas, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. Wear protective gloves and wash hands, face, thoroughly after handling. Take off contaminated clothing and wash before reuse. Call a poison center or doctor if you feel unwell. Specific treatment (see supplemental first aid instructions)
Hazards not otherwise classified: No additional information available.
Storage and Disposal: Keep in a cool, well-ventilated place away from heat. Protect from sunlight. Store always product in container of same material as original container. Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.


First Aid:
General: Call a poison center/doctor/physician if you feel unwell.
Skin Contact: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention
Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion: Call a poison center/doctor/physician if you feel unwell
Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed:
Potential adverse human health effects and symptoms: Moderate irritant for eyes
Symptoms/effects after inhalation: Harmful if inhaled
Symptoms/effects after skin contact: Irritation
Symptoms/effects after eye contact: Eye irritation
Symptoms/effects after ingestion: May be harmful if swallowed
Other medical advice or treatment: Treat symptomatically



Net Contents: □ 5 gal. □ 15 gal. □ 55 gal. □ 275 gal. □ 310 gal. □ 330 gal.
Case Contents: □ 4x1 gal (total: 4 gal.)



DO NOT FREEZE



REV Date: 2/9/2026

FOR CHEMICAL EMERGENCIES:
CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303
800.279.7761 www.proactivesolutionsusa.com

COVER ALL ULTRA PART A

lactic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:63927-4123
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	24.5 kg in 100 kg

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63927-4123-6	20.81 kg in 1 JUG		
2	NDC:63927-4123-2	62.42 kg in 1 DRUM		
3	NDC:63927-4123-3	228.87 kg in 1 DRUM		
4	NDC:63927-4123-4	1144.35 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
5	NDC:63927-4123-5	1373.213 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/10/2025	

Labeler - ProActive Solutions USA, LLC (029368225)

Registrant - ProActive Solutions USA, LLC (029368225)

Establishment			
Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, label, pack, repack

Establishment			
Name	Address	ID/FEI	Business Operations
ProActive Solutions USA, LLC		043147537	api manufacture, manufacture, label, pack, repack