

RAPIDOL ASPIRIN- aspirin tablet, coated
Pharmadel LLC

Rapidol Aspirin 325 mg (HPUSA)

Drug Facts

Active ingredient and Purpose

**Active ingredient
(in each tablet)**

Aspirin 325 mg (**NSAID***).....
*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Uses

Temporary relief of minor aches and pains due to:

- a cold
- headache
- backache
- muscular aches
- toothache
- minor pains from arthritis

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert:Aspirin may cause severe allergic reactions which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

Stomach bleeding warning: This product contains an **NSAID**, which may cause severe stomach bleeding. The chance is higher if you: ■ are age 60 or older ■ have had stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while

using this product ■ take more or for a longer time than directed

Do not use

■ if you have ever had an allergic reaction to any other pain reliever/fever reducer

Ask a doctor before use if

■ you have asthma ■ stomach bleeding warning applies to you ■ you have a history of stomach problems, such as heartburn ■ you have high blood pressure, heart disease, liver cirrhosis, or kidney disease ■ you take a diuretic

Ask a doctor or pharmacist before use if you are

■ taking a prescription drug for diabetes, gout, or arthritis

Stop use and ask a doctor if

■ an allergic reaction occurs. Seek medical help right away. ■ you experience any of the following signs of stomach bleeding:

- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- pain gets worse or last for more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms appear

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions

■ adults and children 12 years of age and older:

- drink a full glass of water with each dose
- take one (1) or two (2) tablets every 4 hours, while symptoms persist
- do not take more than 12 tablets in 24 hours, unless directed by a doctor

■ **children under 12 years of age:** consult a doctor

Other information

- store between 68-77°F (20-25°C)

Inactive ingredients

corn starch, hypromellose, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, talc, titanium dioxide

Questions or comments?

Dist. by/ por: **Pharmadel LLC**

New Castle, DE 19720

+1-866-359-3478

(M-F) 9AM to 5 PM EST or www.pharmadel.com

Principal Display Panel



RAPIDOL ASPIRIN

aspirin tablet, coated

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:55758-363

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
STARCH, CORN (UNII: O8232NY3SJ)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POVIDONE (UNII: FZ989GH94E)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	white	Score	score with uneven pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	ASP325
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-363-60	1 in 1 CARTON	08/01/2023	
1		60 in 1 BOTTLE; Type 0: Not a Combination Product		



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/01/2023	

Labeler - Pharmadel LLC (030129680)

Revised: 7/2025

Pharmadel LLC