

DCH PAIN RELIEF- lidocaine hcl 4% cream
Derma Care Research Labs, LLC

DCH Pain Relief Cream, Lidocaine HCl 4%

Lidocaine HCl 4%

Topical Analgesic

Temporarily relieves minor pain.

For external use only.

Do not use on large areas of the body or on cut, irritated, or swollen skin, on puncture wounds, for more than one week without consulting a doctor.

When using this product use only as directed. Read and follow directions on this carton, avoid contact with eyes and mucous membranes, do not apply to wounds or damaged, broken, or irritated skin, do not bandage tightly or apply local heat (such as heating pads) or a medicated patch to the area of use, do not use at the same time as other topical analgesics, a transient burning sensation may occur upon application but generally disappears in several days, avoid applying into skin folds.

Stop use and ask a doctor if the condition worsens, redness is present, irritation develops, symptoms persist for more than 7 days or clear up and occur again within a few days, you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Adults and children over 12 years: apply a thin layer to the affected area every 6 to 8 hours, not to exceed 3 applications in a 24-hour period. **AFTER APPLYING, WASH HANDS WITH SOAP AND WATER.**

Children under 12 years or younger: ask a doctor.

Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Alcohol Denat., Aloe Barbadensis Leaf Extract, Aminomethyl Propanol, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Caprylyl Methicone, Cetearyl Alcohol, Ceteth-20 Phosphate, Dicyetyl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glyceryl Stearate, Methylparaben, Steareth-21, Water.



DCH LABS

MAX STRENGTH
Pain Relief Cream
Lidocaine HCl 4%

Numbs Pain Away
Targets Nerves
No Greasy Residue
Fragrance Free

* Compare to active ingredient in Aspercreme®
Net Wt. 2.7 oz (76.5 g)

Drug Facts	
Active ingredient Lidocaine HCl 4%	Purpose Topical analgesic
Use Temporarily relieves minor pain	
Warnings For external use only	
Do not use <ul style="list-style-type: none"> on large areas of the body or on cut, irritated or swollen skin on puncture wounds for more than one week without consulting a doctor 	
When using this product <ul style="list-style-type: none"> use only as directed. Read and follow directions and warnings on this carton avoid contact with eyes and mucous membranes do not apply to wounds or damaged, broken or irritated skin do not bandage tightly or apply local heat (such as heating pads) or a medicated patch to the area of use do not use at the same time as other topical analgesics a transient burning sensation may occur upon application but generally disappears in several days avoid applying into skin folds 	
Stop use and ask doctor if <ul style="list-style-type: none"> condition worsens redness is present irritation develops symptoms persist for more than 7 days or clear up and occur again within a few days you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied 	
If pregnant or breast-feeding , ask a health care professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.	
Directions	
Adults and children over 12 years: <ul style="list-style-type: none"> apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period AFTER APPLYING, WASH HANDS WITH SOAP AND WATER Children 12 years or younger: ask a doctor	
Inactive ingredients: acrylates/C10-30 alkyl acrylate crosspolymer, alcohol denat., aloe barbadensis leaf juice, aminomethyl propanol, C30-45 alkyl cetearyl dimethicone crosspolymer, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, dicetyl phosphate, dimethicone, disodium EDTA, ethylhexylglycerin, glyceryl stearate, methylparaben, steareth-21, water	

*This product is not manufactured or distributed by Chatterm, Inc., owner of the registered trademark, Aspercreme®

Child-resistant packaging. Close cap tightly between uses.
Keep carton as it contains important information.



8 50009 22175 9

Manufactured by:
DermaCare Research Labs, LLC
440 Fentress Blvd., Daytona Beach, FL 32114

DCH PAIN RELIEF

lidocaine hcl 4% cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72839-361
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
STEARETH-21 (UNII: 53J3F32P58)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CETETH-20 PHOSPHATE (UNII: 921FTA1500)	
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	

AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
WATER (UNII: 059QF0KO0R)	
C30-45 ALKYL CETEARYL DIMETHICONE CROSSPOLYMER (UNII: 4ZK9VP326R)	
DIMETHICONE 200 (UNII: RGS4T2AS00)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72839-361-02	76.5 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/10/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	08/10/2021	

Labeler - Derma Care Research Labs, LLC (116817470)

Registrant - Derma Care Research Labs, LLC (116817470)

Establishment			
Name	Address	ID/FEI	Business Operations
Derma Care Research Labs, LLC		116817470	manufacture(72839-361)

Revised: 12/2024

Derma Care Research Labs, LLC