

REMEDY BARRIER CREAM CLOTHS- dimethicone cloth
REMEDY BARRIER CREAM CLOTHS FRAGRANCE FREE- dimethicone cloth
Medline Industries, LP

074 078 Remedy Phytoplex Barrier Cream Cloths

Active ingredient

Dimethicone 3.6% w/w

Purpose

Skin Protectant

Uses

- helps protect from minor skin irritations associated with perineal dermatitis
- temporarily protects and helps relieve chapped or cracked skin
- helps protect from the drying effects of wind and cold weather

Warnings

For external use only

Do not use on

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not get into eyes

Stop use and ask a doctor

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Open package as designated
- Remove fresh cloths and thoroughly cleanse soiled area as needed
- Dispose of cloths in waste receptacle, do not flush in toilet
- Single Patient Use only

Other information

- Protect from freezing, avoid excessive heat
- Keep label tightly sealed
- Do Not Flush
- Cloth: made of Rayon/Polyester

Inactive ingredients

algae extract, allantoin, butylene glycol, butyrospermum parkii (shea butter) extract, C12-20 alkyl glucoside, C14-22 alcohols, camellia sinensis (green tea) extract, caprylic/capric triglyceride, cetyl alcohol, citric acid, cocoglucoside, coconut alcohol, 7- dehydrocholesterol, disodium cocoamphodiacetate, ethylene brassylate, ethylhexylglycerin, eugenia caryophyllus (clove) flower extract, glycerin, glycine soja (soybean) oil, helianthus annuus (sunflower) seed oil, hydrolyzed soy protein, hydroxyethyl acrylate/sodium acryloyldimethyltaurate copolymer, isohexadecane, isopropyl myristate, lecithin, methylhydrojasmonate, phenoxyethanol, phospholipids, polysorbate 60, tocopheryl acetate, urea, vanilla plantifolia fruit extract, water, yeast ferment extract, zea mays (corn) oil.

Manufacturing Information

Manufactured for:

Medline Industries, LP

Three Lakes Drive, Northfield, IL 60093 USA

Made in USA with domestic and imported materials

www.medline.com

1-800-MEDLINE (633-5463)

REF: MSC092508, MSC092507

V2 RE22MSC, V2 RF22MSC

Package Label



DO NOT FLUSH
IN TOILET!

REF MSC092507



www.medline.com
©2022 Medline and Medline
Remedy are registered trademarks
of Medline Industries, LP.
Manufactured by: Medline
Industries, LP, Three Lakes Drive,
Northfield, IL 60093 USA.
Made in USA with domestic
and imported materials.
1-800-MEDLINE V2 RE22MSC



NDC 53329-074-76

MEDLINE
REMEDY

CLINICAL

PREVENT

**Barrier Cream Cloth
3-In-1 Skin Protectant
with 3.6% dimethicone**

For providing
a breathable
moisture film



CHG Compatible

Hypoallergenic

Paraben Free

Unscented

8 CLOTHS

8 X 8 IN
(20 X 20 CM)

Drug Facts

Active Ingredient Purpose

Dimethicone 3.6%, w/v...Skin Protectant

Uses ■ helps treat and prevent diaper rash. Protects minor skin irritation associated with diaper rash and helps seal out wetness ■ helps prevent and temporarily protects and helps relieve chapped or cracked skin ■ helps protect from the drying effects of wind and cold weather

Warnings

For external use only

Do not use on ■ deep or puncture wounds ■ animal bites ■ serious burns

When using this product ■ do not get into eyes

Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ open package as designed ■ remove fresh cloth and thoroughly cleanse soiled area as needed ■ dispose of cloths in waste receptacle, do not flush in toilet ■ for diaper rash: change wet and soiled diapers promptly, cleanse the diaper area, and allow to dry. Apply product liberally as often as necessary with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged

Other information

Protect from freezing, avoid excessive heat ■ Keep label tightly sealed ■ Do not flush

■ Cloth: made of Rayon/Polyester

Inactive ingredients ■ algae extract, allantoin, butylene glycol, butyrospermum parkii (shea butter) extract, clematis sternalis (green oak) extract, c12-20 alkyl glucoside, c14-22 alcohol, caprylic/capric triglyceride, cetyl alcohol (jif 570), citric acid, cocoglycoside, cocoon alcohol, 7-dehydrocholesterol, disodium cocamidopropylsulfonate, ethylene brassylate, ethylhexylglycerin, gurgula canyabnylus (clove) flower extract, glycerin, glycolic acids (soybean oil), helenium annuus (sunflower seed oil), hydrolyzed soy protein, hydroxyethyl acrylate, isohexadecanoic, isopropyl myristate, lactin, methylsiloxane, methylsiloxane, phenyltrimethylammonium chloride, polyacrylate 60, sodium acryloyldimethylsulfonate copolymer, tocopheryl acetate, urea, vanilla planifolia fruit extract, water, yucca filamentosa extract, zea mays (corn) oil.

Not made with Natural Rubber Latex.



DO NOT FLUSH
IN TOILET!

Not made with natural rubber latex.
Made in USA with domestic
and imported materials
Patent Pending

REF MSC092508



www.medline.com
©2022 Medline and Medline
Remedy are registered trademarks
of Medline Industries, LP.
Manufactured by: Medline
Industries, LP, Three Lakes Drive,
Northfield, IL 60093 USA.
Made in USA with domestic and
imported materials.
1-800-MEDLINE V2 RF22MSC



8 88277 10762 8



8 CLOTHS

8 X 8 IN
(20 X 20 CM)

Drug Facts

Active ingredient Purpose
Dimethicone 3.6% w/w....Skin Protectant

Uses ■ helps treat and prevent diaper rash. Protects minor skin irritation associated with diaper rash and helps seal out wetness ■ helps prevent and temporarily protects and helps relieve chapped or cracked skin ■ helps protect from the drying effects of wind and cold weather

Warnings

For external use only
Do not use on ■ deep or puncture wounds ■ animal bites ■ serious burns
When using this product ■ do not get into eyes

Stop use and ask a doctor if
■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ open package as designed ■ remove fresh cloths and thoroughly cleanse soiled area as needed ■ dispose of cloths in waste receptacle, do not flush in toilet ■ for diaper rash: change wet and soiled diapers promptly, cleanse the diaper area, and allow to dry. Apply product liberally as often as necessary, with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged

Other information ■ Protect from freezing, avoid excessive heat ■ Keep label tightly sealed ■ Do not flush ■ Cloths: made of Rayon Polyester

Inactive ingredients algae extract, allantoin, butylene glycol, butyrspermum parkii (shea butter) extract, c14-22 alcohol, c12-20 alkyl glucoside, camellia sinensis (green tea) extract, caprylic/capric triglyceride, cetyl alcohol (or 570), citric acid, cocoglucoside, coconut alcohol, 7-ethylolesterol, disodium cocoamphodilacetate, ethylene brassylate, ethylhexylglycerin, eugenia caryophyllus (clove) flower extract, glycerin, glycine soya (soybean oil), helianthus annuus (sunflower seed oil), hydrolyzed soy protein, hydroxyethyl acrylate, isohexadecane, isopropyl myristate, lecithin, methylidurydrojasmonate, phenoxethanol, phospholipids, polysorbate 80, sodium acryloyldimethyltaurate copolymer, tocopherol acetate, urea, vanilla planifolia fruit extract, water, yeast ferment extract, zea mays (corn) oil.

REMEDY BARRIER CREAM CLOTHS

dimethicone cloth

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-078
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	3.6 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6)
WATER (UNII: 059QF0K00R)
GLYCERIN (UNII: PDC6A3C0OX)
SOYBEAN OIL (UNII: 241ATL177A)
CLOVE (UNII: K48IKT5321)
SHEA BUTTER (UNII: K49155WL9Y)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
ALLANTOIN (UNII: 344S277G0Z)
C12-20 ALKYL GLUCOSIDE (UNII: K67N5Z1RUA)
C14-22 ALCOHOLS (UNII: B1K89384R)
CETYL ALCOHOL (UNII: 936JST6JCN)
DISODIUM COCOAMPHODIACETATE (UNII: 18L9G3U51M)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
COCO GLUCOSIDE (UNII: ICS790225B)
COCONUT ALCOHOL (UNII: 13F4MW8Y9K)
ETHYLENE BRASSYLATE (UNII: 9A87HC7ROD)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)
METHYL DIHYDROJASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)
YEAST (UNII: 3NY3SM6B8U)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
UREA (UNII: 8W8T17847W)
7-DEHYDROCHOLESTEROL (UNII: BK1IU07GKF)
SUNFLOWER OIL (UNII: 3W1JG795YI)
CORN OIL (UNII: 8470G57WFM)
VANILLA (UNII: Q74T35078H)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISOHEXADECANE (UNII: 918X1OUF1E)
PHYMATOLITHON CALCAREUM (UNII: 6J1M3WA0ZK)
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-078-76	8 in 1 PACKAGE	12/19/2013	
1		17 mL in 1 APPLICATOR; Type 0: Not a Combination Product		
2	NDC:53329-078-91	48 in 1 PACKAGE	12/19/2013	07/31/2025
2		6.9 mL in 1 APPLICATOR; Type 0: Not a Combination Product		
3	NDC:53329-078-02	3 in 1 PACKAGE	12/19/2013	
3		6.9 mL in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	12/19/2013	

REMEDY BARRIER CREAM CLOTHS FRAGRANCE FREE

dimethicone cloth

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-074
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	3.6 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PHYMATOLITHON CALCAREUM (UNII: 6J1M3WA0ZK)	
HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
SOYBEAN OIL (UNII: 241ATL177A)	
CLOVE (UNII: K48IKT5321)	
SHEA BUTTER (UNII: K49155WL9Y)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
ALLANTOIN (UNII: 344S277G0Z)	
C12-20 ALKYL GLUCOSIDE (UNII: K67N5Z1RUA)	
C14-22 ALCOHOLS (UNII: B1K89384R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
DISODIUM COCOAMPHODIACETATE (UNII: 18L9G3U51M)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
COCO GLUCOSIDE (UNII: ICS790225B)	
COCONUT ALCOHOL (UNII: 13F4MW8Y9K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
METHYL DIHYDROJASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)	
YEAST (UNII: 3NY3SM6B8U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
UREA (UNII: 8W8T17847W)	
7-DEHYDROCHOLESTEROL (UNII: BK1IU07GKF)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
CORN OIL (UNII: 8470G57WFM)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%) (UNII: 86FQE96TZ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-074-76	8 in 1 PACKAGE	08/31/2016	
1		17 mL in 1 APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	08/31/2016	

Labeler - Medline Industries, LP (025460908)

Revised: 1/2024

Medline Industries, LP