

SHISEIDO ULTIMATE SUN PROTECTOR- avobenzone, homosalate, octisalate, and octocrylene lotion
SHISEIDO AMERICAS CORPORATION

SHISEIDO ULTIMATE SUN PROTECTOR LOTION

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
AVOBENZONE 2.3%	Sunscreen
HOMOSALATE 10.0%	Sunscreen
OCTISALATE 5.0%	Sunscreen
OCTOCRYLENE 5.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable

Do not use near heat, flame, or while smoking

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER □ DIISOPROPYL SEBACATE □ TALC □ TRIETHYLHEXANOIN □ DIMETHICONE □ PEG/PPG-9/2 DIMETHYL ETHER □ ALCOHOL DENAT. □ LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE □ GLYCERIN □ DEXTRIN PALMITATE □ SUCROSE TETRASTEARATE TRIACETATE □ ISODODECANE □ PPG-3 DIIVALATE □ TRIMETHYLSILOXYSILICATE □ SILICA □ DISTEARDIMONIUM HECTORITE □ HYDROGENATED POLYISOBUTENE □ SODIUM CHLORIDE □ DIPOTASSIUM GLYCYRRHIZATE □ AMINOETHANESULFINIC ACID □ PEG/PPG-14/7 DIMETHYL ETHER □ SAXIFRAGA SARMENTOSA EXTRACT □ CAMELLIA SINENSIS LEAF EXTRACT □ EUCHEUMA SERRA/GRATELOUPIA SPARSA/SACCHARINA ANGUSTATA/ULVA LINZA/UNDARIA PINNATIFIDA EXTRACT □ SOPHORA ANGUSTIFOLIA ROOT EXTRACT □ SACCHARINA ANGUSTATA/UNDARIA PINNATIFIDA EXTRACT □ PPG-17 □ PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE □ CALCIUM STEARATE □ ISOSTEARIC ACID □ PALMITIC ACID □ TRISODIUM EDTA □ ALCOHOL □ SILICA DIMETHYL Silylate □ PEG-6 □ BHT □ TOCOPHEROL □ BUTYLENE GLYCOL □ STEARIC ACID □ SODIUM METABISULFITE □ POLYGLYCERYL-6 POLYRICINOLEATE □ BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 □ SYZYGIIUM JAMBOS LEAF EXTRACT □ PHENOXYETHANOL □ FRAGRANCE □ RED 33 □ YELLOW 5 □

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 150 mL Container Carton

SHISEIDO
GINZA TOKYO

Ultimate Sun Protector
Lotion

SPF
60+

Invisible and breathable protection veil
strengthened by heat and water.

BROAD SPECTRUM
SPF 60+

WATER RESISTANT
(80 MINUTES)

SUNSCREEN

150mL 5 FL. OZ.

Ultimate Sun Protector Lotion



BROAD SPECTRUM SPF 60+

SHISEIDO
GINZA TOKYO

**Ultimate Sun Protector
Lotion**

SPF
60+

**Invisible and breathable protection veil
strengthened by heat and water.**

BROAD SPECTRUM
SPF 60+

WATER RESISTANT
(80 MINUTES)

SUNSCREEN

150mL 5 FL. OZ.

Drug Facts (continued)

Inactive ingredients

WATER • DISOPROPYL SEBACATE • TALC •
TRIETHYLHEXANOIN • DIMETHICONE •
PEG/PPG-9/2 DIMETHYL ETHER • ALCOHOL
DENAT. • LAURYL PEG-9
POLYDIMETHYLSILOXYETHYL DIMETHICONE •
GLYCERIN • DEXTRIN PALMITATE • SUCROSE
TETRASTEARATE TRIACETATE • ISODODECANE •
PPG-3 DIPALATE • TRIMETHYLSILOXYSILICATE •
SILICA • DISTEARDIMONIUM HECTORITE •
HYDROGENATED POLYISOBUTENE • SODIUM
CHLORIDE • DIPOTASSIUM GLYCYRRHIZATE •
AMINOETHANESULFONIC ACID • PEG/PPG-14/7
DIMETHYL ETHER • SAXIFRAGA SARMENTOSA
EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT •
ELCHEUMA SERRA/GRATELOUPIA
SPARSA/SACCHARINA ANGUSTATA/ULVA
LINZA/UNDARIA PINNATIFIDA EXTRACT •
SOPHORA ANGUSTIFOLIA ROOT EXTRACT •
SACCHARINA ANGUSTATA/UNDARIA PINNATIFIDA
EXTRACT • PPG-17 • PEG-9
POLYDIMETHYLSILOXYETHYL DIMETHICONE •
CALCIUM STEARATE • ISOSTEARIC ACID • PALMITIC
ACID • TRISODIUM EDTA • ALCOHOL • SILICA
DIMETHYL SILYLATE • PEG-6 • BHT • TOCOPHEROL •
BUTYLENE GLYCOL • STEARIC ACID • SODIUM
METABISULFITE • POLYGLYCERYL-6
POLYRICINOLEATE • BIS-BUTYLDIMETHICONE
POLYGLYCERYL-3 • SYZYGIUM JAMBOS LEAF
EXTRACT • PHENOXYETHANOL • FRAGRANCE • RED
33 • YELLOW 5

Other Information

■ protect this product in this
container from excessive
heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<M112750-811>

FSCマーク
W30×H14.3

82X38X120

1 2 3 4 5 6 7 8 9 0

SHISEIDO
ULTIMATE SUN PROTECTOR LOTION
BROAD SPECTRUM SPF 60+

Breathable and lightweight suncare lotion, Powerful protection with SynchroShieldRepair™. This product provides a seamless protection against UVA/UVB and micro dust. The protective veil becomes even stronger with heat, water and perspiration*, and it re-smoothes the surface on its own. Comfortably smooth, Enjoy every single moment of your active life!

- Formulated with Algae complex, maintains 4H hydration** and helps prevent a look of fine lines and uneven skin tone caused by photo-aging.
- Contains Glycyrrhizic acid, targets breakout-prone skin for a beautiful, smooth, plumped look.
- For all skin types from dry to oily, and all skin tones.

*The HeatForce technology is activated on hot days, after the formula is applied to the skin. To activate the WetForce technology, expose the applied area to water or perspiration for 30 minutes.

**Clinically tested on 10 women.

NO-OXYBENZONE • NO-OCTINOXATE • NO-PARABENS
NON-COMEDOGENIC • DERMATOLOGIST AND OPHTHALMOLOGIST-TESTED

Drug Facts

Active Ingredients

AVOBENZONE 2.3%
HOMOSALATE 10.0%
OCTISALATE 5.0%
OCTOCRYLENE 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame, or while smoking. ▶

Specially formulated by Shiseido Laboratories, Japan.

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO. 21231

www.shiseido.com



Drug Facts (continued)

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure

- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

■ children under 6 months: Ask a doctor ▶



SynchroShieldRepair™

For a stronger UV protection veil with heat, water and sweat.



90% plant-derived plastic bottle (without cap).



<http://s1872.com/21231AA>
See our website for more information.

W33XH14
(8mm/バー)

7 30852 21231 2

21231-41-5041

AAA

SHISEIDO ULTIMATE SUN PROTECTOR

avobenzone, homosalate, octisalate, and octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-888
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3.67425 g in 150 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	7.9875 g in 150 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	7.9875 g in 150 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7.9875 g in 150 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)	
TALC (UNII: 7SEV7J4R1U)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PEG/PPG-9/2 DIMETHYL ETHER (UNII: LM6Q66468X)	
ALCOHOL (UNII: 3K9958V90M)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	
ISODODECANE (UNII: A8289P68Y2)	
SUCROSE TETRASTEARATE TRIACETATE (UNII: 1K7LBQ045N)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
PPG-17 (UNII: OV0Q322E0U)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
CALCIUM STEARATE (UNII: 776XM7047L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

ISOSTEARIC ACID (UNII: X33R8U0062)
PALMITIC ACID (UNII: 2V16EO95H1)
EDETATE TRISODIUM (UNII: 420IP921MB)
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
POLYGLYCERYL-6 POLYRICINOLEATE (UNII: YPM0ZOC2HR)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
STEARIC ACID (UNII: 4ELV7Z65AP)
SAXIFRAGA STOLONIFERA LEAF (UNII: O3TMV4903H)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 33 (UNII: 9DBA0SBB0L)
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-888-40	1 in 1 CARTON	03/01/2024	
1		150 mL in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:58411-888-41	1 in 1 CARTON	03/01/2024	
2		50 mL in 1 CONTAINER; Type 0: Not a Combination Product		
3	NDC:58411-888-42	1 in 1 CARTON	03/01/2024	
3		300 mL in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	03/01/2024	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Registrant - Shiseido America Inc. (782677132)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	ANALYSIS(58411-888) , MANUFACTURE(58411-888)

Revised: 3/2025

SHISEIDO AMERICAS CORPORATION