

SUNSCREEN- avobenzonone, homosalate, octisalate, octocrylene spray
Old East Main Co.

Studio Selection 983.000/983AA
Beach Guard Sunscreen Spray SPF 70

Active ingredients

Avobenzonone 3%

Homosalate 15%

Octisalate 5%

Octocrylene 10%

purpose

sunscreen

uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

warnings

For external use only

Flammable

Keep away from fire or flame.

- after application, wait until product dries before approaching a source of heat or flame, or before smoking

do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

other information

- protect the product in the container from excessive heat and direct sun

inactive ingredients

alcohol denat., octyldodecyl neopentanoate, acrylates/octylacrylamide copolymer, diethylhexyl 2,6-naphthalate, tocopheryl acetate, fragrance

Disclaimer

May stain or damage some fabrics of surfaces

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Neutrogena Beach Defense Water + Sun Protection Sunscreen Spray Broad Spectrum SPF 70.

ADVERSE REACTION

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed!

(888) 309-9030

principal display panel

STUDIO SELECTION™

SUN

BEACH GUARD

SUN + WATER

Protection

SUNSCREEN SPRAY

BROAD SPECTRUM SPF 70

Compare to Neutrogena® Beach Defense Sunscreen Spray

- Water-Resistant (80 minutes)
- UVA/UVB protection

SPF 70

Octinoxate & Oxybenzone Free

Dermatologist Tested

NET WT 6.5 OZ (184 g)



**BEACH
GUARD**
SUN+WATER
Protection
SUNSCREEN SPRAY
BROAD SPECTRUM SPF 70

Compare to Neutrogena® Beach Defense Sunscreen Spray*

- Water-Resistant (80 minutes)
- UVA/UVB protection

**SPF
70**

Octinoxate & Oxybenzone Free

Dermatologist Tested

NET WT 6.5 OZ (184 g)

Drug Facts	
Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 15%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen
Uses	
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions); decreases the risk of skin cancer and early skin aging caused by the sun 	
Warnings	
For external use only	
Flammable: Keep away from fire or flame. After application, wait until product dries before approaching a source of heat or flame, or before smoking.	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove. contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> spray liberally and spread evenly by hand 15 minutes before sun exposure apply to all skin exposed to the sun hold container 4 to 6 inches from the skin to apply do not spray directly into face. Spray on hands then apply to face. do not apply in windy conditions use in a well-ventilated area and avoid inhalation reapply after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours 	
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m.-2 p.m. wear long-sleeved shirts, pants, hats and sunglasses children under 6 months of age. Ask a doctor 	
Other information	
<ul style="list-style-type: none"> protect the product in this container from excessive heat and direct sun 	
Inactive ingredients alcohol denat., octyldodecyl neopentanoate, acrylate/crylocrylamide copolymer, diethylhexyl 2,6-naphthoate, tocopheryl acetate, fragrance	
May stain or damage some fabrics or surfaces <small>*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Neutrogena® Beach Defense Water + Sun Protection Sunscreen Spray Broad Spectrum SPF 70.</small>	
DISTRIBUTED BY OLD EAST MAIN CO. 100% Satisfaction Guaranteed! (888) 309-9030 100 MISSION RIDGE GOODLETTSVILLE, TN 37072	

SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-983
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-983-54	184 g in 1 CAN; Type 0: Not a Combination Product	01/18/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/18/2021	

Labeler - Old East Main Co. (068331990)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(55910-983)

Revised: 3/2026

Old East Main Co.