DIPHENHYDRAMINE HYDROCHLORIDE - diphenhydramine hydrochloride capsule REMEDYREPACK INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient (in each banded capsule)

Diphenhydramine HCl... 25 mg

Diphenhydramine HCl... 50 mg

Purpose

Antihistamine

Use

25 MG

- Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - o runny nose
 - o sneezing
 - o itchy, watery eyes
 - itchy throat and nose
- Temporarily relieves these symptoms due to the common cold:
 - o runny nose
 - sneezing

50 MG

- Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies and common cold
 - sneezing
 - o runny nose
 - itchy, watery eyes
 - itchy throat and nose

WARNINGS

Do not use

25 MG

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

50 MG

- to make a child sleepy
- with any other product containing diphenhydramine, including one applied topically

Ask a doctor before use if you have

25 MG

• a breathing problem such as emphysema or chronic bronchitis

- glaucoma
- trouble urinating due to an enlarged prostate gland

50 MG

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist

before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take every 4-6 hours
- Do not take more than 6 doses in 24 hours

25 MG

adults and children 12 years of age and	1 to 2 capsules
over	
children 6 years to under 12 years of age	1 capsule
children under 6 years of age	do not use this product in children under 6 years of
	age

50 MG

adults and children 12 years of	1 capsule
age and over	
children 6 years to under 12 years	Ask a doctor, the proper dosage strength is not available
of age	in this package**

^{**}Do not attempt to break capsules. The proper dosage strength and dosing information for children under 12 years of age is available on the 25 mg package.

Other Information

- Store at 20°C 25°C (68°F 77°F); excursions permitted to 15° 30°C (59° 86°F) [See USP Controlled Room Temperature]
- Protect from moisture
- Contains lactose

Inactive Ingredients

D&C Red #28, FD&C Blue #1, FD&C Red #40, Gelatin, Lactose and Starch.

Questions?

Questions or comments? (800) 616-2471

Distributed by

MAJOR® PHARMACEUTICALS 17177 N Laurel Park Drive, Suite 233, Livonia, MI 48152

DRUG: Diphenhydramine Hydrochloride

GENERIC: Diphenhydramine Hydrochloride

DOSAGE: CAPSULE

ADMINSTRATION: ORAL

NDC: 70518-0861-0

COLOR: pink

SHAPE: CAPSULE SCORE: No score

SIZE: 14 mm

IMPRINT: cpc;836

PACKAGING: 30 in 1 BOTTLE, PLASTIC

ACTIVE INGREDIENT(S):

• DIPHENHYDRAMINE HYDROCHLORIDE 50mg in 1

INACTIVE INGREDIENT(S):

- D&C RED NO. 28
- GELATIN
- LACTOSE
- FD&C BLUE NO. 1
- FD&C RED NO. 40
- STARCH, CORN

Diphenhydramine HCI

50 mg Capsule

ID #: cpc;836

NDC #: 70518-0861-00

LOT#:

MFG: Major Pharma, Livonia, MI 48150

NOT FOR RETAIL SALE

Directions For Use: See Package Insert

Store at 20-25°C (68-77°F); excursions permitted to 15-30°C

(59-86°F) [See USP]

Repackaged by:

RemedyRepack Inc., Indiana, PA 15701, 1-724-465-8762



QTY: 30

Expires:

Shape: Capsule

Ref #: 00904-2056-61

DIPHENHYDRAMINE HYDROCHLORIDE

diphenhydramine hydrochloride capsule

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70518-0861(NDC:0904-2056)	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety		
l	Ingredient Name	Basis of Strength	Strength
	$ \begin{tabular}{ll} \textbf{DIPHENHYDRAMINE HYDRO CHLO RIDE} & (UNII: TC2D6 JAD40) & (DIPHENHYDRAMINE -UNII: 8GTS82S83M) \\ \end{tabular} $	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients			
Ingredient Name	Strength		
D&C RED NO. 28 (UNII: 767IP0 Y5NH)			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)			
FD&C RED NO. 40 (UNII: WZB9 127XOA)			
GELATIN (UNII: 2G86QN327L)			
LACTOSE (UNII: J2B2A4N98G)			
STARCH, CORN (UNII: O8232NY3SJ)			
STARCH, CORN (UNII. 00232N 1333)			

Product Characteristics			
Color	pink (pink, banded in red around the middle)	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	срс;836
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70518-0861- 0	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/22/2017	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	11/22/2017	

Labeler - REMEDYREPACK INC. (829572556)

Revised: 11/2017 REMEDYREPACK INC.