

EQUINE ANTI-FUNGAL- chlorhexidine shampoo shampoo
Davis Manufacturing and Packaging Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Davis Equine Anti-Fungal Shampoo

Davis Equine Anti-Fungal Shampoo with 2% Chlorhexidine Gluconate is formulated for fungal disorders such as rain rot, ring worm, girth itch, yeast and more. It helps relieve dry itchy skin, scaling, conditions associated with seborrhea and skin rashes. This mild shampoo provides a pH balanced bath and is tough on issues, yet gentle enough for daily use. Reach for Equine Anti-Fungal Shampoo when issues first appear to help quickly relieve discomfort and sensitivity. May be used on horses, foals, livestock, dogs and puppies.

Ingredients: Chlorhexidine Gluconate 2.0%

Inactive Ingredients: Purified Water, Ammonium Laureth Sulfate, Cocamidopropyl Betaine (and) Cocamide MEA, Caprylyl Glucoside, Aloe Vera, Citric Acid, FD&C Blue #1, FD&C Yellow #5, Floral Fragrance, Methylchloroisothiazolinone (and) Methylisothiazolinone

DIRECTIONS Wet animal with warm water. Pour two ounces onto a damp sponge and apply full strength to entire body, working into a rich lather. Do not get into eyes. Allow shampoo to be absorbed for 10 to 15 minutes then rinse thoroughly. For best results, repeat procedure then remove excess water and dry as desired. If irritation develops, discontinue use and consult your veterinarian. Not for otic use.

French instructions

MODES D'EMPLOI Mouillez l'animal avec de l'eau tiède. Versez deux onces du produit sur une éponge mouillée puis appliquer à pleine puissance sur tout le corps, le faisant mousser abondamment. Ne pas mettre dans les yeux. Laisser le shampooing être absorbé pendant 10 à 15 minutes, puis rincez complètement. Pour obtenir de meilleurs résultats, répéter la procédure. Ensuite, enlevez l'excès d'eau et séchez au besoin. Si une irritation développe, cessez d'utiliser le produit et consultez votre vétérinaire. Ne pas utiliser dans les oreilles.

Keep out of Reach of Children and Pets For External Use Only

MADE IN THE USA

Davis Manufacturing 541 Proctor Avenue Scottdale, GA 30079 (Atlanta) davismf.com

Product No. E.AFS32 Rev. 0219

Davis Equine Anti-Fungal Shampoo with 2% Chlorhexidine Gluconate is formulated for fungal disorders such as rain rot, ring worm, girth itch, yeast and more. It helps relieve dry itchy skin, scaling, conditions associated with seborrhea and skin rashes. This mild shampoo provides a pH balanced bath and is tough on issues, yet gentle enough for daily use. Reach for Equine Anti-Fungal Shampoo when issues first appear to help quickly relieve discomfort and sensitivity. May be used on horses, foals, livestock, dogs and puppies.



Ingredients: Chlorhexidine Gluconate 2.0%
Inactive Ingredients: Purified Water, Ammonium Laureth Sulfate, Cocamidopropyl Betaine (and) Cocamide MEA, Caprylyl Glucoside, Aloe Vera, Citric Acid, FD&C Blue #1, FD&C Yellow #6, Floral Fragrance, Methylchlorisothiazolone (and) Methylisothiazolone

DIRECTIONS

Wet animal with warm water. Pour two ounces onto a damp sponge and apply full strength to entire body, working into a rich lather. Do not get into eyes. Allow shampoo to be absorbed for 10 to 15 minutes then rinse thoroughly. For best results, repeat procedure then remove excess water and dry as desired. If irritation develops, discontinue use and consult your veterinarian. Not for oral use.

MODES D'EMPLOI

Mouillez l'animal avec de l'eau tiède. Versez deux onces du produit sur une éponge mouillée puis appliquez à pleine puissance sur tout le corps, le faisant mousser abondamment. Ne pas mettre dans les yeux. Laissez le shampooing être absorbé pendant 10 à 15 minutes, puis rincez complètement. Pour obtenir de meilleurs résultats, répétez la procédure. Ensuite, enlevez l'excès d'eau et séchez au besoin. Si une irritation développe, cessez d'utiliser le produit et consultez votre vétérinaire. Ne pas utiliser dans les oreilles.

**Keep out of Reach of Children and Pets
 For External Use Only**

MADEN INCUSA
 Davis Manufacturing
 511 Prud'homme Avenue
 Scottsdale, GA 30079 (Atlanta)
 davisintl.com
 Product No. EA1532 Rev. 0211

Equine Products
 ANTI-FUNGAL
 SHAMPOO

For Horses, Livestock and More

For conditions associated with rain rot, ringworm and seborrhea Pour des conditions semblables à la pourriture des pluies, la dermatomycose et la séborrhée

Davis Equine Anti-Fungal Shampoo with 2% Chlorhexidine Gluconate is formulated for fungal disorders such as rain rot, ring worm, girth itch, yeast and more. It helps relieve dry itchy skin, scaling, conditions associated with seborrhea and skin rashes. This mild shampoo provides a pH balanced bath and is tough on issues, yet gentle enough for daily use. Reach for Equine Anti-Fungal Shampoo when issues first appear to help quickly relieve discomfort and sensitivity. May be used on horses, foals, livestock, dogs and puppies.



Ingredients: Chlorhexidine Gluconate 2.0%
Inactive Ingredients: Purified Water, Ammonium Laureth Sulfate, Cocamidopropyl Betaine (and) Cocamide MEA, Caprylyl Glucoside, Aloe Vera, Citric Acid, FD&C Blue #1, FD&C Yellow #6, Floral Fragrance, Methylchlorisothiazolinone (and) Methylisothiazolinone

DIRECTIONS

Wet animal with warm water. Pour two ounces onto a damp sponge and apply full strength to entire body, working into a rich lather. Do not get into eyes. Allow shampoo to be absorbed for 10 to 15 minutes then rinse thoroughly. For best results, repeat procedure then remove excess water and dry as desired. If irritation develops, discontinue use and consult your veterinarian. Not for oral use.

MODES D'EMPLOI

Mouillez l'animal avec de l'eau tiède. Versez deux onces du produit sur une éponge mouillée puis appliquez à pleine puissance sur tout le corps, le faisant mousser abondamment. Ne pas mettre dans les yeux. Laissez le shampooing être absorbé pendant 10 à 15 minutes, puis rincez complètement. Pour obtenir de meilleurs résultats, répétez la procédure. Ensuite, enlevez l'excès d'eau et séchez au besoin. Si une irritation développe, cessez d'utiliser le produit et consultez votre vétérinaire. Ne pas utiliser dans les oreilles.

MADE IN USA

Davis Manufacturing
 511 Proctor Avenue
 Scottsdale, GA 30079 (Atlanta)
 davismg.com

Product No. EA1522 Rev. 0211

Keep out of Reach of Children and Pets
 For External Use Only

EQUINE ANTI-FUNGAL

chlorhexidine shampoo shampoo

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:62570-130
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
AMMONIUM LAURETH-5 SULFATE (UNII: 43ZIH89I48)	
CO CAMIDO PROPYL BETAINE (UNII: 5OCF3011KX)	
COCO MONOETHANOLAMIDE (UNII: C80684146D)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
POLY(LAURYLGLUCOSIDE)-7 (UNII: VB00RDE21R)	
WATER (UNII: 059QF0K00R)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
METHYLCHLOROISO THIAZOLINONE/METHYLISO THIAZOLINONE MIXTURE (UNII: 15O9QS218W)	

FD&C BLUE NO. 1 (UNII: H3R47K3TBD)

FD&C YELLOW NO. 5 (UNII: I753WB2F1M)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62570-130-32	946.3 g in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/30/2019	

Labeler - Davis Manufacturing and Packaging Inc (106680523)

Revised: 11/2019

Davis Manufacturing and Packaging Inc