

FLUTICASONE PROPIONATE- fluticasone propionate nasal spray
Advagen Pharma Ltd.

Fluticasone Propionate Nasal Spray, USP 50 mcg per spray

Drug Facts

Active Ingredient (in each spray)

Fluticasone propionate (glucocorticoid) 50 mcg

Purpose

Allergy symptom reliever

Uses

Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:

- nasal congestion
- itchy, watery eyes
- itchy nose
- runny nose
- sneezing

Warnings

Only for use in the nose. Do not spray into your eyes or mouth.

Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as ritonavir)
- a steroid medicine for asthma, allergies or skin rash
- ketoconazole pills (medicine for fungal infection)

When using this product

- the growth rate of some children may be slower
- stinging or sneezing may occur for a few seconds right after use
- do not share this bottle with anyone else as this may spread germs

- remember to tell your doctor about all the medicines you take, including this one

Stop use and ask a doctor if

- you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
- your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
- you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
- you get an allergic reaction to this product. Seek medical help right away.
- you get new changes to your vision that develop after starting this product
- you have severe or frequent nosebleeds

If pregnant or breast -feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- read the Quick Start Guide for how to:
 - prime the bottle
 - use the spray
 - clean the spray nozzle
- shake gently before each use
- use this product only once a day
- do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1- use 2 sprays in each nostril once daily
- Week 2 through 6 months- use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
- After 6 months of daily use – ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

- the growth rate of some children may be slower while using this product. **Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child’s doctor if your child needs to use the spray for longer than two months a year.**
- an adult should supervise use
- use 1 spray in each nostril once daily

CHILDREN UNDER 4 YEARS OF AGE

- **do not use**

Other information

- you may start to feel relief the first day and full effect after several days of regular, once-a-day use

- store between 4° and 30°C (39° and 86°F)
- keep this label and enclosed materials. They contain important additional information.

Inactive ingredients

benzalkonium chloride, dextrose, microcrystalline cellulose, phenylethyl alcohol, polysorbate 80, purified water, sodium carboxymethylcellulose

Questions or comments?

call toll-free 866-488-0312

Distributed by:

Advagen Pharma Ltd.,

East Windsor, NJ 08520

Made in Italy

Rev. 02, 01/2025

FLUTICASONE PROPIONATE NASAL SPRAY, USP
--

QUESTIONS & ANSWERS

WHAT FLUTICASONE PROPIONATE NASAL SPRAY , USP IS, HOW TO USE IT, AND WHAT TO EXPECT

UNDERSTANDING FLUTICASONE PROPIONATE NASAL SPRAY, USP

What Fluticasone Propionate Nasal Spray, USP is, and how it works.

What is Fluticasone Propionate Nasal Spray, USP?

Fluticasone Propionate Nasal Spray, USP is an effective allergy medicine that you can buy without a prescription. It works directly in the nose to help block your allergic reactions. Fluticasone Propionate Nasal Spray, USP relieves allergy symptoms caused by pollen, mold, dust and pets.

What is the active ingredient in Fluticasone Propionate Nasal Spray, USP?

The active ingredient in Fluticasone Propionate Nasal Spray, USP is called fluticasone propionate.

Fluticasone propionate is a glucocorticoid – a substance produced naturally by your body to help fight inflammation. It works in your nose to relieve your allergy symptoms. Barely any of it travels through your body. It's been prescribed by doctors for over 20 years, and used effectively by millions.

A glucocorticoid is a kind of steroid that is different from the anabolic (muscle-building) steroids sometimes misused by athletes. In fact, world class athletes are allowed to use glucocorticoids during competition to treat their allergies.

Who should not use Fluticasone Propionate Nasal Spray, USP?

For complete guidance, check the *Drug Facts* label on the back of the Fluticasone Propionate Nasal Spray, USP package.

Can I use Fluticasone Propionate Nasal Spray, USP for asthma?


No, Fluticasone Propionate Nasal Spray, USP is not a treatment for asthma. Ask your doctor what medicine to take for your asthma.

Can I use Fluticasone Propionate Nasal Spray, USP for colds?

No, use Fluticasone Propionate Nasal Spray, USP to treat only your allergies -not your cold symptoms. If you're not sure whether your symptoms come from allergies or a cold, ask your doctor.

What happens when you have allergies?

Allergies start when allergens like pollen or pet dander enter your body and trigger your immune system to respond. **Your body's natural response** is to release multiple inflammatory substances, (also referred to as mediators) that cause your allergy symptoms.



How does Fluticasone Propionate Nasal Spray, USP work?

Fluticasone Propionate Nasal Spray, USP works right in your nose to help block your allergic reaction at the source to relieve the symptoms that make you uncomfortable.

Fluticasone Propionate Nasal Spray, USP acts on multiple inflammatory substances, including histamine, prostaglandins, cytokines, tryptases, chemokines and leukotrienes.

Most common OTC allergy pills act on histamine alone.



Because of the way it works, it may take several days for Fluticasone Propionate Nasal Spray, USP to reach maximum effect. That's why it's best to use Fluticasone Propionate Nasal Spray, USP regularly, once a day. Fluticasone Propionate Nasal Spray, USP not only relieves sneezing, itchy nose, runny nose and itchy, watery eyes, but also relieves nasal congestion.

What problems can Fluticasone Propionate Nasal Spray, USP help with?

Allergies can cause uncomfortable symptoms like congestion and itchy eyes. These symptoms can be triggered by allergens like pollen, mold, dust or pet dander.

Fluticasone Propionate Nasal Spray, USP helps relieve a broad range of symptoms from many allergens. For example, Fluticasone Propionate Nasal Spray, USP helps with:

Symptoms		Triggers			
					
Nasal symptoms	Eye symptoms	Outdoor allergens	Animal allergens	Indoor allergens	
<ul style="list-style-type: none"> • Congestion • Runny nose • Sneezing • Itchy nose 	<ul style="list-style-type: none"> • Itchy eyes • Watery eyes 	<ul style="list-style-type: none"> • Weed pollen • Grass pollen • Tree pollen • Mold spores 	<ul style="list-style-type: none"> • Cats • Dogs 	<ul style="list-style-type: none"> • Dust • Dust mites • Mold 	

Who should not use Fluticasone Propionate Nasal Spray, USP or check with a doctor first?

Some people should not use Fluticasone Propionate Nasal Spray, USP or need to check with a health professional first. This table offers a quick summary of these situations.

If you...	Here's what to do...
Are younger than 4	Do not use Fluticasone Propionate Nasal Spray, USP
Are pregnant or breast-feeding	Talk to a health professional before using Fluticasone Propionate Nasal Spray, USP
Have or had glaucoma or cataracts	Talk to your doctor before using Fluticasone Propionate Nasal Spray, USP
Have an injury or surgery to your nose that is not fully healed	Do not use Fluticasone Propionate Nasal Spray, USP
Have ever had an allergic reaction to Fluticasone Propionate Nasal	Do not use Fluticasone Propionate Nasal Spray, USP

Spray, USP or any of its ingredients	
Are taking a medicine for HIV infection (such as ritonavir)	Talk to your doctor or pharmacist before using Fluticasone Propionate Nasal Spray, USP
Are taking ketoconazole pills (medicine for fungal infection)	Talk to your doctor or pharmacist before using Fluticasone Propionate Nasal Spray, USP
Are using a steroid medicine for asthma, allergies, skin rash, allergic reactions, inflammation or eye conditions	Talk to your doctor or pharmacist before using Fluticasone Propionate Nasal Spray, USP

USING FLUTICASONE PROPIONATE NASAL SPRAY, USP

How to get the best results with Fluticasone Propionate Nasal Spray, USP.

Read the Drug Facts label on the back of the package or the Quick Start Guide on the other side for simple directions on using Fluticasone Propionate Nasal Spray, USP.

Watch for purple color - it shows where there is different information for children ages 4-11, compared to users age 12 or older.

If you still have questions about using Fluticasone Propionate Nasal Spray, USP after reading the Quick Start Guide, read this section for answers.

I know how to use a nasal spray. Why do I have to follow the directions?

If you don't use the spray bottle correctly, you might not get a full dose. Without a full dose each time, you might not get the relief you deserve.

Follow the simple directions in the Quick Start Guide on other side

If my symptoms go away, should I stop using Fluticasone Propionate Nasal Spray, USP?

You may be tempted to stop using Fluticasone Propionate Nasal Spray, USP when you start to feel better. **It's important you keep using Fluticasone Propionate Nasal**

Spray, USP daily as long as you're exposed to allergens that bother you, like pollen, mold, dust or pet dander. This way you'll keep feeling relief.

If you suffer allergy symptoms only during certain times, like when pollen levels are high, you may stop using Fluticasone Propionate Nasal Spray, USP when that time ends. If you are age 12 or older and need to use daily for longer than 6 months or age 4-11 and need to use for longer than 2 months a year, check with your doctor.

What if I miss a dose by accident?

If you miss a dose, just use your regular dose the next day. Don't add an extra dose to make up for it.

Can I keep using Fluticasone Propionate Nasal Spray, USP year round ?

Some people suffer from allergies all year. If you are age 12 or older and have used Fluticasone Propionate Nasal Spray, USP steadily for six months or age 4-11 and have used for two months a year, check with your doctor to make sure it's OK to keep using Fluticasone Propionate Nasal Spray, USP daily.

In fact, it's a good idea for anyone with persistent allergies to talk with a doctor every so often about symptoms and medicines.

Can I share my Fluticasone Propionate Nasal Spray, USP?

Do not share a bottle of Fluticasone Propionate Nasal Spray, USP.

Sharing the bottle can spread germs, because you insert the nozzle in your nose.

Can I spray Fluticasone Propionate Nasal Spray, USP in my eyes or mouth?

No, Fluticasone Propionate Nasal Spray, USP is meant to work only in your nose to relieve your allergy symptoms, including itchy, watery eyes.

Never spray Fluticasone Propionate Nasal Spray, USP in your eyes or your mouth.



Some decongestants may increase blood pressure. Does Fluticasone Propionate Nasal Spray, USP increase blood pressure?

When used as directed, Fluticasone Propionate Nasal Spray, USP does not increase blood pressure.

Won't I waste product by priming?

It's not a waste to prime the pump, because it helps you get a full dose. Getting a full dose is important for getting the relief you deserve. See the Quick Start Guide for when and how to prime the pump. **Don't worry about running out due to priming.** There is enough medicine in the spray bottle to allow for priming sprays plus the number of sprays labeled on the bottle. **Always point the spray**

bottle away from your face when priming.

How long should a bottle of Fluticasone Propionate Nasal Spray, USP last?

This table shows roughly how long your bottle will last. It assumes you follow the instructions for priming the pump, and that those age 12 or older use two sprays in each nostril every day while children age 4-11 use one spray in each nostril every day.

After you've used the number of sprays shown on the label, each spray may not deliver a full dose — even if there is liquid left in the bottle.

If the label says...	The bottle should last age 12+...	The bottle should last age 4-11...
120 sprays	4 weeks	8 weeks

Is Fluticasone Propionate Nasal Spray, USP OK to use with other medicines?

You should tell your doctor about all the medicines you take, including Fluticasone Propionate Nasal Spray, USP. Fluticasone Propionate Nasal Spray, USP can be used with most non-prescription and prescription medicines. However, there are a few medicines to look out for because they may cause the level of Fluticasone Propionate Nasal Spray, USP in your body to become too high. **Just to be safe, check the table on next page** to see if you're taking any of these medicines.

If you're taking...	Here's what to do...
Medicines for HIV infection (such as ritonavir)	Talk to your doctor or pharmacist before using Fluticasone Propionate Nasal Spray, USP
Medicines with glucocorticoids including some medicines for skin rash such as eczema, asthma, inflammation, allergic reactions or eye conditions	Talk to your doctor or pharmacist before using Fluticasone Propionate Nasal Spray, USP
Ketoconazole	Talk to your

Pills for fungal infection	doctor or pharmacist before using Fluticasone Propionate Nasal Spray, USP
----------------------------	---

What are the differences in the way children age 4-11 should use Fluticasone Propionate Nasal Spray, USP?

Children age 4-11 should use a **lower dose** of Fluticasone Propionate Nasal Spray, USP for a **shorter period of time**.

Ages	Children 4-11 years of age	Users 12 years of age and older
Dosage	1 spray in each nostril once daily	Up to 2 sprays in each nostril once daily
Duration before checking with a doctor	Up to 2 months of use a year	Up to 6 months of daily use

Why is the use of Fluticasone Propionate Nasal Spray, USP for children age 4-11 limited to 2 months a year before checking with a doctor?

When used long-term, intranasal glucocorticoids like Fluticasone Propionate Nasal Spray, USP may cause the growth rate of some children to be slower. Whether this will affect a child’s ultimate height is not known. As a precaution, children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child’s doctor if your child needs to use the spray for longer than 2 months a year.

WHAT TO EXPECT

What it’s like to use Fluticasone Propionate Nasal Spray, USP.

How soon will I get relief? You may start to feel relief the first day you use Fluticasone Propionate Nasal Spray, USP. Keep using it every day, though. It takes several days before Fluticasone Propionate Nasal Spray, USP builds up to full effectiveness.

How long will the relief last?

Fluticasone Propionate Nasal Spray, USP is meant to control your symptoms every day, all day and all night. To help you get this lasting relief, it’s important to use Fluticasone Propionate Nasal Spray, USP regularly, once a day.

Does Fluticasone Propionate Nasal Spray, USP cause a “rebound” effect? No, Fluticasone Propionate Nasal Spray, USP does not cause a rebound

effect.

Some nasal decongestant sprays may cause your nasal passages to swell up even more when you use them too often or for longer than their label says you should (three days). This is sometimes called a “rebound effect.” Fluticasone Propionate Nasal Spray, USP is a different kind of medicine and does not cause any rebound effect. You can use Fluticasone Propionate Nasal Spray, USP for up to six months if you are age 12 or older or up to two months a year if you are age 4-11 before checking with a doctor.

Will Fluticasone Propionate Nasal Spray, USP make me drowsy? No, Fluticasone Propionate Nasal Spray, USP does not cause drowsiness. Some allergy medications can cause drowsiness, but Fluticasone Propionate Nasal Spray, USP does not.

Why does Fluticasone Propionate Nasal Spray, USP have a smell?

The light floral scent you may notice comes from one of the important ingredients in the Fluticasone Propionate Nasal Spray, USP formula. No fragrance is added to Fluticasone Propionate Nasal Spray, USP.

What if little or nothing is spraying out?

Try priming the spray bottle. It may take a few pumps to get the dispenser spraying again. If that doesn't work, the spray nozzle may be clogged.

You can clean it following the directions in the Quick Start Guide on the other side.

What if I feel stinging in my nose, or I sneeze?

Some people may feel a slight stinging, or may sneeze, after spraying Fluticasone Propionate Nasal Spray, USP in their nostrils. **This feeling should go away** in a few seconds.

What if I feel or taste the medicine in my throat?

Generally, you can avoid this by taking a shallower breath next time you spray Fluticasone Propionate Nasal Spray, USP into your nostrils. For example, take the kind of breath you would use to smell a flower.

What if I have chicken pox, measles or tuberculosis or come into contact with someone who does? Stop using Fluticasone Propionate Nasal Spray, USP and ask your doctor.

What if I'm having severe sinus pain?

If you feel severe pain in your face, have thick nasal discharge, or think you may have a sinus infection, **stop using Fluticasone Propionate Nasal Spray, USP and see your doctor.** Your doctor may want to consider if other medicines are needed.

What if my symptoms aren't better after one week?

If you have used Fluticasone Propionate Nasal Spray, USP for a week and your allergy symptoms are not getting better, **stop use and ask your doctor.** You may have an infection.

Does Fluticasone Propionate Nasal Spray, USP have side effects?

Serious side effects are rare with Fluticasone Propionate Nasal Spray, USP because Fluticasone Propionate Nasal Spray, USP works in your nose, and barely any of it travels through your body. However, like all medicines, Fluticasone Propionate Nasal Spray, USP can cause side effects in some people.

Here are some side effects that have been reported when using Fluticasone Propionate

Nasal Spray, USP. If you have any concerns about side effects, talk with your doctor.

Side effect	What could happen	What to do
Allergic reaction to the product	<ul style="list-style-type: none"> • Sudden swelling of face or tongue • A rash • Wheezing or feeling faint 	If you feel any of these symptoms, stop using Fluticasone Propionate Nasal Spray, USP and see a doctor right away.
Nose injury	<ul style="list-style-type: none"> • Severe or frequent nosebleeds 	Apply pressure to your nose. Stop using Fluticasone Propionate Nasal Spray, USP and see a doctor.
	<ul style="list-style-type: none"> • Constant whistling sound that does not go away 	This could be a sign of damage to your nose. Stop using Fluticasone Propionate Nasal Spray, USP and see a doctor right away.
Eye Conditions such as cataracts or glaucoma	<ul style="list-style-type: none"> • Cloudy vision • Reduced vision 	Have a yearly eye exam to check for these conditions. Read the <i>Drug Facts</i>

		the back of the Fluticasone Propionate Nasal Spray, USP package for more details.
Growth effects	<ul style="list-style-type: none"> • Slower growth rate in some children while using product 	Talk to your doctor if you are concerned or if a child age 4-11 needs to use Fluticasone Propionate Nasal Spray, USP for longer than two months a year.
Other side effects	<ul style="list-style-type: none"> • Headaches or sneezing • Bad taste or smell • Minor nosebleeds • Dry or irritated nose or throat 	Talk to your doctor or pharmacist if you are concerned.

STILL HAVE QUESTIONS?

Call 866-488-0312



Distributed by:
Advagen Pharma Ltd.,
 East Windsor, NJ 08520

Made in Italy

Rev 02, 01/2025

FLUTICASONE PROPIONATE NASAL SPRAY, USP


QUICK START GUIDE

HOW TO START GETTING ALLERGY RELIEF RIGHT NOW	
	USE THE RIGHT DOSE Fluticasone Propionate Nasal Spray, USP works best when you use it daily. Here's how to get started.
Children age 4-11	
An adult should supervise use Use one spray in each nostril  Don't use more than one spray in each nostril per day.	If you miss a dose , just use your regular dose the next day. Don't add an extra dose. Check with doctor if a child needs to use Fluticasone Propionate Nasal Spray, USP for longer than two months a year.
Users age 12 or older	
In your first week Use two sprays in each nostril every day.  Don't use more than two sprays in each nostril per day. 	After your first week if your symptoms are under control, you may reduce to one spray in each nostril every day. If your symptoms get worse, go back to two sprays in each nostril. If you miss a dose , just use your regular dose the next day. Don't add an extra dose. WARNING: Do not spray in your eyes. Only for use in your nose.



KEEP IT CLEAN

A clean spray nozzle helps ensure a full dose. Clean it weekly, or if it's clogged. Don't try to unblock nozzle with pin or sharp object — that can damage it.



Remove spray nozzle by grasping at base and pulling up.



Rinse under running tap, and dry at room temperature.



Aim away from your face and gently replace spray nozzle until you hear a soft click.



If spray nozzle is clogged, soak in warm water. Then repeat steps **2** and **3**.

GET THE RELIEF YOU NEED. Fluticasone Propionate Nasal Spray, USP can relieve your allergy symptoms. For best results, it's important to get a full dose. Here's how, in five easy steps.



1. Shake



Gently shake the bottle.



Remove clear cap

2. Prime

Do this when:

- Starting new bottle
- Haven't used it in a week
- Just cleaned nozzle

Otherwise go to Step 3.



Aim away from face.
Grasp spray bottle as shown.
Pump until fine mist appears.
Pumped six times and still no mist? Spray nozzle may be clogged. See **KEEP IT CLEAN**

3. Blow



Blow nose gently to clear nostrils.

4. Aim



Close one nostril and put tip of spray nozzle in other nostril.



Put just the tip into your nose.



Aim slightly away from center of nose.

5. Breathe and Spray

While sniffing gently, press down on spray nozzle once or twice (according to dosing instructions). You'll feel a light mist in your nose. Breathe out through your mouth.



Repeat in other nostril. Wipe spray nozzle with clean tissue and replace cap

Distributed by:
Advagen Pharma Ltd.,
East Windsor, NJ 08520

Made in Italy

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

**Fluticasone propionate Nasal Spray 50 mcg per Spray - NDC 72888-248-01 -
120 Metered Spray Container Label**

NDC 72888-248-01

Dist. By:
Advagen Pharma Ltd.,
East Windsor, NJ 08520
Made in Italy

**Fluticasone Propionate
Nasal Spray, USP
50 mcg Per Spray**

**Allergy Symptom Reliever
(Glucocorticoid)**


120 metered sprays 0.53 fl oz (15.8 mL)

IMPORTANT: Read Drug Facts label and enclosed materials for important information. Children 4-11: 1 spray per nostril per day. **Talk to a doctor if your child needs to use for longer than two months a year. Keep out of reach of children.** Only for use in the nose, do not spray into eyes.

Store between 4°-30°C (39°-86°F).
Shake gently before each use.

 ADVAGEN

Rev 04, 09/25 921607 USA

 72888124801



~~Lot and Exp to be printed online~~

**Fluticasone propionate Nasal Spray 50 mcg per Spray - NDC 72888-248-01 -
120 Metered Spray Carton Label**

Drug Facts

Active ingredient (in each spray)	Purpose
Fluticasone propionate (glucocorticoid) 50 mcg	Allergy symptom reliever

Uses
Temporarily relieves these symptoms of hay fever or other upper respiratory allergies:
• nasal congestion • itchy, watery eyes • itchy nose • runny nose • sneezing

Warnings
Only for use in the nose. Do not spray into your eyes or mouth.

Do not use

- in children under 4 years of age
- to treat asthma
- if you have an injury or surgery to your nose that is not fully healed
- if you have ever had an allergic reaction to this product or any of the ingredients

Ask a doctor before use if you have or had glaucoma or cataracts

Ask a doctor or pharmacist before use if you are taking

- medicine for HIV infection (such as ritonavir)
- a steroid medicine for asthma, allergies or skin rash
- ketoconazole pills (medicine for fungal infection)

When using this product

- the growth rate of some children may be slower
- stinging or sneezing may occur for a few seconds right after use
- do not share this bottle with anyone else as this may spread germs
- remember to tell your doctor about all the medicines you take, including this one

Stop use and ask doctor if

- you have, or come into contact with someone who has, chicken pox, measles or tuberculosis
- your symptoms do not get better within 7 days of starting use or you get new symptoms such as severe facial pain or thick nasal discharge. You may have something more than allergies, such as an infection.
- you get a constant whistling sound from your nose. This may be a sign of damage inside your nose.
- you get an allergic reaction to this product. Seek medical help right away.
- you get new changes to your vision that develop

Drug Facts (continued)

after starting this product

- you have severe or frequent nosebleeds

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- read the Quick Start Guide for how to:
- prime the bottle
- use the spray
- clean the spray nozzle
- shake gently before each use
- use this product only once a day
- do not use more than directed

ADULTS AND CHILDREN 12 YEARS OF AGE AND OLDER

- Week 1 - use 2 sprays in each nostril once daily
- Week 2 through 6 months - use 1 or 2 sprays in each nostril once daily, as needed to treat your symptoms
- After 6 months of daily use - ask your doctor if you can keep using

CHILDREN 4 TO 11 YEARS OF AGE

- the growth rate of some children may be slower while using this product. Children should use for the shortest amount of time necessary to achieve symptom relief. Talk to your child's doctor if your child needs to use the spray for longer than two months a year.
- an adult should supervise use
- use 1 spray in each nostril once daily.

CHILDREN UNDER 4 YEARS OF AGE

- do not use

Other information

- you may start to feel relief the first day and full effect after several days of regular, once-a-day-use
- store between 4° and 30°C (39° and 86°F)
- keep this label and enclosed materials. They contain important additional information.

Inactive ingredients
benzalkonium chloride, dextrose, microcrystalline cellulose, phenylethyl alcohol, polysorbate 80, purified water, sodium carboxymethylcellulose

*This product is not distributed by GlaxoSmithKline, owner of the registered trademark Flonase®

Questions or comments?
call toll-free 866-488-0312

TAMPER - EVIDENT features for your protection. The product is packaged in a sealed carton. Under the cap and nozzle, each bottle has an aluminum seal around bottle neck. Do not use if any of these features are torn or damaged.

What problems can Fluticasone Propionate Nasal Spray, USP help with?
Fluticasone Propionate Nasal Spray, USP helps relieve a broad range of uncomfortable symptoms like congestion and itchy eyes.

Nasal symptoms  **Eye symptoms** 

These symptoms can be triggered by allergens like pollen, mold, dust and pet dander.

Outdoor allergens  

Animal allergens 

Indoor allergens 

Distributed by:
Advagen Pharma Ltd.,
East Windsor, NJ 08520
Made in Italy

Rev. 04, 09/25


N 3 7 2 8 8 8 1 2 4 8 0 1 1

NDC 72888-248-01

*Compare to the active ingredient in Flonase®
FULL PRESCRIPTION STRENGTH • NON-DROWSY
24 HOUR RELIEF

Fluticasone Propionate Nasal Spray, USP
50 mcg per Spray
Allergy Symptom Reliever
(Glucocorticoid)

Non-Drowsy Relief of:

- Nasal Congestion
- Itchy, Watery Eyes
- Itchy Nose
- Runny Nose
- Sneezing

120 METERED SPRAYS
0.53 fl oz (15.8 mL)

 **ADVAGEN**

LOT NO:
EXPIRY DATE:

Overprinting Area
36.5x27 mm

A313/905096

FLUTICASONE PROPIONATE

fluticasone propionate nasal spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72888-248
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FLUTICASONE PROPIONATE (UNII: O2GMZ0LF5W) (FLUTICASONE - UNII:CUT2W21N7U)	FLUTICASONE PROPIONATE	50 ug

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
DEXTROSE (UNII: IY9XDZ35W2)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72888-248-01	1 in 1 CARTON	08/15/2025	
1		120 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA219060	08/15/2025	

Labeler - Advagen Pharma Ltd. (051627256)