

STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- for temporary relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are

presently taking mineral oil.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using a laxative. These could be sign of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away

Directions

- take with a glass of water

adults and children 12 years of age and over	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years of age	ask a doctor

Other information

- **each softgel contains:** sodium 6 mg
- store at 25°C (77°); excursions permitted between 15°-30°C (59°-86°F)

Inactive ingredients

edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water sorbitan, sorbitol

*contains one or more of these ingredients

Questions or comments?

Call toll free **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

Compare to DulcoEase® Stool Softener active ingredient**

Stool Softener Laxative

Docusate Sodium, 100mg

Stool Softener Laxative

Fast, Dependable Relief of Occasional Constipation

SOFTGELS

**This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of DulcoEase®.

TAMPER EVIDENT:DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

MADE WITH PRIDE AND CARE FOR H.E.B®, SAN ANTONIO, TX 78204

Product Label

Drug Facts

Active ingredient (in each softgel) Docusate sodium 100 mg.....Stool softener laxative	Purpose
--	----------------

Uses

- for temporary relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you have

- stomach pain ■ nausea ■ vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are presently taking mineral oil.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Drug Facts (continued)

Directions ■ take with a glass of water

adults and children 12 years and over	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each softgel contains: sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol *contains one or more of these ingredients

Questions or comments? Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of DulcoEase®.

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

100% GUARANTEE promise

H-E-B

If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.

Compare to DulcoEase® Stool Softener active ingredient**

NDC 37808-584-10

H-E-B

Stool Softener Laxative

Docusate Sodium 100 mg

Stool Softener Laxative

Fast, Dependable Relief of Occasional Constipation



actual size

100 SOFTGELS

8587-1808



0 4 1 2 2 0 5 6 9 3 2 8

PLD-C10J FC004463

Lot No.:

Exp. Date:

H-E-B Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-584
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)		DOCUSATE SODIUM	100 mg	
Inactive Ingredients				
Ingredient Name		Strength		
FD&C RED NO. 40 (UNII: WZB9127XOA)				
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				
SORBITAN (UNII: 6O92ICV9RU)				
Product Characteristics				
Color	orange	Score	no score	
Shape	OVAL	Size	12mm	
Flavor		Imprint Code	P51;SCU1;D2	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-584-10	1 in 1 BOX	09/30/2018	09/30/2025
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part334	09/30/2018	09/30/2025	

Labeler - H E B (007924756)