HYDROGEN PEROXIDE- hydrogen peroxide solution Navajo Manufacturing Company Inc.

Hydrogen Peroxide 3%

□Drug Facts

Active Ingredient

Hydrogen Peroxide (stabilized 3%)

Purpose

First aid antiseptic/Oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings

For external use only

Do not use

- in the eyes or apply over large areas of the body
- longer than 1 week

Ask a doctor before useif you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic:

- clean the affected area
- apply a small amount of product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Oral debriding agent (oral rinse):

adults and children 2 years of age and over:

- mix with an equal amount of water
- swish around in the mouth over the affected area for at least 1 minute and then spit out
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

Other Information

Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

Inactive Ingredient

Purified Water

Handy Solutions

Hydrogen Peroxide

3% USP Topical Solution

first aid antiseptic

oral debriding agent

WARNING: Do not use if tamper evident seal is broken. This product is sealed with a breakaway cap.

4 FL OZ (118.3 mL)

Drug Facts (continued)

Directions

First aid antisoptic: • clean the affected area . apoly a small amount of product on the area 1 to 3 times dally . may be covered with a sterile bandage If bandaged, let dry first Oral debriding agent: adults and children 2 years of age and over: mix with an equal amount of water . swish around in the mouth over the affected area for at least 1 minute and then soit out • use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor children under 12 years of age should be supervised in the use of this product children under 2 years of age:


Other information

consult a dentist or doctor

Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

Inactive Ingredient purified water

Distributed by: Navajo Mfg. Co. Inc. 5330 Fox Street Deriver, CO 80216



24291||27597||||8

associated with occasional sore mouth

Warnings

No. 27587 VZ

Drug Facts

Active incredient

Hydrocen Percydde

acrages, and burns

For external use only
Do not use - in the eyes or apply
over large areas of the body

(stabilized) 3% Antiseptic

Uses • first aid to help prevent the

risk of infection in minor cuts.

mucus, or other secretions

aids in the removal of philegra,

1-07-A0010804C

Purpose

In longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if • the condition persists or gets worse

sore mouth symptoms do not improve in 7 days • intitation, pain, or redness persists or worsens

swelling, rash, or fever develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

HYDROGEN PEROXIDE

hydrogen peroxide solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:67751-001

WALROWIE: Do not use if temper evident

4 fl oz (118.3 mL)

seel is broken. This product is seeled

will's breaksway cap.

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII: BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients			
	Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)			

Packaging				
4	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67751- 001-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/24/2013	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M003	04/24/2013			

Labeler - Navajo Manufacturing Company Inc. (091917799)

Revised: 10/2023 Navajo Manufacturing Company Inc.