

HYDROGEN PEROXIDE- hydrogen peroxide solution
Navajo Manufacturing Company Inc.

Hydrogen Peroxide

□ Drug Facts

Active Ingredient

Hydrogen Peroxide (stabilized 3%)

Purpose

First aid antiseptic/Oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucous, or other secretions associated with occasional sore mouth

Warnings

For external use only

Do not use

- in the eyes or apply over large areas of the body
- longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

First aid antiseptic:

- clean the affected area
- apply a small amount of product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Oral debriding agent (oral rinse):

adults and children 2 years of age and over:

- mix with an equal amount of water
- swish around in the mouth over the affected area for at least 1 minute and then spit out
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

Other Information

Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

Inactive Ingredient

Purified Water

Handy Solutions

Hydrogen Peroxide

3% USP Topical Solution

first aid antiseptic

oral debriding agent

TAMPER EVIDENT CAP FOR YOUR PROTECTION.

IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

4 FL OZ (118 mL)

Drug Facts (continued)

Directions

First aid antiseptic: • clean the affected area • apply a small amount of product on the area 1 to 3 times daily • may be covered with a sterile bandage • If bandaged, let dry first

Oral debriding agent: adults and children 2 years of age and over: • mix with an equal amount of water • swish around in the mouth over the affected area for at least 1 minute and then spit out • use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor • children under 12 years of age should be supervised in the use of this product • children under 2 years of age: consult a dentist or doctor

Other information

Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

Inactive Ingredient

purified water

Distributed by: Navajo Mfg. Co. Inc.
5330 Fox Street Denver, CO 80216



HYDROGEN PEROXIDE

3%

Topical solution USP
First aid antiseptic
oral debriding agent

WARNING: Do not use if tamper evident seal is broken. This product is sealed with a breakaway cap.

4 fl oz (118.3 mL)



No. 27587 V2

1-07-0010ND4C

Drug Facts

Active Ingredient Purpose
Hydrogen Peroxide (stabilized) 3% Antiseptic

Uses • first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
• aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only

Do not use • In the eyes or apply over large areas of the body • longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns

Stop use and ask a doctor if • the condition persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

HYDROGEN PEROXIDE

hydrogen peroxide solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67751-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67751-001-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/24/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	04/24/2013	

Labeler - Navajo Manufacturing Company Inc. (091917799)

Revised: 1/2026

Navajo Manufacturing Company Inc.