NAKED SUNDAYS CABANA GLOW MINERAL GLOW SERUM DROPS ILLUMINATING 40ML WITH PINK ALGAE SPF 50- titanium oxide, zinc oxide liquid NAKED SUNDAYS PTY LTD

NAKED SUNDAYS CABANA GLOW MINERAL GLOW SERUM DROPS Illuminating 40mL with Pink Algae

ACTIVE INGREDIENTS

Active Ingredients: Titanium Dioxide 3.3% Zinc Oxide 14.9%

Purpose

Sunscreen

USES

Uses: Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

WARNINGS

Warnings: For external use only. Do not use on damaged or broken skin Avoid prolonged sun exposure. If it gets in your eyes, wash well with water. Keep out of reach of children. Stop use and ask a doctor if rashes occur. If product is swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS

- SPRAY 7 TIMES WITH MOUTH AND LIPS CLOSED 8-10" AWAY FROM FACE 15 MINUTES BEFORE SUN EXPOSURE.
- Reapply after 80 minutes of swimming or sweating.
- Reapply immediately after towel drying.
- Reapply at least every 2 hours.
- Children under 3 years of age: Ask a doctor.

SUN PROTECTION MEASURES:

Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10.00AM 2.00PM
- Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS

Inactive Ingredients: Aluminum Hydroxide,
Aqua, Butyloctyl Salicylate, C12-15 Alkyl
Benzoate, Coco-Caprylate/Caprate, Dimethicone,
Ethylhexyl Methoxycrylene, Ethylhexylglycerin,
Hydroxyacetophenone, Simmondsia Chinensis
(Jojoba) Seed, Dunaliella Salina Extract, Iron
Oxides, Isododecane, Isostearic Acid, Lauryl
PEG-8 Dimethicone, Magnesium Sulfate, Mica,
Phenoxyethanol, Polyglyceryl-2 Tetraisostearate,
Polyglyceryl-2 Tetraisostearate, Polyglyceryl-3
Polyricinoleate, Propanediol, Sodium Hyaluronate,
Stearic Acid, Hibiscus sabdariffa Flower Extract

OTHER INFORMATION

Other Information: Protect this product from excess heat and direct sun. Store below 30°C / 86°F.

Directions: Shake well before use.

Apply liberally and reapply every 80 minutes, especially after swimming or towel drying.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit lime in the sun, especially from 10 am-2 pm Wear longsleeved shirts, pants, hats, and sunglasses For Children under 6 months of age ask a doctor

Label

Drug Facts: (continued)

olyglyceryl-2 etraisostearate, olyglyceryl-3 olyricinoleate, Propartedion, Sodium Hyaluronate, Stearic Acid, Hibiscus sabdariffa Flower Extract

Protect this roduct from xcess heat and lirect sun. ■Store elow 30°C / 86°F.

Questions:

AKED **INDAYS**

ILLUMINATING

Drug Facts:

Active Ingredients: Titanium Dioxide 3.3% Zinc Oxide 14.9%

Purpose:

Uses: ■Helps prevent sunburn. ■If used as directed with othe sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

Warnings: For external use only. ■Do not use on damaged or broken skin ■Avoid prolonged sun exposure ■Avoid eye area. If it gets in your eyes, wash well with water. ■Stop use and ask a dootor if rashes occur. ■Keep out of reach of children. ■If product is swallowed, get medical help or contact a Poison Control Center right away.

Control Center right away

Directions:

Shake well before use.

Apply liberally 15 minutes before sun exposure.

Use a water-resistant sunsoreen if swimming or sweating.

Reapply immediately after towel drying.

Reapply at least every 2 hours.

For children under 6 months of age: Ask a doctor.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunsoreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

Buint time in the sun, especially from 10 am-2 pm

Wear long-sleeved shirts, pants, hats, and sunglasses

| Manufacture | Manufacture

Inactive Ingredients: Aluminum Hydroxide, Aqua, Butyloctyl Salicylate, C12-16 Alkyl Benzoate, Coco-Caprylate/Caprate, Dimethicone, Ethylhexyl Methoxycrylene, Ethylhexylgylcerin, Hydroxyacetophenone, Simmondsia Chinensis (Jojoba) Seed, Dunallella Salina Extract, Iron Oxides, Isododecane, Isostearic Acid, Lauryl PEG-8 Dimethicone, Magnesium Sulfate, Mica, Phenoxyethanol, Polyglyceryl-2 Tetraisostearate,



MINERAL GLOW SERUM DROPS

ILLUMINATING

MADE IN AUSTRALIA
Distributed by
Lily Harper International Inc.
532 N. MAGNOLIA AVE #693
ANAHEIM, CA 92801
NAKEDSUNDAYS.COM

Drug Facts:

Active Ingredients: Titanium Dioxide 3.3%... Zinc Oxide 14.9%.....

Purpose: Sunscreen Sunscreen

Uses: ■Helps prevent sunburn.■If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

Warnings: For external use only. ■Do not use on damaged or broken skin ■Avoid prolonged sun exposure. ■If it gets in your eyes, wash well with water.■Keep out of reach of children.
■Stop use and ask a doctor if rashes occur.
■It product in explanation and product in the control of the cont ■If product is swallowed, get medical help or contact a Poison Control Center right away.

contact a Poison Control Center right away.

Directions: Shake well before use.

Apply liberally and reapply every 80 minutes, especially after swimming or towel drying.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit lime in the sun, especially from 10 am-2 pm Wear long-sleeved shirts, pants, hats, and sunglasses For Children under 6 months of age ask a doctor

Children under 6 months of age ask a doctor Inactive Ingredients: Aluminum Hydroxide, Aqua, Butylootyl Salicylate, C12-15 Alkyl Benzoate, Cooo-Caprylate/Caprate, Dimethicone, Ethylhexyl Methoxycrylene, Ethylhexylglycerin, Hydroxyacetophenone, Simmondsia Chinensis (Jojoba) Seed, Dunaliella Salina Extract, Iron Oxides, Isododecane, Isostearic Acid, Lauryl PEG-8 Dimethicone, Magnesium Sulfate, Mica, Phenoxyethanol, Polyglyceryl-2 Tetraisostearate, Solidium Hyaluronate, Stearic Acid, Hibisous sabdariffa Flower Extract.

Other Information: Protect this product from excess heat and direct sun. ■Store below 30°C / 86°F.

Questions: ■info@nakedsundays.com



NAKED SUNDAYS CABANA GLOW MINERAL GLOW SERUM DROPS ILLUMINATING 40ML WITH PINK ALGAE SPF 50

titanium oxide, zinc oxide liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81104-986	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.3 g in 100 mL	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	14.9 g in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y10)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
WATER (UNII: 059QF0KO0R)	
PROPANEDIOL (UNII: 5965N8W85T)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-2 TETRAISOSTEARATE (UNII: KN8R167SEQ)	
HIBISCUS SABDARIFFA FLOWER (UNII: 45TGG6IU6M)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
LAURYL PEG-8 DIMETHICONE (300 CPS) (UNII: ELL2U7K8T8)	
MICA (UNII: V8A1AW0880)	
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5D0T4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
ISODODECANE (UNII: A8289P68Y2)	
SIMMONDSIA CHINENSIS SEED (UNII: D24K2Q1F6H)	
DUNALIELLA SALINA (UNII: F4O1DKI9A6)	

	Packaging					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:81104- 986-01	40 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/30/2023			
	NDC:81104- 986-02	50 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/30/2023			
	3 NDC:81104- 986-03	15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/30/2023			
Г						

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	06/30/2023		

Labeler - NAKED SUNDAYS PTY LTD (746918845)

Revised: 4/2024 NAKED SUNDAYS PTY LTD