# NAKED SUNDAYS CABANA GLOW MINERAL GLOW SERUM DROPS PEARL 40ML WITH PINK ALGAE SPF 50- titanium oxide, zinc oxide liquid NAKED SUNDAYS PTY LTD

-----

# NAKED SUNDAYS CABANA GLOW MINERAL GLOW SERUM DROPS PEARL with Pink Algae

### **ACTIVE INGREDIENTS**

Active Ingredients: Titanium Dioxide 3.3% Zinc Oxide 14.9%

### **Purpose**

Sunscreen

### **USES**

Uses: Helps prevent sunburn. If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

### WARNINGS

Warnings: For external use only. Do not use on damaged or broken skin Avoid prolonged sun exposure. If it gets in your eyes, wash well with water. Keep out of reach of children. Stop use and ask a doctor if rashes occur. If product is swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

### **DIRECTIONS**

- SPRAY 7 TIMES WITH MOUTH AND LIPS CLOSED 8-10" AWAY FROM FACE 15 MINUTES BEFORE SUN EXPOSURE.
- Reapply after 80 minutes of swimming or sweating.
- Reapply immediately after towel drying.
- Reapply at least every 2 hours.
- Children under 3 years of age: Ask a doctor.

### **SUN PROTECTION MEASURES:**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or

higher and other sun protection measures including:

- Limit time in the sun, especially from 10.00AM 2.00PM
- Wear long-sleeved shirts, pants, hats, and sunglasses

### **INACTIVE INGREDIENTS**

Inactive Ingredients: Aluminum Hydroxide,
Aqua, Butyloctyl Salicylate, C12-15 Alkyl
Benzoate, Coco-Caprylate/Caprate, Dimethicone,
Dunaliella Salina Extract, Ethylhexyl
Methoxycrylene, Ethylhexylglycerin, Hibiscus
sabdariffa Flower Extract, Hydroxyacetophenone,
Iron Oxides, Isododecane, Isostearic Acid, Lauryl
PEG-8 Dimethicone, Magnesium Sulfate, Mica,
Phenoxyethanol, Polyglyceryl-2 Tetraisostearate,
Polyglyceryl-2 Tetraisostearate, Polyglyceryl-3
Polyricinoleate, Propanediol, Sodium Hyaluronate,
Stearic Acid, Silica, Simmondsia Chinensis
(Jojoba) Seed, Tin Oxide.

### OTHER INFORMATION

Other Information: Protect this product from excess heat and direct sun. Store below 30°C / 86°F.

Directions: Shake well before use.

Apply liberally and reapply every 80 minutes, especially after swimming or towel drying.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit lime in the sun, especially from 10 am-2 pm Wear longsleeved shirts, pants, hats, and sunglasses For Children under 6 months of age ask a doctor

### Label

#### Drug Facts: (continued)

### Other Information: Protect this product from excess heat and direct sun. Store pelow 30°C / 86°F.

Questions:

## AKED **NDAYS**

### PEARL

### Drug Facts:

Active Ingredients: Titanium Dioxide 3.3%... Zinc Oxide 14.9%.....

Purpose

Uses: ■Helps prevent sunburn. ■If used as directed with othe sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun.

of skin cancer and early skin ageing caused by the sun.

Warnings: For external use only. \*Do not use on damaged
or broken skin \*Avoid prolonged sun exposure.\* Avoid eye area.

If it gets in your eyes, wash well with water. \*Stop use and ask a
doctor if rashes occur. \*Weep out of reach of children. \*Bif
product is swallowed, get medical help or contact a Poison
Control Center right away.

Directions: \*Shake well before use. \*Apply liberally 15
minutes before sun exposure. \*Use a water-resistant
sunscreen if swimming or sweating. \*Reapply immediately
after towel drying. \*Reapply at least every 2 hours. \*For
children under 6 months of age: Ask a doctor. \*Sun
Protection Measures Spending time in the sun increases
your risk of skin cancer and early skin aging. To decrease this
risk, regularly use a sunscreen with a Broad Spectrum SPF
value of 15 or higher and other sun protection measures
including: \*Limit time in the sun, especially from 10 am-2 pm
\*Wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients: \*Aluminum Hydroxide, Aqua, Butyloctyl

Inactive Ingredients: Aluminum Hydroxide, Aqua, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Coo-Caprylate/Caprate, Dimethicone, Dunaliella Salina Extract, Ethylhexyl Methoxycrylene, Ethylhexylglycerin, Hibiscus sabdariffa Flower Extract, Hydroxyacetophenone, Iron Oxides, Isododecane, Isostearic Acid Lauryl PEG-8 Dimethicone, Magnesium Sulfate, Mica, Phenoxyethanol, Polyglyceryl-2 Tetraisostearate,

MINERAL GLOW SERUM DROPS

### Drug Facts:

Active Ingredients: Titanium Dioxide 3.3% Zinc Oxide 14.9%

Purpose:

Uses: ■Helps prevent sunburn. ■If used as directed with other sun protection measures (see directions), decreases the risk of skin cancer and early skin ageing caused by the sun

Warnings: For external use only. ■Do not use wathings: For external use only. ■Do not use on damaged or broken skin ■ Avoid prolonged sun exposure. ■If it gets in your eyes, wash well with water. ■Keep out of reach of children. ■Stop use and ask a doctor If rashes occur. ■If product is swallowed, get medical help or contact a Poison Control Center right away.

contact a Poison Control Center right away.

Directions: Shake well before use.

Apply liberally and reapply every 80 minutes, especially after swimming or towel drying.

Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit lime in the sun, especially from 10 am-2 pm Wear long-sleeved shirts, pants, hats, and sunglasses For Children under 6 months of age ask a doctor

Children under 6 months of age ask a doctor Inactive Ingredients: Aluminum Hydroxide, Aqua, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Coco-Caprylate/Caprate, Dimethicone, Dunaliella Salina Extract, Ethylhexyl Wethoxylorediene, Ethylhexyl Sylverin, Hibiscus aabdariffa Flower Extract, Hydroxyacetophenone, Iron Oxides, Isododecane, Isostearia Acid, Lauryl PEG-8 Dimethicone, Magnesium Sulfate, Mica, Phenoxyethanol, Polyglyceryl-2 Tetraisostearate, Polyglyceryl-2 Tetraisostearate, Polyglyceryl-2 Tetraisostearate, Stearia Acid, Silica, Simmondaia Chinensis (Jojoba) Seed, Tin Oxide.

Other Information: 

Protect this product from excess heat and direct sun. 

Store below 30°C / 86°F.

Questions: ■info@nakedsundays.com





### NAKED SUNDAYS CABANA GLOW MINERAL GLOW SERUM DROPS PEARL 40ML WITH PINK ALGAE SPF 50

MADE IN AUSTRALIA
Distributed by
Lily Harper International Inc.
532 N. MAGNOLIA AVE #693
ANAHEIM, CA 92801
NAKEDSUNDAYS.COM

titanium oxide, zinc oxide liquid

### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81104-983
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	3.3 g in 100 mL	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	14.9 g in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SIMMONDSIA CHINENSIS SEED (UNII: D24K2Q1F6H)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-2 TETRAISOSTEARATE (UNII: KN8R167SEQ)	
PROPANEDIOL (UNII: 5965N8W85T)	
HIBISCUS SABDARIFFA FLOWER (UNII: 45TGG6IU6M)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
ISODODECANE (UNII: A8289P68Y2)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q00K5D0T4)	
LAURYL PEG-8 DIMETHICONE (300 CPS) (UNII: ELL2U7K8T8)	
MICA (UNII: V8A1AW0880)	
MAGNESIUM SULFATE ANHYDROUS (UNII: ML30MJ2U7I)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
DUNALIELLA SALINA (UNII: F4O1DKI9A6)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81104- 983-01	40 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/30/2023	
2	NDC:81104- 983-02	50 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/30/2023	
3	NDC:81104- 983-03	15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/30/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	06/30/2023		

## Labeler - NAKED SUNDAYS PTY LTD (746918845)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
WLD CHILD LABORATORIES PTY LTD		890661643	manufacture(81104-983)	

Revised: 4/2024 NAKED SUNDAYS PTY LTD