

## **CHILDRENS PAIN AND FEVER- acetaminophen 160mg/5ml solution CalmCo LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **DrKids Children's Pain and Fever**

#### **Active Ingredient (in each 5mL)**

Acetaminophen, 160mg

#### **Purpose**

Pain reliever/fever reducer

#### **Uses**

Temporarily: • reduces fever

• relieves minor aches and pains due to: • the common cold • flu • headache • sore throat • toothache

#### **Warnings**

**Liver Warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes • more than 5 doses in 24 hours, which is the maximum daily amount for this product. • with other drugs containing acetaminophen.

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting consult a doctor promptly.

**Ask a doctor before use if your child has**  
liver disease

**Ask a doctor or pharmacist before use if**  
your child is taking the blood thinning drug warfarin

#### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present. These could be signs of a serious condition.

## Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

## Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- If your child is allergic to acetaminophen or any of the inactive ingredients in this product

## Directions

- **this product does not contain directions or complete warnings for adult use.**
- do not give more than directed (see overdose warning)
- use the chart below to confirm dose. If possible, use weight to confirm, otherwise use age
- give the recommended number of vials below following the instructions under "Easy to Use" on the side panel.
- empty each Single-Use Vial required of all liquid when dosing
- if needed, repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

## Dosing Chart

<b>Weight (lbs)</b>	<b>Age (Years)</b>	<b>Dose (mL)</b>
under 24 lbs	under 2 years	Talk to a doctor
24 -35 lbs	2 - 3 years	1 Single-Use Vial (5 mL)
36 - 47 lbs	4-5 years	Talk to a doctor
48 - 71 lbs	6-10 years	2 Single-Use Vial (10 mL)
72 - 95 lbs	11 years	3 Single-Use Vial (15 mL)

## Other information

- each Single-Use vial contains 8mg of sodium
- store at 68-77°F (20-25°C)
- tamper evident: do not use if top flap of carton is open. Do not use if any vials are open or broken

## Inactive ingredients

citric acid, cherry flavor, edetate disodium, glycerin, maltitol, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sorbitol, sucralose, trisodium citrate dihydrate, xanthan gum.

# Questions or Comments?

+1 941-202-3270 or visit [www.DrKids.com](http://www.DrKids.com)

## Package



## CHILDRENS PAIN AND FEVER

acetaminophen 160mg/5ml solution

---

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73282-2016(NDC:70302-126)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
MALTITOL (UNII: D65DG142WK)	
XANTHAN GUM (UNII: TTV12P4NEE)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73282-2016-1	20 in 1 CARTON	11/16/2022	
1		5 mL in 1 VIAL, SINGLE-DOSE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	11/16/2022	

**Labeler** - CalmCo LLC (079308308)

**Registrant** - CalmCo LLC (079308308)

Revised: 7/2023

CalmCo LLC