



MOLLUSCUM CONTAGIOSUM TREATMENT- molluscum contagiosum treatment pen liquid

Good Manager Holdings Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

1.8X3.5X12.5

Drug Fact	
MOLLUSCUM CONTAGIOSUM TREATMENT	
ACTIVE INGREDIENT	PURPOSE
Salicylic Acid 1%	Skin Conditioner
Uses	
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.	
Warnings - For external use only. Do not dab into or cut the affected area. Let it naturally fall off to avoid potential reinfection.	
Do not use	
- On irritated skin on any area that is infected or redness. Do not use if pregnant or if there is any allergic reaction to this product. - Avoid contact with eyes.	
Ask doctor before you use	
If you have diabetes or poor blood circulation.	
Stop use and ask a doctor	
If discomfort persists.	
Keep out of reach of children	
- If product gets into eyes, flush with water for 5 minutes. If swallowed, get medical help right away.	
Directions	
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.	
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.	
- Apply the product to affected areas once every 2-3 days, avoid sunlight. Best to use at night and regularly change clothes and sheets.	
- Test in a small area for allergies before initial use.	
- Bump may scab and turn red in 2 weeks, then shrivel, dry and flake off in 2-6 weeks.	
Inactive ingredients	
Chlorhexidine Acetate, Sophora Flavescens Root, Sternum Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.	
Net Wt / 0.3 FL OZ	
Other information	
Store at 59° - 20° C (139° F to 77° F) away from light in a dry place.	
Contact us with any issues or concerns via support@mygmlc.com	
 7 17777 01374 3	
Design in the USA / Made in China	



FOR MOLLUSCUM


ALL NATURAL INGREDIENTS

Initially Designed for Kids

Fast Safe Painless Molluscum Repair

Easy to use

PREMIUM Quality




0.34 FL.OZ / 10mL

Manufactured for: Good Manager Holdings Inc
Address: 21 Terminal Vista Blvd #207, Core Business, CT 06925


Web: skyloa.com
Email: support@skyloa.com

For more information about our product and a money-back guarantee, visit us at skyloa.com.

4.6*3.9 CM



CLEANSING SERUM
0.17 FL.OZ / 5 mL



REPAIR LOTION
0.17 FL.OZ / 5 mL

45*68 MM



FOR MOLLUSCUM

WARNINGS:

- Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
- For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
- If you are skin allergic or pregnant, consult your physician before use.
- Keep out of reach of kids.

Tips for Treating Molluscum

- Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
- The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
- Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
- Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
- Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5

Drug Fact

MOLLUSCUM CONTAGIOSUM TREATMENT

ACTIVE INGREDIENT _____ **PURPOSE**
Sulfuric Acid 1% _____ Skin Conditioner

Uses
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.

Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.

Do not use
- On irritated skin on any area that is infected or reddened. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.

Ask a doctor before you use
If you have diabetes or poor blood circulation.

Stop use and ask a doctor
if discomfort persists.

Keep out of reach of children
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.

Directions
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.
- Test in a small area for allergies before initial use.
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.

Inactive ingredients
Chitosan/Chitosan Acetate, Sophora Flavescens Root, Steronea Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.

Net / 0.3 FL OZ

Other information
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.

Contact us with any issues or concerns via support@skyloa.com



Design in the USA / Made in China

SKYLOA®

SKYLOA®

FOR MOLLUSCUM

ALL NATURAL INGREDIENTS

Initially Designed for Kids

Fast Safe Painless Molluscum Repair

Easy to use

PREMIUM Quality

0.34 FL.OZ / 10mL

Web: skyloa.com
Email: support@skyloa.com

Manufactured for Good Things Holding Inc
Address: 21 Tama Vista Blvd #207,
Corte Madera, CA 94925

For more information about our product and a money-back visit us at skyloa.com.

4.6*3.9 CM

SKYLOA® CLEANSING SERUM
0.17 FL.OZ / 5 mL

SKYLOA® REPAIR LOTION
0.17 FL.OZ / 5 mL

45*68 MM

SKYLOA®
FOR MOLLUSCUM

WARNINGS:

1. Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
2. For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
3. If you are skin allergic or pregnant, consult your physician before use.
4. Keep out of reach of kids.

Tips for Treating Molluscum

1. Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
2. The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
3. Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
4. Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
5. Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5

Drug Fact

MOLLUSCUM CONTAGIOSUM TREATMENT

ACTIVE INGREDIENT _____ **PURPOSE**
Sulfuric Acid 1% _____ Skin Conditioner

Uses
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.

Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.

Do not use
- On irritated skin on any area that is infected or reddened. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.

Ask a doctor before you use
If you have diabetes or poor blood circulation.

Stop use and ask a doctor
if discomfort persists.

Keep out of reach of children
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.

Directions
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.
- Test in a small area for allergies before initial use.
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.

Inactive ingredients
Chitosan/Chitosan Acetate, Sophora Flavescens Root, Steronea Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.

Net / 0.3 FL OZ

Other information
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.

Contact us with any issues or concerns via support@skyloa.com



Design in the USA / Made in China

SKYLOA®

SKYLOA®

FOR MOLLUSCUM

ALL NATURAL INGREDIENTS

Initially Designed for Kids

Fast Safe Painless Molluscum Repair

Easy to use

PREMIUM Quality

0.34 FL.OZ / 10mL

Web: skyloa.com
Email: support@skyloa.com

Manufactured for Good Things Holding Inc
Address: 21 Tama Vista Blvd #207,
Corte Madera, CA 94925

For more information about our product and a money-back visit us at skyloa.com.

4.6*3.9 CM

SKYLOA® CLEANSING SERUM
0.17 FL.OZ / 5 mL

SKYLOA® REPAIR LOTION
0.17 FL.OZ / 5 mL

45*68 MM

SKYLOA®
FOR MOLLUSCUM

WARNINGS:

1. Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
2. For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
3. If you are skin allergic or pregnant, consult your physician before use.
4. Keep out of reach of kids.

Tips for Treating Molluscum

1. Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
2. The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
3. Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
4. Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
5. Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5

Drug Fact

MOLLUSCUM CONTAGIOSUM TREATMENT

ACTIVE INGREDIENT _____ **PURPOSE**
Sulfuric Acid 1% _____ Skin Conditioner

Uses
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.

Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.

Do not use
- On irritated skin on any area that is infected or reddened. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.

Ask a doctor before you use
If you have diabetes or poor blood circulation.

Stop use and ask a doctor
if discomfort persists.

Keep out of reach of children
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.

Directions
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.
- Test in a small area for allergies before initial use.
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.

Inactive ingredients
Chitosan/Inulin Acetate, Sophora Flavescens Root, Stereonia Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.

Net Wt / 0.3 FL OZ

Other information
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.

Contact us with any issues or concerns via support@skyloa.com



Design in the USA / Made in China

SKYLOA®

SKYLOA®

FOR MOLLUSCUM

ALL NATURAL INGREDIENTS

Initially Designed for Kids

Fast Safe Painless Molluscum Repair

Easy to use

PREMIUM Quality

0.34 FL.OZ / 10mL

Web: skyloa.com
Email: support@skyloa.com

Manufactured for Good Things Holding Inc
Address: 21 Tama Vista Blvd #207,
Corte Madera, CA 94925

For more information about our product and a money-back guarantee visit us at skyloa.com.

4.6*3.9 CM

SKYLOA® CLEANSING SERUM
0.17 FL.OZ / 5 mL

SKYLOA® REPAIR LOTION
0.17 FL.OZ / 5 mL

45*68 MM

SKYLOA®
FOR MOLLUSCUM

WARNINGS:

- Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
- For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
- If you are skin allergic or pregnant, consult your physician before use.
- Keep out of reach of kids.

Tips for Treating Molluscum

- Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
- The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
- Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
- Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
- Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5

Drug Fact

MOLLUSCUM CONTAGIOSUM TREATMENT

ACTIVE INGREDIENT _____ **PURPOSE**
Sulfuric Acid 1% _____ Skin Conditioner

Uses
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.

Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.

Do not use
- On irritated skin on any area that is infected or reddened. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.

Ask a doctor before you use
If you have diabetes or poor blood circulation.

Stop use and ask a doctor
if discomfort persists.

Keep out of reach of children
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.

Directions
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.
- Test in a small area for allergies before initial use.
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.

Inactive ingredients
Chitosan/Inulin Acetate, Sophora Flavescens Root, Stereonia Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.

Net Wt / 0.3 FL OZ

Other information
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.

Contact us with any issues or concerns via support@skyloa.com



Design in the USA / Made in China

SKYLOA®

SKYLOA®

FOR MOLLUSCUM

ALL NATURAL INGREDIENTS

Initially Designed for Kids

Fast Safe Painless Molluscum Repair

Easy to use

PREMIUM Quality

0.34 FL.OZ / 10mL

Web: skyloa.com
Email: support@skyloa.com

Manufactured for Good Things Holding Inc
Address: 21 Tama Vista Blvd #207,
Corte Madera, CA 94925

For more information about our product and a money-back guarantee visit us at skyloa.com.

4.6*3.9 CM

SKYLOA® CLEANSING SERUM
0.17 FL.OZ / 5 mL

SKYLOA® REPAIR LOTION
0.17 FL.OZ / 5 mL

45*68 MM

SKYLOA®
FOR MOLLUSCUM

WARNINGS:

- Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
- For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
- If you are skin allergic or pregnant, consult your physician before use.
- Keep out of reach of kids.

Tips for Treating Molluscum

- Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
- The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
- Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
- Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
- Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5

Drug Fact	
MOLLUSCUM CONTAGIOSUM TREATMENT	
ACTIVE INGREDIENT	PURPOSE
Sulfuric Acid 1%	Skin Conditioner
Uses	
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.	
Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.	
Do not use	
- On irritated skin on any area that is infected or redness. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.	
Ask a doctor before you use	
If you have diabetes or poor blood circulation.	
Stop use and ask a doctor	
if discomfort persists.	
Keep out of reach of children	
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.	
Directions	
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.	
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.	
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.	
- Test in a small area for allergies before initial use.	
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.	
Inactive ingredients	
Chitosan/Chitosan Acetate, Sophora Flavescens Root, Steronea Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.	
Net / 0.3 FL OZ	
Other information	
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.	
Contact us with any issues or concerns via support@skyloa.com	



Design in the USA / Made in China

FOR MOLLUSCUM

ALL NATURAL INGREDIENTS

Initially Designed for Kids

Fast Safe Painless Molluscum Repair

Easy to use

PREMIUM Quality

0.34 FL.OZ / 10mL

Web: skyloa.com
Email: support@skyloa.com

Manufactured for
Good Things Holding Inc
Address: 21 Tama Vista Blvd #207,
Corte Madera, CA 94925

For more information about our product and a money-back visit us at skyloa.com.

4.6*3.9 CM

CLEANSING SERUM
0.17 FL.OZ / 5 mL

REPAIR LOTION
0.17 FL.OZ / 5 mL

45*68 MM

FOR MOLLUSCUM

WARNINGS:

- Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
- For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
- If you are skin allergic or pregnant, consult your physician before use.
- Keep out of reach of kids.

Tips for Treating Molluscum

- Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
- The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
- Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
- Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
- Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5

Drug Fact	
MOLLUSCUM CONTAGIOSUM TREATMENT	
ACTIVE INGREDIENT	PURPOSE
Sulfuric Acid 1%	Skin Conditioner
Uses	
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.	
Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.	
Do not use	
- On irritated skin on any area that is infected or redness. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.	
Ask a doctor before you use	
If you have diabetes or poor blood circulation.	
Stop use and ask a doctor	
if discomfort persists.	
Keep out of reach of children	
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.	
Directions	
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.	
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.	
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.	
- Test in a small area for allergies before initial use.	
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.	
Inactive ingredients	
Chitosan/Chitosan Acetate, Sophora Flavescens Root, Steronea Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.	
Net / 0.3 FL OZ	
Other information	
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.	
Contact us with any issues or concerns via support@skyloa.com	



Design in the USA / Made in China

FOR MOLLUSCUM

ALL NATURAL INGREDIENTS

Initially Designed for Kids

Fast Safe Painless Molluscum Repair

Easy to use

PREMIUM Quality

0.34 FL.OZ / 10mL

Web: skyloa.com
Email: support@skyloa.com

Manufactured for
Good Things Holding Inc
Address: 21 Tama Vista Blvd #207,
Corte Madera, CA 94925

For more information about our product and a money-back visit us at skyloa.com.

4.6*3.9 CM

CLEANSING SERUM
0.17 FL.OZ / 5 mL

REPAIR LOTION
0.17 FL.OZ / 5 mL

45*68 MM

FOR MOLLUSCUM

WARNINGS:

- Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
- For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
- If you are skin allergic or pregnant, consult your physician before use.
- Keep out of reach of kids.

Tips for Treating Molluscum

- Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
- The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
- Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
- Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
- Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5

Drug Fact

MOLLUSCUM CONTAGIOSUM TREATMENT

ACTIVE INGREDIENT _____ **PURPOSE**
Sulfuric Acid 1% _____ Skin Conditioner

Uses
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.

Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.

Do not use
- On irritated skin on any area that is infected or reddened. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.

Ask a doctor before you use
If you have diabetes or poor blood circulation.

Stop use and ask a doctor
if discomfort persists.

Keep out of reach of children
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.

Directions
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.
- Test in a small area for allergies before initial use.
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.

Inactive ingredients
Chitosan/De Acetate, Sophora Flavescens Root, Steronea Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.

Net Wt / 0.3 FL OZ

Other information
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.

Contact us with any issues or concerns via support@skyloa.com



Design in the USA / Made in China

SKYLOA®

SKYLOA®

FOR MOLLUSCUM

ALL NATURAL INGREDIENTS

Initially Designed for Kids

Fast Safe Painless Molluscum Repair

Easy to use

PREMIUM Quality

0.34 FL.OZ / 10mL

Manufactured for Good Things Holding Inc. Address: 21 Tama Vista Blvd #207, Corte Madera, CA 94925

Web: skyloa.com Email: support@skyloa.com

For more information about our product and a money-back visit us at skyloa.com.

4.6*3.9 CM

SKYLOA® CLEANSING SERUM 0.17 FL.OZ / 5 mL

SKYLOA® REPAIR LOTION 0.17 FL.OZ / 5 mL

45*68 MM

SKYLOA® FOR MOLLUSCUM

WARNINGS:

- Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
- For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
- If you are skin allergic or pregnant, consult your physician before use.
- Keep out of reach of kids.

Tips for Treating Molluscum

- Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
- The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
- Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
- Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
- Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5

Drug Fact

MOLLUSCUM CONTAGIOSUM TREATMENT

ACTIVE INGREDIENT _____ **PURPOSE**
Sulfuric Acid 1% _____ Skin Conditioner

Uses
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.

Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.

Do not use
- On irritated skin on any area that is infected or reddened. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.

Ask a doctor before you use
If you have diabetes or poor blood circulation.

Stop use and ask a doctor
if discomfort persists.

Keep out of reach of children
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.

Directions
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.
- Test in a small area for allergies before initial use.
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.

Inactive ingredients
Chitosan/De Acetate, Sophora Flavescens Root, Steronea Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.

Net Wt / 0.3 FL OZ

Other information
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.

Contact us with any issues or concerns via support@skyloa.com



Design in the USA / Made in China

SKYLOA®

SKYLOA®

FOR MOLLUSCUM

ALL NATURAL INGREDIENTS

Initially Designed for Kids

Fast Safe Painless Molluscum Repair

Easy to use

PREMIUM Quality

0.34 FL.OZ / 10mL

Manufactured for Good Things Holding Inc. Address: 21 Tama Vista Blvd #207, Corte Madera, CA 94925

Web: skyloa.com Email: support@skyloa.com

For more information about our product and a money-back visit us at skyloa.com.

4.6*3.9 CM

SKYLOA® CLEANSING SERUM 0.17 FL.OZ / 5 mL

SKYLOA® REPAIR LOTION 0.17 FL.OZ / 5 mL

45*68 MM

SKYLOA® FOR MOLLUSCUM

WARNINGS:

- Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
- For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
- If you are skin allergic or pregnant, consult your physician before use.
- Keep out of reach of kids.

Tips for Treating Molluscum

- Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
- The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
- Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
- Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
- Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5

Drug Fact	
MOLLUSCUM CONTAGIOSUM TREATMENT	
ACTIVE INGREDIENT	PURPOSE
Sulfuric Acid 1%	Skin Conditioner
Uses	
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.	
Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.	
Do not use	
- On irritated skin on any area that is infected or redness. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.	
Ask a doctor before you use	
If you have diabetes or poor blood circulation.	
Stop use and ask a doctor	
if discomfort persists.	
Keep out of reach of children	
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.	
Directions	
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.	
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.	
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.	
- Test in a small area for allergies before initial use.	
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.	
Inactive ingredients	
Chitosan/Chitosan Acetate, Sophora Flavescens Root, Steronea Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.	
Net / 0.3 FL OZ	
Other information	
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.	
Contact us with any issues or concerns via support@skyloa.com	



Design in the USA / Made in China

FOR MOLLUSCUM

ALL NATURAL INGREDIENTS

Initially Designed for Kids

Fast Safe Painless Molluscum Repair

Easy to use

PREMIUM Quality

0.34 FL.OZ / 10mL

Web: skyloa.com
Email: support@skyloa.com

Manufactured for
Good Things Holding Inc
Address: 21 Tama Vista Blvd #207,
Corte Madera, CA 94925

For more information about our product and a money-back guarantee, visit us at skyloa.com.

4.6*3.9 CM

CLEANSING SERUM
0.17 FL.OZ / 5 mL

REPAIR LOTION
0.17 FL.OZ / 5 mL

45*68 MM

FOR MOLLUSCUM

WARNINGS:

- Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
- For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
- If you are skin allergic or pregnant, consult your physician before use.
- Keep out of reach of kids.

Tips for Treating Molluscum

- Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
- The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
- Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
- Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
- Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5

Drug Fact	
MOLLUSCUM CONTAGIOSUM TREATMENT	
ACTIVE INGREDIENT	PURPOSE
Sulfuric Acid 1%	Skin Conditioner
Uses	
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.	
Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.	
Do not use	
- On irritated skin on any area that is infected or redness. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.	
Ask a doctor before you use	
If you have diabetes or poor blood circulation.	
Stop use and ask a doctor	
if discomfort persists.	
Keep out of reach of children	
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.	
Directions	
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.	
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.	
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.	
- Test in a small area for allergies before initial use.	
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.	
Inactive ingredients	
Chitosan/Chitosan Acetate, Sophora Flavescens Root, Steronea Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.	
Net / 0.3 FL OZ	
Other information	
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.	
Contact us with any issues or concerns via support@skyloa.com	



Design in the USA / Made in China

FOR MOLLUSCUM

ALL NATURAL INGREDIENTS

Initially Designed for Kids

Fast Safe Painless Molluscum Repair

Easy to use

PREMIUM Quality

0.34 FL.OZ / 10mL

Web: skyloa.com
Email: support@skyloa.com

Manufactured for
Good Things Holding Inc
Address: 21 Tama Vista Blvd #207,
Corte Madera, CA 94925

For more information about our product and a money-back guarantee, visit us at skyloa.com.

4.6*3.9 CM

CLEANSING SERUM
0.17 FL.OZ / 5 mL

REPAIR LOTION
0.17 FL.OZ / 5 mL

45*68 MM

FOR MOLLUSCUM

WARNINGS:

- Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
- For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
- If you are skin allergic or pregnant, consult your physician before use.
- Keep out of reach of kids.

Tips for Treating Molluscum


- Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
- The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
- Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
- Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
- Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5


Drug Fact	
MOLLUSCUM CONTAGIOSUM TREATMENT	
ACTIVE INGREDIENT	PURPOSE
Sallylic Acid 1%	Skin Conditioner
Uses	
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.	
Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.	
Do not use	
- On irritated skin on any area that is infected or redness. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.	
Ask a doctor before you use	
If you have diabetes or poor blood circulation.	
Stop use and ask a doctor	
if discomfort persists.	
Keep out of reach of children	
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.	
Directions	
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.	
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.	
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.	
- Test in a small area for allergies before initial use.	
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.	
Inactive ingredients	
Chitosanine Acetate, Sophora Flavescens Root, Steronea Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.	
Net / 0.3 FL OZ	
Other information	
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.	
Contact us with any issues or concerns via support@skyloa.com	



Design in the USA / Made in China



4.6*3.9 CM



45*68 MM

SKYLOA[®] FOR MOLLUSCUM

WARNINGS:

1. Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
2. For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
3. If you are skin allergic or pregnant, consult your physician before use.
4. Keep out of reach of kids.

Tips for Treating Molluscum


1. Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
2. The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
3. Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
4. Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
5. Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

1.8X3.5X12.5


Drug Fact	
MOLLUSCUM CONTAGIOSUM TREATMENT	
ACTIVE INGREDIENT	PURPOSE
Sallylic Acid 1%	Skin Conditioner
Uses	
Helpful as an aid in treating the symptoms of molluscum contagiosum. Suitable for children aged 2 and above, as well as adults.	
Warning - For external use only. Do not disturb or cut the affected area. Let it naturally fall off to avoid potential reinfection.	
Do not use	
- On irritated skin on any area that is infected or redness. Do not use if pregnant or if there is any allergic reaction to this product. Avoid contact with eyes.	
Ask a doctor before you use	
If you have diabetes or poor blood circulation.	
Stop use and ask a doctor	
if discomfort persists.	
Keep out of reach of children	
- If product gets into eyes, flush with water for 15 minutes. If swallowed, get medical help right away.	
Directions	
- The product includes Cleansing Serum for sterilization and Repair Lotion for treating molluscum contagiosum.	
- Apply Cleansing Serum to each bump using the pen brush applicator. Let it dry naturally then apply Repair Lotion to the bump surface.	
- Apply the product to affected areas once every 3 days, avoid sunlight (best to use at night), and regularly change clothes and sheets.	
- Test in a small area for allergies before initial use.	
- Bumps may scab and turn red in 1-2 weeks, then shrink, dry, and flake off in 2-6 weeks.	
Inactive ingredients	
Chitosanine Acetate, Sophora Flavescens Root, Steronea Japonica Root, Aloe Vera Leaf, Thuja Occidentalis Bark, Phellodendron chinensis Bark, Alcohol, Water.	
Net / 0.3 FL OZ	
Other information	
Store at 15° - 25° C (59° F to 77° F) away from light in a dry place.	
Contact us with any issues or concerns via support@skyloa.com	



Design in the USA / Made in China



4.6*3.9 CM



45*68 MM

SKYLOA[®] FOR MOLLUSCUM

WARNINGS:

1. Do not tear or trim the wart area during application. Just leave it to fall off naturally; otherwise, it will easily lead to repeated infection.
2. For external use only. Avoid touching the skin around the bump. Keep it away from the mouth and eyes.
3. If you are skin allergic or pregnant, consult your physician before use.
4. Keep out of reach of kids.

Tips for Treating Molluscum

1. Molluscum contagiosum is highly contagious, and treatment is necessary to eliminate the condition. A routine will need to be established to remove it effectively.
2. The Mollusca lesions are small, raised, and typically flesh-colored, pink, or white with a dimple or pit in the middle.
3. Molluscum Contagiosum bumps shouldn't be prodded because doing so will result in skin scarring. Only when the papules start to flake off can they be safely removed.
4. Within the following 1 to 2 weeks, Molluscum begins to scab and appear red. Over the next 2 to 6 weeks, they will diminish, dry up, and flake away.
5. Use only externally, away from the mouth and eyes. Stop using if irritation or a reaction occurs.

MOLLUSCUM CONTAGIOSUM TREATMENT

molluscum contagiosum treatment pen liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82372-006	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)		SALICYLIC ACID	10 mg in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
CHLORHEXIDINE ACETATE (UNII: 5908ZUF22Y)				
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)				
ALCOHOL (UNII: 3K9958V90M)				
STEMONA JAPONICA ROOT (UNII: FXG254HF10)				
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)				
PHELLODENDRON CHINENSIS BARK (UNII: 2866QMZ434)				
Product Characteristics				
Color	yellow	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82372-006-01	10 mL in 1 APPLICATOR; Type 0: Not a Combination Product	07/27/2023	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		07/26/2023		

Labeler - Good Manager Holdings Inc (118382673)

Establishment

Name	Address	ID/FEI	Business Operations
Good Manager Holdings Inc		118382673	manufacture(82372-006)

