STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled Care One (American Sales Company)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- for temporary relief of occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Ask a doctor or pharmacist before use if you are

presently taking mineral oil.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• take with a glass of water

adults and children 12 years	take 1 to 3 softgels daily. This dose may be taken as a single daily dose
and over	or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily

Other information

- each softgel contains: sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol

*may contain one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in DulcoEase® Stool Softener

STOOL SOFTENER LAXATIVE

Docusate Sodium 100 mg

FAST, DEPENDABLE RELIEF OF OCCASIONAL CONSTIPATION

Softgels

†This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of DulcoEase®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY FOODHOLD U.S.A., LLC

LANDOVER, MD 20785 •1-877-846-9949

©2017 S&S Brands,LLC

Product Labeling



103 10 10	-mae Vedit-Veditom gege-egi-118-1 lieu
by Boehringer Ingelheim Pharmaceutical	This product is not manufactured or distributed flatributor of DulcoEase®.

"OUI 'S

Guestions or comments?

Inactive ingredients edible ink, FD&c red #40, FD&c yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol*, purified water, sorbitan, sorbitol *contains one or more of these ingredients

> Other information esch sotigel contains: sodium 6 mg store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F) store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

> > Drug Facts (continued)

	A
hildren under 2 years	ask a doctor
ears of age	6 <u>6</u> 8
St nabru of S nanblin	take 1 softgel daily
2 years and over	a single daily dose or in divided doses.
dults and children	take 1 to 3 softgels daily. This dose may be taken as
w exist∎ snoit)e ni	ith a glass of water
ep out of reach of chil ntrol Center right away.	dren. In case of overdose, get medical help or contact a Poison
	ding, ask a health professional before use.
you need to use a laxat	ye for more than 1 week
ibnoo suoines s to sngis	
on have rectal bleeding to have rectal bleeding	or no bowel movement after using a laxative. These could be
	ist before use if you are presently taking mineral oil.
and the second se	el habits that lasts more than 2 weeks
suen 🖬 – nieq hoemote	
sk a doctor before use	it you have
sbujuje,	
	rouces bowel movement in 12 to 12 to 12 to 12 to 12
	cessional constipation and irregularity
Səs	
pm 001 muibos atesuo	
) tnsibsrpni svits	əsoqnuq (ləphos hosə ni
stoe7 gun	

CAREONE Stool Softener Laxative Softgels

STOOL SOFTENER LAXATIVE docusate sodium capsule, liquid filled							
Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41520-684				
Route of Administration	ORAL						

	nt/Active					
	Ingredient Name			Basis of Strength		th Strength
DOCUSATE SODIUM	UM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)			DOCUSATE SODIUM		1 100 mg
Inactive Ingred	ents					
Ingredient Name			Strength			
FD&C RED NO. 40 (
FD&C YELLOW NO						
GELATIN (UNII: 2G8						
GLYCERIN (UNII: PD						
POLYETHYLENE G			: 3WJQ0SDW1A)			
PROPYLENE GLYC		5DC9Q167V3)				
WATER (UNII: 059Q)						
SORBITAN (UNII: 60						
SORBITOL (UNII: 50	6160A25F	ξ)				
<mark>Product Charac</mark> Color		ANGE	Score		no score	
Shape	OV	/AL	Size		12mm	
Flavor			Imprint Code		P51;SCU1;D2	
Contains						
Packaging						
		Package 1	Description	Marketir Da	•	larketing End Date
# Item Code	1 in 1 BOX	-	Description		•	-
# Item Code 1 NDC:41520-684- 25		ζ	Description ype 0: Not a Combination	Dat	•	-
1 NDC:41520-684-	25 in 1 BO	ζ		Dat	•	-
# Item Code 1 NDC:41520-684- 25	25 in 1 BO Product	K OTTLE, PLASTIC; T		Dat	•	-
# Item Code 1 NDC:41520-684- 25 1	25 in 1 BO Product	C DTTLE, PLASTIC; T C ion		Da		Date



Revised: 10/2019

Care One (American Sales Company)