

**ALLERGIES- apis mellifica, echinacea, hydrastis canadensis, taraxacum officinale, aconitum napellus, aethusa cynapium, agaricus muscarius, aletris farinosa, alfalfa, allium cepa, allium sativum, ambrosia artemisiaefolia, arsenicum album, artemisia vulgaris, arundo mauritanica, avena sativa, belladonna, bellis perrenis, bovista, bromium, bryonia, caffeinum, calcarea carbonica, calluna vulgaris, flos, capsicum annuum, cat hair, chamomilla, chelidonium majus, chenopodium anthelminticum, cinnamomum pellet  
Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Allergies 2585P**

**INDICATIONS & USAGE SECTION**

Formulated for symptoms associated with food and environmental allergens such as congestion, swollen glands, runny nose, cough, rashes and stomach upset.

**DOSAGE & ADMINISTRATION SECTION**

Directions: Ages 12 and up take 6 pellets (ages 0 to 11, give 3 pellets) as needed or directed by a health professional. Under age 2, crush/dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.

**OTC - ACTIVE INGREDIENT SECTION**

Equal parts of Apis mellifica 6x, Echinacea 6x, Hydrastis canadensis 6x, Taraxacum officinale 6x, Aconitum napellus 15x, Aethusa cynapium 15x, Agaricus muscarius 15x, Aletris farinosa 15x, Alfalfa 15x, Allium cepa 15x, Allium sativum 15x, Ambrosia artemisiaefolia 15x, Arsenicum album 15x, Artemisia vulgaris 15x, Arundo mauritanica 15x, Avena sativa 15x, Belladonna 15x, Bellis perrenis 15x, Bovista 15x, Bromium 15x, Bryonia 15x, Caffeinum 15x, Calcarea carbonica 15x, Calluna vulgaris, flos 15x, Capsicum annuum 15x, Cat hair 15x, Chamomilla 15x, Chelidonium majus 15x, Chenopodium anthelminticum 15x, Cinnamomum 15x, Cistus canadensis 15x, Coccus cacti 15x, Cynara scolymus 15x, Dog hair 15x, Drosera 15x, Dulcamara 15x, Euphrasia officinalis 15x, Fagopyrum esculentum 15x, Fagus sylvatica 15x, Fragaria vesca 15x, Fraxinis americana 15x, Gelsemium sempervirens 15x, Histaminum hydrochloricum 15x, House dust 15x, Hyoscyamus niger 15x, Jequirity 15x, Juglans regia 15x, Kali iodatum 15x, Lac vaccinum 15x, Ledum palustre 15x, Lilium tigrinum 15x, Lycopodium clavatum 15x, Lycopus virginicus 15x, Mentha piperita 15x, Natrum muriaticum 15x, Nux moschata 15x, Onosmodium virginianum 15x, Ova tosta 15x, Phytolacca decandra 15x, Populus candicans 15x, Populus tremuloides 15x, Ptelea trifoliata 15x, Pulsatilla 15x, Quercus glandium spiritus 15x, Rhus toxicodendron 15x, Rosa damascena 15x, Sabadilla 15x, Saccharinum 15x, Saccharum lactis 15x, Salix nigra 15x, Sambucus nigra 15x, Sanguinaria canadensis 15x, Secale cornutum 15x, Stramonium 15x, Sulphur 15x, Tabacum 15x, Thiosinaminum 15x, Trillium pendulum 15x, Triticum repens 15x, Urtica

urens 15x, Ustilago maidis 15x, Wyethia helenoides 15x, Xerophyllum asphodeloides 15x, Zingiber officinale 15x, Anacardium occidentale 16x, Ascorbicum acidum 16x, Astacus fluviatilis 16x, Glycyrrhiza glabra 16x, Juniperus virginiana 16x, Lycopersicum esculentum 16x, Natrum nitricum 16x, Parthenium 16x, Saccharum officinale 16x, Sinapis nigra 16x, Solanum nigrum 16x, Solanum tuberosum 16x, Stigmata maidis 16x, Torula cerevisiae 16x, Ulmus fulva 16x, Yucca filamentosa 16x.

## **OTC - PURPOSE SECTION**

Formulated for symptoms associated with food and environmental allergens such as congestion, swollen glands, runny nose, cough, rashes and stomach upset.

## **INACTIVE INGREDIENT SECTION**

Inactive Ingredients: Gluten-free, non-GMO, organic beet-derived (lactose-free) pellets.

## **QUESTIONS SECTION**

newtonlabs.net - Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 Conyers, GA 30013

## **WARNINGS SECTION**

**WARNINGS: Keep out of reach of children. Do not use** if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

## **OTC - PREGNANCY OR BREAST FEEDING SECTION**

If **pregnant or breast-feeding**, ask a doctor before use.

## **OTC - KEEP OUT OF REACH OF CHILDREN SECTION**

**Keep out of reach of children.**

## **PACKAGE LABEL**

**NEWTON**  
homeopathics  
Since 1987

NDC#  
55714-2585-1

## Allergies

Formulated for symptoms associated with food and environmental allergens such as congestion, swollen glands, runny nose, cough, rashes and stomach upset.

1 OZ (28 G)

newtonlabs.net ~ Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30013

Label statements have not been reviewed by the FDA.

**WARNINGS:** Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.

**Directions:** Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed as directed by a health professional. Under age 2, crush/dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.

**Active Ingredients:** Equal parts of Apis mel 6x, Echinacea 6x, Hydrastis 6x, Taraxacum 6x, Aconitum nap 15x, Aethusa cynapium 15x, Agaricus musc 15x, Aletris 15x, Alfalfa 15x, Allium cepa 15x, Allium sat 15x, Ambrosia 15x, Arsenicum alb 15x, Artemisia 15x, Arundo ma 15x, Avena 15x, Belladonna 15x, Bellis 15x, Bovista 15x, Bromium 15x, Bryonia 15x, Caffeinum 15x, Calc carb 15x, Calluna vulgaris, flos 15x, Capsicum 15x, Cat hair 15x, Chamomilla 15x, Chelidonium maj 15x, Chenopodium anth 15x, Cinnamomum 15x, Cistus canadensis 15x, Coccus 15x, Cynara 15x, Dog hair 15x, Drosera 15x, Dulcamara 15x, Euphrasia 15x, Fagopyrum 15x, Fagus syl 15x, Fragaria 15x, Frax amer 15x, Gelsemium 15x, Histaminum hydro 15x, House dust 15x, Hyoscyamus 15x, Jequirity 15x, Juglans reg 15x, Kali iod 15x, Lac vac 15x, Ledum 15x, Lilium 15x, Lycopodium 15x, Lycopus 15x, Mentha pip 15x, Nat mur 15x, Nux mosch 15x, Onosmodium virginianum 15x, Ova tosta 15x, Phytolacca 15x, Populus can 15x, Populus trem 15x, Ptelea 15x, Pulsatilla 15x, Quercus gland sp 15x, Rhus tox 15x, Rosa dam 15x, Sabadilla 15x, Saccharinum 15x, Sac lac 15x, Salix nig 15x, Sambucus nig 15x, Sanguinaria 15x, Secale 15x, Stramonium 15x, Sulphur 15x, Tabacum 15x, Thiosinaminum 15x, Trillium 15x, Triticum 15x, Urtica ur 15x, Ustilago maidis 15x, Wyethia 15x, Xerophyllum 15x, Zingiber 15x, Anacard occ 16x, Ascorbic ac 16x, Astacus 16x, Glycyrrhiza 16x, Juniperus virg 16x, Lycopersicum 16x, Nat nitricum 16x, Parthenium 16x, Saccharum off 16x, Sinapis nig 16x, Solanum nig 16x, Solanum tub 16x, Stigmata 16x, Tarula cerevisiae 16x, Ullmus fulv 16x, Yucca 16x.

**Inactive Ingredients:** Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

Stock# N089 Lot#

## ALLERGIES

apis mellifica, echinacea, hydrastis canadensis, taraxacum officinale, aconitum napellus, aethusa cynapium, agaricus muscarius, aletris farinosa, alfalfa, allium cepa, allium sativum, ambrosia artemisiaefolia, arsenicum album, artemisia vulgaris, arundo mauritanica, avena sativa, belladonna, bellis perrenis, bovista, bromium, bryonia, caffeinum, calcarea carbonica, calluna vulgaris, flos, capsicum annuum, cat hair, chamomilla, chelidonium majus, chenopodium anthelminticum, cinnamomum pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55714-2585
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ONOSMODIUM VIRGINIANUM</b> (UNII: 604NK4250S) (ONOSMODIUM VIRGINIANUM - UNII:604NK4250S)	ONOSMODIUM VIRGINIANUM	15 [hp_X] in 1 g
<b>PHYTOLACCA AMERICANA ROOT</b> (UNII: 11E6VI8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6VI8VEG)	PHYTOLACCA AMERICANA ROOT	15 [hp_X] in 1 g
<b>YUCCA FILAMENTOSA</b> (UNII: T6VR38UJ9I) (YUCCA FILAMENTOSA - UNII:T6VR38UJ9I)	YUCCA FILAMENTOSA	16 [hp_X] in 1 g
<b>SACCHARIN</b> (UNII: FST467XS7D) (SACCHARIN - UNII:FST467XS7D)	SACCHARIN	15 [hp_X] in 1 g
<b>GINGER</b> (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	15 [hp_X] in 1 g
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	15 [hp_X] in 1 g
<b>POPULUS TREMULOIDES LEAF</b> (UNII: 7I1H57D9E0) (POPULUS TREMULOIDES LEAF - UNII:7I1H57D9E0)	POPULUS TREMULOIDES LEAF	15 [hp_X] in 1 g

<b>SANGUINARIA CANADENSIS ROOT</b> (UNII: N9288CD508) (SANGUINARIA CANADENSIS ROOT - UNII:N9288CD508)	SANGUINARIA CANADENSIS ROOT	15 [hp_X] in 1 g
<b>PARTHENIUM HYSTEROPHORUS</b> (UNII: 151F45R21P) (PARTHENIUM HYSTEROPHORUS - UNII:151F45R21P)	PARTHENIUM HYSTEROPHORUS	16 [hp_X] in 1 g
<b>CORN SILK</b> (UNII: 7D3VB244UX) (CORN SILK - UNII:7D3VB244UX)	CORN SILK	16 [hp_X] in 1 g
<b>SACCHAROMYCES CEREVISIAE</b> (UNII: 978D8U419H) (SACCHAROMYCES CEREVISIAE - UNII:978D8U419H)	SACCHAROMYCES CEREVISIAE	16 [hp_X] in 1 g
<b>ULMUS RUBRA BARK</b> (UNII: 91QY4PXU8Q) (ULMUS RUBRA BARK - UNII:91QY4PXU8Q)	ULMUS RUBRA BARK	16 [hp_X] in 1 g
<b>EGG SHELL, COOKED</b> (UNII: 24HBF856C8) (EGG SHELL, COOKED - UNII:24HBF856C8)	EGG SHELL, COOKED	15 [hp_X] in 1 g
<b>SCHOENOCAULON OFFICINALE SEED</b> (UNII: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNII:6NAF1689IO)	SCHOENOCAULON OFFICINALE SEED	15 [hp_X] in 1 g
<b>SAMBUCUS NIGRA FLOWERING TOP</b> (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)	SAMBUCUS NIGRA FLOWERING TOP	15 [hp_X] in 1 g
<b>LYCOPUS VIRGINICUS</b> (UNII: TWH5125Q6F) (LYCOPUS VIRGINICUS - UNII:TWH5125Q6F)	LYCOPUS VIRGINICUS	15 [hp_X] in 1 g
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G) (ANHYDROUS LACTOSE - UNII:3SY5LH9PMK)	LACTOSE, UNSPECIFIED FORM	15 [hp_X] in 1 g
<b>BLACK MUSTARD SEED</b> (UNII: 8LTY55LQ8D) (BLACK MUSTARD SEED - UNII:8LTY55LQ8D)	BLACK MUSTARD SEED	16 [hp_X] in 1 g
<b>CLAVICEPS PURPUREA SCLEROTIUM</b> (UNII: 01G9XEA93N) (CLAVICEPS PURPUREA SCLEROTIUM - UNII:01G9XEA93N)	CLAVICEPS PURPUREA SCLEROTIUM	15 [hp_X] in 1 g
<b>TRILLIUM ERECTUM ROOT</b> (UNII: AHW6F0T2X0) (TRILLIUM ERECTUM ROOT - UNII:AHW6F0T2X0)	TRILLIUM ERECTUM ROOT	15 [hp_X] in 1 g
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	16 [hp_X] in 1 g
<b>ACONITUM NAPELLUS</b> (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	15 [hp_X] in 1 g
<b>DATURA STRAMONIUM</b> (UNII: G6W4F0V8Z3) (DATURA STRAMONIUM - UNII:G6W4F0V8Z3)	DATURA STRAMONIUM	15 [hp_X] in 1 g
<b>TOBACCO LEAF</b> (UNII: 6YR2608RSU) (TOBACCO LEAF - UNII:6YR2608RSU)	TOBACCO LEAF	15 [hp_X] in 1 g
<b>ALLYLTHIOUREA</b> (UNII: 706IDJ14B7) (ALLYLTHIOUREA - UNII:706IDJ14B7)	ALLYLTHIOUREA	15 [hp_X] in 1 g
<b>URTICA URENS</b> (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)	URTICA URENS	15 [hp_X] in 1 g
<b>ELYMUS REPENS ROOT</b> (UNII: 3IXW0F6P8W) (ELYMUS REPENS ROOT - UNII:3IXW0F6P8W)	ELYMUS REPENS ROOT	15 [hp_X] in 1 g
<b>USTILAGO MAYDIS</b> (UNII: 4K7Z7K7SWG) (USTILAGO MAYDIS - UNII:4K7Z7K7SWG)	USTILAGO MAYDIS	15 [hp_X] in 1 g
<b>WYETHIA HELENIODES ROOT</b> (UNII: J10PD1AQ0N) (WYETHIA HELENIODES ROOT - UNII:J10PD1AQ0N)	WYETHIA HELENIODES ROOT	15 [hp_X] in 1 g
<b>XEROPHYLLUM ASPHODELOIDES</b> (UNII: 9I4XB1GP2B) (XEROPHYLLUM ASPHODELOIDES - UNII:9I4XB1GP2B)	XEROPHYLLUM ASPHODELOIDES	15 [hp_X] in 1 g
<b>APIS MELLIFERA</b> (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_X] in 1 g
<b>TARAXACUM OFFICINALE</b> (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	6 [hp_X] in 1 g
<b>AETHUSA CYNAPIUM</b> (UNII: M6936L953C) (AETHUSA CYNAPIUM - UNII:M6936L953C)	AETHUSA CYNAPIUM	15 [hp_X] in 1 g
<b>AMANITA MUSCARIA FRUITING BODY</b> (UNII: DIF093I037) (AMANITA MUSCARIA FRUITING BODY - UNII:DIF093I037)	AMANITA MUSCARIA FRUITING BODY	15 [hp_X] in 1 g
<b>ALETRIS FARINOSA ROOT</b> (UNII: O021JGR97X) (ALETRIS FARINOSA ROOT - UNII:O021JGR97X)	ALETRIS FARINOSA ROOT	15 [hp_X] in 1 g
<b>ALFALFA</b> (UNII: DJO934BRBD) (ALFALFA - UNII:DJO934BRBD)	ALFALFA	15 [hp_X] in 1 g
<b>ONION</b> (UNII: 40225Q21U) (ONION - UNII:40225Q21U)	ONION	15 [hp_X] in 1 g

<b>UNION</b> (UNII: 492223Q21R) (UNION - UNII:492223Q21R)	UNION	in 1 g
<b>GARLIC</b> (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	15 [hp_X] in 1 g
<b>AMBROSIA ARTEMISIIFOLIA</b> (UNII: 9W34L2CQ9A) (AMBROSIA ARTEMISIIFOLIA - UNII:9W34L2CQ9A)	AMBROSIA ARTEMISIIFOLIA	15 [hp_X] in 1 g
<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	15 [hp_X] in 1 g
<b>ARTEMISIA VULGARIS ROOT</b> (UNII: 32MP823R8S) (ARTEMISIA VULGARIS ROOT - UNII:32MP823R8S)	ARTEMISIA VULGARIS ROOT	15 [hp_X] in 1 g
<b>ARUNDO PLINIANA ROOT</b> (UNII: ZXE7LB03WC) (ARUNDO PLINIANA ROOT - UNII:ZXE7LB03WC)	ARUNDO PLINIANA ROOT	15 [hp_X] in 1 g
<b>AVENA SATIVA FLOWERING TOP</b> (UNII: MA9CQJ3F7F) (AVENA SATIVA FLOWERING TOP - UNII:MA9CQJ3F7F)	AVENA SATIVA FLOWERING TOP	15 [hp_X] in 1 g
<b>ATROPA BELLADONNA</b> (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	15 [hp_X] in 1 g
<b>BELLIS PERENNIS</b> (UNII: 2HU33I03UY) (BELLIS PERENNIS - UNII:2HU33I03UY)	BELLIS PERENNIS	15 [hp_X] in 1 g
<b>LYCOPERDON UTRIFORME FRUITING BODY</b> (UNII: K2A74U428F) (LYCOPERDON UTRIFORME FRUITING BODY - UNII:K2A74U428F)	LYCOPERDON UTRIFORME FRUITING BODY	15 [hp_X] in 1 g
<b>BROMINE</b> (UNII: SBV4XY874G) (BROMINE - UNII:SBV4XY874G)	BROMINE	15 [hp_X] in 1 g
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	15 [hp_X] in 1 g
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	15 [hp_X] in 1 g
<b>OYSTER SHELL CALCIUM CARBONATE, CRUDE</b> (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	15 [hp_X] in 1 g
<b>CALLUNA VULGARIS FLOWERING TOP</b> (UNII: D9PC510CQV) (CALLUNA VULGARIS FLOWERING TOP - UNII:D9PC510CQV)	CALLUNA VULGARIS FLOWERING TOP	15 [hp_X] in 1 g
<b>CAPSICUM</b> (UNII: 00UK7646FG) (CAPSICUM - UNII:00UK7646FG)	CAPSICUM	15 [hp_X] in 1 g
<b>FELIS CATUS HAIR</b> (UNII: 1564HD0N96) (FELIS CATUS HAIR - UNII:1564HD0N96)	FELIS CATUS HAIR	15 [hp_X] in 1 g
<b>MATRICARIA CHAMOMILLA</b> (UNII: G0R4UBI2ZZ) (MATRICARIA CHAMOMILLA - UNII:G0R4UBI2ZZ)	MATRICARIA CHAMOMILLA	15 [hp_X] in 1 g
<b>CHELIDONIUM MAJUS</b> (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS	15 [hp_X] in 1 g
<b>DYSPHANIA AMBROSIOIDES</b> (UNII: 4H5RSU087I) (DYSPHANIA AMBROSIOIDES - UNII:4H5RSU087I)	DYSPHANIA AMBROSIOIDES	15 [hp_X] in 1 g
<b>CINNAMON</b> (UNII: 5S29HWU6QB) (CINNAMON - UNII:5S29HWU6QB)	CINNAMON	15 [hp_X] in 1 g
<b>HELIANTHEMUM CANADENSE</b> (UNII: 46G3W789Q3) (HELIANTHEMUM CANADENSE - UNII:46G3W789Q3)	HELIANTHEMUM CANADENSE	15 [hp_X] in 1 g
<b>PROTORTONIA CACTI</b> (UNII: LZB7TFX1LT) (PROTORTONIA CACTI - UNII:LZB7TFX1LT)	PROTORTONIA CACTI	15 [hp_X] in 1 g
<b>CYNARA SCOLYMUS LEAF</b> (UNII: B71UA545DE) (CYNARA SCOLYMUS LEAF - UNII:B71UA545DE)	CYNARA SCOLYMUS LEAF	15 [hp_X] in 1 g
<b>CANIS LUPUS FAMILIARIS HAIR</b> (UNII: 05S7L91ZTR) (CANIS LUPUS FAMILIARIS HAIR - UNII:05S7L91ZTR)	CANIS LUPUS FAMILIARIS HAIR	15 [hp_X] in 1 g
<b>DROSERANGLICA</b> (UNII: J61BY05EGY) (DROSERANGLICA - UNII:J61BY05EGY)	DROSERANGLICA	15 [hp_X] in 1 g
<b>SOLANUM DULCAMARA TOP</b> (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)	SOLANUM DULCAMARA TOP	15 [hp_X] in 1 g
<b>EUPHRASIA STRICTA</b> (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	15 [hp_X] in 1 g
<b>FAGOPYRUM ESCULENTUM</b> (UNII: B10M69172N) (FAGOPYRUM ESCULENTUM - UNII:B10M69172N)	FAGOPYRUM ESCULENTUM	15 [hp_X] in 1 g
<b>FAGUS SYLVATICA NUT</b> (UNII: I57ERU2601) (FAGUS SYLVATICA NUT - UNII:I57ERU2601)	FAGUS SYLVATICA NUT	15 [hp_X] in 1 g

<b>ALPINE STRAWBERRY</b> (UNII: CG6IX3GCMU) (ALPINE STRAWBERRY - UNII:CG6IX3GCMU)	ALPINE STRAWBERRY	15 [hp_X] in 1 g
<b>FRAXINUS AMERICANA BARK</b> (UNII: 0B24UR1O1S) (FRAXINUS AMERICANA BARK - UNII:0B24UR1O1S)	FRAXINUS AMERICANA BARK	15 [hp_X] in 1 g
<b>GELSEMIUM SEMPERVIRENS ROOT</b> (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	15 [hp_X] in 1 g
<b>HISTAMINE DIHYDROCHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	15 [hp_X] in 1 g
<b>HOUSE DUST</b> (UNII: EYO007VX98) (HOUSE DUST - UNII:EYO007VX98)	HOUSE DUST	15 [hp_X] in 1 g
<b>HYOSCYAMUS NIGER</b> (UNII: 4WRK2153H3) (HYOSCYAMUS NIGER - UNII:4WRK2153H3)	HYOSCYAMUS NIGER	15 [hp_X] in 1 g
<b>ABRUS PRECATORIUS SEED</b> (UNII: 3OM8I6L7CD) (ABRUS PRECATORIUS SEED - UNII:3OM8I6L7CD)	ABRUS PRECATORIUS SEED	15 [hp_X] in 1 g
<b>JUGLANS REGIA LEAF</b> (UNII: 85HKB87105) (JUGLANS REGIA LEAF - UNII:85HKB87105)	JUGLANS REGIA LEAF	15 [hp_X] in 1 g
<b>POTASSIUM IODIDE</b> (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	POTASSIUM IODIDE	15 [hp_X] in 1 g
<b>COW MILK</b> (UNII: 917J3173FT) (COW MILK - UNII:917J3173FT)	COW MILK	15 [hp_X] in 1 g
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	15 [hp_X] in 1 g
<b>RHODODENDRON TOMENTOSUM LEAFY TWIG</b> (UNII: 877L01IZ0P) (RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ0P)	RHODODENDRON TOMENTOSUM LEAFY TWIG	15 [hp_X] in 1 g
<b>LILIUM LANCIFOLIUM WHOLE FLOWERING</b> (UNII: X67Z2963PI) (LILIUM LANCIFOLIUM WHOLE FLOWERING - UNII:X67Z2963PI)	LILIUM LANCIFOLIUM WHOLE FLOWERING	15 [hp_X] in 1 g
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	15 [hp_X] in 1 g
<b>SALIX NIGRA BARK</b> (UNII: QU52J3A5B3) (SALIX NIGRA BARK - UNII:QU52J3A5B3)	SALIX NIGRA BARK	15 [hp_X] in 1 g
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	15 [hp_X] in 1 g
<b>POPULUS BALSAMIFERA LEAF BUD</b> (UNII: 9CQ6C00G3C) (POPULUS BALSAMIFERA LEAF BUD - UNII:9CQ6C00G3C)	POPULUS BALSAMIFERA LEAF BUD	15 [hp_X] in 1 g
<b>QUERCUS ROBUR NUT</b> (UNII: Q7MU1F4GLY) (QUERCUS ROBUR NUT - UNII:Q7MU1F4GLY)	QUERCUS ROBUR NUT	15 [hp_X] in 1 g
<b>MENTHA PIPERITA</b> (UNII: 79M2M2UDA9) (MENTHA PIPERITA - UNII:79M2M2UDA9)	MENTHA PIPERITA	15 [hp_X] in 1 g
<b>NUTMEG</b> (UNII: AEE24M3MQ9) (NUTMEG - UNII:AEE24M3MQ9)	NUTMEG	15 [hp_X] in 1 g
<b>SOLANUM LYCOPERSICUM</b> (UNII: 0243Q4990L) (SOLANUM LYCOPERSICUM - UNII:0243Q4990L)	SOLANUM LYCOPERSICUM	16 [hp_X] in 1 g
<b>ANACARDIUM OCCIDENTALE FRUIT</b> (UNII: 4A10JR4E7E) (ANACARDIUM OCCIDENTALE FRUIT - UNII:4A10JR4E7E)	ANACARDIUM OCCIDENTALE FRUIT	16 [hp_X] in 1 g
<b>PTELEA TRIFOLIATA BARK</b> (UNII: 5KQR6FTT0D) (PTELEA TRIFOLIATA BARK - UNII:5KQR6FTT0D)	PTELEA TRIFOLIATA BARK	15 [hp_X] in 1 g
<b>ANEMONE PULSATILLA</b> (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	ANEMONE PULSATILLA	15 [hp_X] in 1 g
<b>ROSA X DAMASCENA FLOWERING TOP</b> (UNII: 21W82Q764G) (ROSA X DAMASCENA FLOWERING TOP - UNII:21W82Q764G)	ROSA X DAMASCENA FLOWERING TOP	15 [hp_X] in 1 g
<b>ASTACUS ASTACUS</b> (UNII: V0551986XQ) (ASTACUS ASTACUS - UNII:V0551986XQ)	ASTACUS ASTACUS	16 [hp_X] in 1 g
<b>GLYCYRRHIZA GLABRA</b> (UNII: 2788Z9758H) (GLYCYRRHIZA GLABRA - UNII:2788Z9758H)	GLYCYRRHIZA GLABRA	16 [hp_X] in 1 g
<b>JUNIPERUS VIRGINIANA TWIG</b> (UNII: 532BCG080L) (JUNIPERUS VIRGINIANA TWIG - UNII:532BCG080L)	JUNIPERUS VIRGINIANA TWIG	16 [hp_X] in 1 g
<b>SUCROSE</b> (UNII: C151H8M554) (SUCROSE - UNII:C151H8M554)	SUCROSE	16 [hp_X] in 1 g
<b>SOLANUM NIGRUM WHOLE</b> (UNII: 0FMD6WW47M) (SOLANUM NIGRUM WHOLE - UNII:0FMD6WW47M)	SOLANUM NIGRUM WHOLE	16 [hp_X] in 1 g

<b>SOLANUM TUBEROSUM</b> (UNII: 2A8I57T4MX) (SOLANUM TUBEROSUM - UNII:2A8I57T4MX)	SOLANUM TUBEROSUM	16 [hp_X] in 1 g
<b>ECHINACEA, UNSPECIFIED</b> (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	6 [hp_X] in 1 g
<b>GOLDENSEAL</b> (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)	GOLDENSEAL	6 [hp_X] in 1 g
<b>SODIUM NITRATE</b> (UNII: 8M4L3H2ZVZ) (NITRATE ION - UNII:T93E9Y2844)	SODIUM NITRATE	16 [hp_X] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE CARAMEL</b> (UNII: D8GMM4517Q)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-2585-1	28 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/01/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/01/2023	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

### Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-2585)

Revised: 7/2023

Newton Laboratories, Inc.