

VERUCIDE WART REMOVER KIT- wart remover
Blaine Labs Inc.

VERUCIDE[®] Wart Remover Kit

Drug Facts

Active Ingredient(in step 1)..... Alcohol 60%

Active Ingredient(in step 2) Salicylic Acid 17%

Purpose

Alcohol 60% (step 1) Antiseptic

Salicylic Acid 17% (step 2) Wart Remover

Uses

■ **(for step 1)**Antiseptic to decrease bacteria on the skin

■ **(for step 2)**For the removal of common warts. The common wart is easily recognized by the rough “cauliflower-like” appearance of the surface ■ For the removal of plantar warts on the bottom of the foot. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern

Warnings- For external use only (for step 1 & 2)

Extremely flammable. Keep away from fire or flames

Keep out of reach of children.Stop use and consult a doctor if discomfort persists. Avoid contact with the eyes. If contact with eye occurs, wash thoroughly with water

When using step 2, do not use: on irritated skin, any area that is infected or reddened, if you are diabetic, have poor blood circulation, moles, birthmarks, genital warts, warts with hair growing from them, warts on the face, or mucous membranes

If swallowed, get medical help or contact a poison control center right away 1-800-222-1222

Directions

■ **(for step 1)**Wash the affected area with one or two drops

■ **(for step 2)**Clean using step 1 and allow area to dry. Apply a small amount at a time with applicator to sufficiently cover each wart and let dry ■ Let dry ■ Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other Information

Store at room temperature: 20-27°C
(68-81°F)

VERUCIDE® WART REMOVER

DISPENSED EXCLUSIVELY BY PHYSICIANS

Drug Facts

Active Ingredient (in step 1) **Purpose**
Alcohol 60% Antiseptic

Active Ingredient (in step 2) **Purpose**
Salicylic Acid 17% Wart Remover

Uses

- (for step 1) Antiseptic to decrease bacteria on the skin
- (for step 2) For the removal of common warts. The common wart is easily recognized by the rough "cauliflower-like" appearance of the surface
- For the removal of plantar warts on the bottom of the foot. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern

Warnings - For external use only (for step 1 & 2)

Extremely flammable. Keep away from fire or flames
Keep out of reach of children. Stop use and consult a doctor if discomfort persists. Avoid contact with the eyes. If contact with eye occurs, wash thoroughly with water

When using step 2, do not use on irritated skin, any area that is infected or reinfected, if you are diabetic, have poor blood circulation, moles, birthmarks, genital warts, warts with hair growing from them, warts on the face, or mucous membranes

If swallowed, get medical help or contact a poison control center right away 1-800-222-1222

Drug Facts (Cont)

Directions
• (for step 1) Wash the affected area with one or two drops
• (for step 2) Clean using step 1 and allow area to dry. Apply a small amount at a time with applicator to sufficiently cover each wart and let dry • Let dry • Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other Information
Store at room temperature: 20-27°C (68-81°F)

Inactive Ingredients

(for step 1)
Glycerin, Hydroxypropyl Cellulose, Lavandula Angustifolia (Lavender) Flower Extract, Purified Water

Inactive Ingredients

(for step 2)
Alcohol (Ethanol), Artemisia Absinthium (Wormwood) Extract, Carica Papaya (Papaya) Fruit Extract, Glycerin, Hydroxypropyl Cellulose, Purified Water



VERUCIDE® WART REMOVER

TWO-STEP WART TREATMENT KIT
SALICYLIC ACID
IN A SOLUTION CONTAINING
ALCOHOL AND PAPAYA EXTRACT

KIT INCLUDES:
STEP 1: 0.253 FL OZ (7.5 mL)
STEP 2: 0.101 FL OZ (3.0 mL)

Made in the USA

Please Recycle!
This package is made from recyclable materials.

Verucide Wart Remover is backed by Blaine Labs's 100 percent, patient-direct, money-back guarantee. Call the number below for more information

Questions or Comments?
800.307.8818 | BlaineLabs.com
M-F, 7:30 AM - 4:00 PM (pst)
Contact@BlaineLabs.com

Manufactured By:
Blaine Labs, Inc.
11037 Lockport Place
Santa Fe Springs, CA 90670

25000-P-BOX
REV 20230925

Step1

DIRECTIONS

Wash the affected area with one or two drops, allow the area to dry. Continue to Step 2.

DISPENSED EXCLUSIVELY BY PHYSICIANS
NOT AUTHORIZED FOR INTERNET SALE

NDC 63347-722-01



VERUCIDE[®]
WART REMOVAL SOLUTION

STEP 1: 0.25 FL OZ (7.5 mL)

MANUFACTURED BY:

Blaine Labs, Inc.,
Santa Fe Springs,
CA 90670
(800) 307-8818

25000-P-LBLS Rev. 01 20231030

Step2

DIRECTIONS

Apply a small amount at a time with applicator to sufficiently cover each wart and let dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

DISPENSED EXCLUSIVELY BY PHYSICIANS
NOT AUTHORIZED FOR INTERNET SALE

NDC 63347-722-01



VERUCIDE[®]
WART REMOVAL SOLUTION

STEP 2: 0.10 FL OZ (3.0 mL)

MANUFACTURED BY:

Blaine Labs, Inc.,
Santa Fe Springs,
CA 90670
(800) 307-8818

25000-P-LBL Rev. 01 20231030

res

VERUCIDE WART REMOVER KIT

wart remover kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63347-720
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63347-720-01	1 in 1 PACKAGE	09/29/2023	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	7.5 mL
Part 2	1 BOTTLE	3 mL

Part 1 of 2

WART REMOVER STEP 1

alcohol liquid

Product Information

Item Code (Source)	NDC:63347-721
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	60 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
LAVANDULA ANGUSTIFOLIA SUBSP. ANGUSTIFOLIA FLOWER (UNII: 19AH1RAF4M)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63347-721-01	7.5 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	10/01/2023	

Part 2 of 2

WART REMOVER STEP 2

salicylic acid liquid

Product Information

Item Code (Source) NDC:63347-722

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WORMWOOD (UNII: F84709P2XV)	
PAPAYA (UNII: KU94FIY6JB)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63347-722-01	3 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	10/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	09/29/2023	

Labeler - Blaine Labs Inc. (017314571)

Registrant - Blaine Labs Inc. (017314571)

Revised: 1/2025

Blaine Labs Inc.