

STYPTIC POWDER- ferric subsulfate powder
Whitebridge Pet Brands

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Stypic Powder

Active Ingredients

Ferric Subsulfate.....Hemostat

Other Ingredients:

Ammonium Chloride, Bentonite, Diatomaceous Earth, Potassium Aluminum Sulfate.

Directions

Apply a pinch of styptic powder to the bleeding area, using moderate pressure until the bleeding stops. Do not use in deep wounds, body cavities, or burns. If bleeding does not stop, consult a veterinarian.

Warnings

For external use on animals only. Do not use on deep cuts that require stitches or on severe wounds or body cavities.

Keep this and all pet products out of reach of children.

Store at temperature between 66-77 F

GROOMER FORMULA

Dogswell Styptic Powder is a safe, quick, and effective aid to stop bleeding of minor cuts or scratches. This is a great tool to have on hand during nail clipings.

Distributed by Whitebridge Pet Brands,

St. Louis, MO 63141

2020 Whitebridge. All Rights Reserved.

NDC# 86131-200-15

Remedy Recovery


6.25"

1.658"



- SAFE AREA (NO TEXT BEYOND THIS LINE)
- TRIM LINE
- BLEED



 WESTERN GRAPHICS INC.		CUSTOMER ART PROOF <small>Date Proofed 3-21-23</small>		REVISIONS: - COPY CHANGES	
<small>Before signing, please be sure the proof is correct in all aspects. We are not responsible for errors or omissions.</small> <input type="checkbox"/> PLEASE SUBMIT NEW PROOF JOB# _____ AUTHORIZED SIGNATURE _____ DATE _____		<small>MISTAKES ARE COSTLY. PLEASE PROOFREAD CAREFULLY. WE CANNOT BE RESPONSIBLE FOR INCORRECTLY PRINTED MATERIAL. PLEASE RETURN COLOR PROOFS UPON APPROVAL.</small> <small>This color proof was generated on a Digital Color Printer. It is a 4 color printer which simulates PMS colors. This proof should be used only to inspect the layout, spelling, completeness, and color separation and is not indicative of the print color or quality of the actual printed labels. Thank you for the opportunity to serve you.</small>		Please check for: <ul style="list-style-type: none"> • Typographical or graphic errors or omissions • Barcode correctness (if applicable) • Compliance to originally supplied customer art or electronic disk graphics • Compliance to any and all government rules and regulations 	
Client:	Item:	Net Wt	Side:	UPC:	Rewind Specs #3 - RIGHT/OUTSIDE Copy Position 11.5" O.D. Amount per Roll/Max O.D.
WHITEBRIDGE	RR DOGSWELL - STYPTIC POWDER	42.5G		0-12104-42615-0	
LBL SIZE	MATERIAL:	ADH:	FINISH:	ARTIST:	
1.658"H X 6.25"W SS	WHITE BOPP	PERM	GLOSS UV	JG	


6.25"

1.658"



— SAFE AREA (NO TEXT BEYOND THIS LINE)
 — TRIM LINE
 — BLEED



 WESTERN GRAPHICS INC. Before signing, please be sure the proof is correct in all aspects. We are not responsible for errors or omissions. <input type="checkbox"/> PLEASE SUBMIT NEW PROOF JOB# _____ AUTHORIZED SIGNATURE _____ DATE _____		CUSTOMER ART PROOF MISTAKES ARE COSTLY. PLEASE PROOFREAD CAREFULLY. WE CANNOT BE RESPONSIBLE FOR INCORRECTLY PRINTED MATERIAL. PLEASE RETURN COLOR PROOFS UPON APPROVAL. <small>This color proof was generated on a Digital Color Printer. It is a 4 color printer which simulates PMS colors. This proof should be used only to inspect the layout, spelling, completeness, and color separation and is not indicative of the print color or quality of the actual printed labels. Thank you for the opportunity to serve you.</small>		Date Proofed <u>3-21-23</u> REVISIONS: - COPY CHANGES	
Client:	Item:	Net Wt:	Side:	UPC:	Rewind Specs #3 - RIGHT/OUTSIDE Copy Position 11.5" O.D. Amount per Roll/Max O.D.
WHITEBRIDGE	RR DOGSWELL - STYPTIC POWDER	42.5G		0-12104-42615-0	
LBL SIZE	MATERIAL:	ADH:	FINISH:	ARTIST:	
1.658"H X 6.25"W SS	WHITE BOPP	PERM	GLOSS UV	JG	

DOGSWELL
 STYPTIC POWDER
 STOPS BLEEDING
 For Minor Cuts & Scratches


6.25"

1.658"



— SAFE AREA (NO TEXT BEYOND THIS LINE)
 — TRIM LINE
 — BLEED



 WESTERN GRAPHICS INC. Before signing, please be sure the proof is correct in all aspects. We are not responsible for errors or omissions. <input type="checkbox"/> PLEASE SUBMIT NEW PROOF JOB# _____ AUTHORIZED SIGNATURE _____ DATE _____		CUSTOMER ART PROOF MISTAKES ARE COSTLY. PLEASE PROOFREAD CAREFULLY. WE CANNOT BE RESPONSIBLE FOR INCORRECTLY PRINTED MATERIAL. PLEASE RETURN COLOR PROOFS UPON APPROVAL. <small>This color proof was generated on a Digital Color Printer. It is a 4 color printer which simulates PMS colors. This proof should be used only to inspect the layout, spelling, completeness, and color separation and is not indicative of the print color or quality of the actual printed labels. Thank you for the opportunity to serve you.</small>		Date Proofed <u>3-21-23</u> REVISIONS: - COPY CHANGES	
Client:	Item:	Net Wt	Side:	UPC:	Rewind Specs #3 - RIGHT/OUTSIDE Copy Position 11.5" O.D. Amount per Roll/Max O.D.
WHITEBRIDGE	RR DOGSWELL - STYPTIC POWDER	42.5G		0-12104-42615-0	
LBL SIZE	MATERIAL:	ADH:	FINISH:	ARTIST:	
1.658"H X 6.25"W SS	WHITE BOPP	PERM	GLOSS UV	JG	

for DOGS CATS & BIRDS
 NET WT. 42.5g (1.5 oz.)


6.25"

1.658"



- SAFE AREA (NO TEXT BEYOND THIS LINE)
- TRIM LINE
- BLEED



 <p>WESTERN GRAPHICS INC.</p> <p>Before signing, please be sure the proof is correct in all aspects. We are not responsible for errors or omissions.</p> <p><input type="checkbox"/> PLEASE SUBMIT NEW PROOF</p> <p>JOB# _____</p> <p>AUTHORIZED SIGNATURE: _____ DATE: _____</p>	<p style="text-align: center;">CUSTOMER ART PROOF</p> <p style="text-align: right;">Date Proofed: <u>3-21-23</u></p> <p>MISTAKES ARE COSTLY. PLEASE PROOFREAD CAREFULLY. WE CANNOT BE RESPONSIBLE FOR INCORRECTLY PRINTED MATERIAL. PLEASE RETURN COLOR PROOFS UPON APPROVAL.</p> <p><small>This color proof was generated on a Digital Color Printer. It is a 4 color printer which simulates PMS colors. This proof should be used only to inspect the layout, spelling, completeness, and color separation and is not indicative of the print color or quality of the actual printed labels. Thank you for the opportunity to serve you.</small></p> <p>Please check for:</p> <ul style="list-style-type: none"> • Typographical or graphic errors or omissions • Barcode correctness (if applicable) • Compliance to originally supplied customer art or electronic disk graphics • Compliance to any and all government rules and regulations 	<p>REVISIONS:</p> <p>- COPY CHANGES</p>																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Client:</td> <td style="width: 25%;">Item:</td> <td style="width: 15%;">Net Wt:</td> <td style="width: 15%;">Side:</td> <td style="width: 20%;">UPC:</td> </tr> <tr> <td>WHITEBRIDGE</td> <td>RR DOGSWELL - STYPTIC POWDER</td> <td>42.5G</td> <td></td> <td>0-12104-42615-0</td> </tr> <tr> <td>LBL SIZE</td> <td>MATERIAL:</td> <td>ADH:</td> <td>FINISH:</td> <td>ARTIST:</td> </tr> <tr> <td>1.658"H X 6.25"W SS</td> <td>WHITE BOPP</td> <td>PERM</td> <td>GLOSS UV</td> <td>JG</td> </tr> </table>	Client:	Item:	Net Wt:	Side:	UPC:	WHITEBRIDGE	RR DOGSWELL - STYPTIC POWDER	42.5G		0-12104-42615-0	LBL SIZE	MATERIAL:	ADH:	FINISH:	ARTIST:	1.658"H X 6.25"W SS	WHITE BOPP	PERM	GLOSS UV	JG	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Rewind Specs</td> </tr> <tr> <td style="text-align: center;">#3 - RIGHT/OUTSIDE</td> </tr> <tr> <td style="text-align: center;">Copy Position</td> </tr> <tr> <td style="text-align: center;">11.5" O.D.</td> </tr> <tr> <td style="text-align: center;">Amount per Roll/Max O.D.</td> </tr> </table>	Rewind Specs	#3 - RIGHT/OUTSIDE	Copy Position	11.5" O.D.	Amount per Roll/Max O.D.
Client:	Item:	Net Wt:	Side:	UPC:																						
WHITEBRIDGE	RR DOGSWELL - STYPTIC POWDER	42.5G		0-12104-42615-0																						
LBL SIZE	MATERIAL:	ADH:	FINISH:	ARTIST:																						
1.658"H X 6.25"W SS	WHITE BOPP	PERM	GLOSS UV	JG																						
Rewind Specs																										
#3 - RIGHT/OUTSIDE																										
Copy Position																										
11.5" O.D.																										
Amount per Roll/Max O.D.																										

STYPTIC POWDER

ferric subsulfate powder

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:86131-200
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FERRIC SUBSULFATE (UNII: 3QJ8WS6V8H) (FERRIC CATION - UNII:91O4LML611)	FERRIC CATION	35 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BENTONITE (UNII: A3N5ZCN45C)	
POTASSIUM SULFATE (UNII: 1K573LC5TV)	
DIATOMACEOUS EARTH (UNII: 2RF6EJ0M85)	
AMMONIUM CHLORIDE (UNII: 01Q9PC255D)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86131-200-15	42.5 g in 1 JAR		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/10/2020	

Labeler - Whitebridge Pet Brands (138434316)

Registrant - Whitebridge Pet Brands (138434316)

Establishment			
Name	Address	ID/FEI	Business Operations
Westwood Laboratories LLC		832280635	api manufacture, manufacture

Revised: 12/2023

Whitebridge Pet Brands